



# DEMOLITION EQUIPMENT & CONSUMABLES

- | PPE
- | ASBESTOS CONTROL
- | SAFETY SIGNAGE
- | DEMOLITION TOOLS
- | LIGHTING

## Sureshield Asbestos Suit

- SureShield SMS coveralls are certified both Type 5 and Type 6, which protect against fine particulates and limited liquid splashes.
- Anti-static, testing according to EN 1149-5
- Dry Particulate Protection. EN ISO 13982-1
- Reduced Spray Suits. EN 13034



CODE:	COLOUR:
SS150-W	White

## Gripper Glove

- Nitrile palm coating
- Suits sizes 8-12



CODE:	MATERIAL:	SIZE:
6161-GRIPPER10	Black Nitrile Palm Dipped	8 - 12

## Powerpac Safety Glasses



CODE:	LENS:
619-HC200C	Clear
619-HC200S	Smoke

## Powerpac Pro Safety Glasses



CODE:	LENS:
619-HC200C	Clear
619-HC200S	Smoke

## Respirator Filter

- Certified AS/NZS 1716:2012



CODE:	APPLICATION:	COMPATIBLE MASKS:
6161-STC40350	Asbestos, Mists	SYNC01VP3, SYNC11VP3
6161-STC40250	Organic Gases, Vapours	SYNC01VP3
21P3R	Particulates	RS01, RS01S, RX01, CF01, FS01
6161-STC40251	Organic & Inorganic Vapours, Particulates	SYNC01VP3

## Shoe Covers



CODE:	SIZE:
T100-SC	1 Size

## Respirator Half Mask

- Drop down head harness
- Extremely light 105g
- AS/NZS 1716:2012 certified



CODE:	SIZES:
20RS01	M, L

## Respirator Full Face

- 6-point head harness gives more adjustment and a better fit
- Polycarbonate 3D-curve visor with anti-scratch coating
- Speech diaphragm for clear communication
- Twist-lock connection for gas and particulate filters
- Ultra lightweight at 360g
- AS/NZS 1716:2012 certified



CODE:	SIZES:
20CF01	M, L

## Breath Responsive Full Face Protection

- Breathe easy with one of the most compact and easy to use Power Air Purifying Respirators (PAPR) on the market
- The STS Sync01VP3 is that it's breath responsive so the filter, and battery only works when you inhale. This means longer battery and filter life



CODE:	SIZES:
STS40401	S, M, L

## Hard Hat Mounted Full Face Powered Respirator - PAPR

- Adjustable harness
- Hepa Filtering system
- Respiratory protection: EN12941:1998 + A2:2008 TH3P, APF 40
- Approved to AS/NZS 1716:2012, AS/NZS 1337.1, AS/NZS 1801
- Weight: 1.2kg
- Head size range: 53cm - 63cm
- Battery type: Rechargeable Lithium-ion
- Battery run time: 8 hours
- Battery charge time: 8 hours
- RFID enabled



CODE:	SIZES:
6161-CEA646-000-100	S,M, L

## Force 8 Half Mask Respirator

- Press to Check Filter check feature
- Passes dolomite
- P2 & P3 filters for Protection against most construction dust particles
- Inhalation valve for easy maintenance
- Low profile covers protect filters
- Eliminates the need for face fit testing



CODE:	SIZES:
6161-2ORS01	S,M, L

## Force 10 Full Face Respirator

- Press to Check Filter check feature
- Passes dolomite
- P2 & P3 filters for Protection against most construction dust particles
- Inhalation valve for easy maintenance
- Panoramic visor
- Super light-weight



CODE:	SIZES:
6161-2ORS01	S,M, L

## Press To Check P3 Dust Filters - Set of 2

- Longer life/greater filter efficiency
- Better protection in wet environments
- Less chance of damage from foreign objects
- Resistance to clogging from very fine dust environments
- Improved hygiene



CODE:	FITS:
6161-BMN990-001-700	Force 8 & Force 10 Masks

## Site Bootwash Station



CODE:	DIMENSIONS:
BW01	


## Portable Hand Washing Station



CODE:	DIMENSIONS
HWS001	



## HaziSafe Bags



- Fully contained. There is no chance for accidental exposure.
- Used for a range of hazardous wastes including asbestos, dangerous goods, contaminated soils & spill response.
- Easy to transport with its strong lifting loops.
- More cost effective than traditional asbestos removal bulk bags.
- Allows you to package your hazardous material faster while using less consumables such as polythene rolls, tape, asbestos bags and truck liners
- Plastic internal liner - 200mu to contain waste safely

CODE:	SIZE:	MAX LOAD:	VOLUME:
6130-ASB004	1 x 1 x 1m	1250 kg	1000 L
6130-ASB005	2.5 x 1.5 x 0.4m	1000 kg	1500 L
6130-ASB006	2.5 x 1.5 x 0.8m	1000 kg	3000 L


## Asbestos Bags



- Clear plastic
- Heavy Duty - 200 Micron
- Danger warnings printed on bag

CODE:	SIZE:	QTY:
6130-ASB003	560 X 900 MM	100
6130-ASB002	700 X 1100 MM	50
6130-ASB001	900 X 1200 MM	50

## Polythene Sheeting



CODE:	DIMENSIONS:	FINISH:	THICKNESS:
44-BLAKPLAS	4 X 25m	Black	250 micron
44-BLAKPLAS-50	4 X 50m	Black	250 micron
CPS425020	4 x 25m	Clear	200 micron

## Aerosol Contact Adhesive

- 12 per carton



CODE:	SIZE:
03SS24AC	500ml


## Exapander Foam

- Supplied with nozzle
- BRANZ appraised
- 12 per carton



CODE:	SIZE:
20048	750ml

## Polyweave Carpet Cover



CODE:	THICKNESS:	AREA:	ROLL SIZE:	QTY:
CPPE250	80 micron	100m <sup>2</sup>	2m x 50m	1-9 rolls 10+ Rolls

## PVC/Cloth Tapes



CODE:	TYPE:	WIDTH:	LENGTH:	CARTON QTY:
80-204	PVC	50mm	30m	24
MPC-4850B	Blue Cloth	50mm	50m	30
MPC-4850SLV	Silver Cloth	50mm	50m	30
6100	LowTac	48mm	50m	24

## Barrier Tape



- High Quality Polythene

CODE:	PRODUCT:	SIZE:
BW-AW	Asbestos Warning	250m x 75mm
BWE-DKO	Danger Keep Out	250m x 75mm

## Marking Tape



- High Quality Polythene

CODE:	PRODUCT:	SIZE:
SIFTYB	Yellow/Black Striped	33m x 50mm
SIFTWR	Red/White Striped	33m x 50mm

## Rags



CODE:	SIZE:
3032-20KG	20kg

## Hygiene Wipes



CODE:	PRODUCT:	PACK QTY:
TW-WIPE	Wet Wipes	100
CW75	Alcohol Wipes	75



## Edco Jumbo Sponge



CODE:	DIMENSIONS:
H4578	215 x 100 x 70mm

## 204mm Floor Scraper



CODE:
OX-P050408

## Powerpac Tradesman Bucket 20L w/ Lid



CODE:
6191-PP20L

## Flat Paint Brush



CODE:	SIZE:
WPBF-50	50mm

## Wire Brushes



CODE:	PRODUCT:	DIAMETER:	FITTING:	WIRE:
GM1002	Wire Cup Brush	75mm	M14	0.5mm

CODE:	PRODUCT:	WIRE DIA:	TOTAL LENGTH:
MS4000X	Hand Wire Brush	0.40mm	290mm

## Powerpac Metal Cut Off Disc



CODE:	PRODUCT:	DIAMETER:	BORE:
6110-CI12510	Inox Pro	125 X 1mm	22mm
6110-CI12525	Inox Pro	125 X 2.5mm	22mm
6110-CI18025	Inox Pro	180 X 2.5mm	22mm
6110-CI23025	Inox Pro	230 X 2.5mm	22mm
6110-CC12510	Inox Pro Extreme	125 X 1.0mm	22mm
6110-R35040	Rail Pro	350 X 4.0mm	25mm
6110-R40040	Rail Pro	350 X 4.0mm	25mm

## Flat Head Drill Bit



CODE:	SIZE:
SL850S	8 x 50mm

## Recipro Saw Blades



CODE:	BLADE TYPE:	LENGTH:
300NBE	Nail Buster Extreme	300mm
300MB	"Metal Buster" Metal Cutting	300mm
300FB	"Fang" Wood Cutting Recipro Blade	300mm
150NB	"Nail Buster" Wood/Nails	150mm
150FB	"Fang" Wood Cutting Recipro Blade	150mm
150NB	"Nail Buster" Wood/Nails	150mm

## Silvan Backpack Sprayer



CODE:	SIZE:
SP-61800	15L

## Claw Hammer F/Glass Handle



CODE:
OX-T080920

## Retractable Knife & Blades



CODE:	PRODUCT:
119-2D	Knife Body + 1 Blade
921-2	100 Blade Pack

## Clean And Strip Discs



CODE:	DIAMETER:	BORE:
BC1041	115mm	22mm
BC1042	125MM	22mm
BC1043	178mm	22mm

## PVC Customised Signage

**YOUR  
LOGO  
HERE**

2015

## A yellow and black heavy-duty plastic storage bin with a hinged lid and a handle. The bin is shown from a three-quarter view, highlighting its sturdy construction and the internal shelf. The lid is yellow with black hinges and a black handle. The bin body is yellow with black accents, including a black handle on the side and a black base. A black label with a yellow diamond-shaped hazard symbol is visible on the front.



<b>CODE:</b>	<b>HEIGHT:</b>
CC900	900mm



<b>CODE:</b>	<b>LENGTH:</b>
TCCB	1320 - 2160mm



- 1.2m x 25m
- 1.2m x 50m
- 1.8m x 25m
- 1.8m x 50m






**Custom design & sizing  
also available**

Long Reach  
Scraper

- Designed for:
- Tiles removal
  - Removal of ice, residues and other adhesives
  - Removal of carpet, lino, asbestos linings
  - Bituminous products removal
  - Weight: 4.6 kg
  - Length: 1200 mm
  - Blows per Minute: 2200 bpm
  - Air Consumption: 4cfm

CODE:  
136.3400



PRODUCT:	CODE:	APPLICATION:	WIDTH:	EDGE:
	705.1101		50mm	Chisel
	705.1106		50mm	Chisel
	705.1102		100mm	Chisel
	641.3512	Removal of adhesives and paint	50mm	Blade Holder
	431.3908	Removal of carpet and tiles	203mm	Scraper Assembly Bevelled Edge
	439.3528			Blade Replacement
	431.3912	Removal of stubborn adhesive	305mm	Scraper Assembly Bevelled Edge
	439.3522			5pk Blade Replacement





## SDS Masonry Drill Bits



CODE:	DIAMETER:	DRILLING DEPTH:	O.A.L:
KPZ050160	5.0mm	100mm	160mm
KPZ050210	5.0mm	150mm	210mm
KPZ060160	6.0mm	100mm	160mm
KPZ060210	6.0mm	150mm	210mm
KPZ060260	6.0mm	200mm	260mm
KPZ080160	8.0mm	100mm	160mm
KPZ080210	8.0mm	150mm	210mm
KPZ080260	8.0mm	200mm	260mm
KPZ100160	10mm	100mm	160mm
KPZ100210	10mm	150mm	210mm
KPZ100260	10mm	200mm	260mm
KPZ100310	10mm	250mm	310mm
KPZ120160	12mm	100mm	160mm
KPZ120210	12mm	150mm	210mm
KPZ120260	12mm	200mm	260mm
KPZ120310	12mm	250mm	310mm
KPZ120450	12mm	400mm	450mm
KPZ140160	14mm	100mm	160mm
KPZ140210	14mm	150mm	210mm
KPZ140260	14mm	200mm	260mm
KPZ140310	14mm	250mm	310mm
KPZ160160	16mm	100mm	160mm
KPZ160210	16mm	150mm	210mm
KPZ160260	16mm	200mm	260mm
KPZ160450	16mm	400mm	450mm
KPZ180250	18mm	200mm	250mm
KPZ180450	18mm	400mm	450mm
KPZ200250	20mm	200mm	250mm
KPZ200450	20mm	400mm	450mm

## Dustless Masonry Drill Bits



CODE:	DIAMETER:	DRILLING DEPTH:	O.A.L:
KDSPZ10270	10mm	150mm	270mm
KDSPZ12320	12mm	200mm	320mm
KDSPZ14370	14mm	250mm	370mm
KDSPZ16370	16mm	250mm	370mm
KDSPZ18370	18mm	250mm	370mm
KDSPZ20370	20mm	250mm	370mm
KDSPZ24370	24mm	250mm	370mm

## SDS PLUS Accessories



CODE:	LENGTH:	WIDTH:	TYPE:
SPFC20250	250mm	20mm	Chisel
SPSC40250	250mm	40mm	Chisel
SPPC250	250mm	N/A	Point

## SDS MAX Masonry Drill Bits



CODE:	DIAMETER:	DRILLING DEPTH:	O.A.L:
KXZ160340	16mm	200mm	340mm
KXZ160540	16mm	400mm	540mm
KXZ180340	18mm	200mm	340mm
KXZ180540	18mm	400mm	540mm
KXZ200320	20mm	200mm	320mm
KXZ200520	20mm	400mm	520mm
KXZ220320	22mm	200mm	320mm
KXZ220520	22mm	400mm	520mm
KXZ240320	24mm	200mm	320mm
KXZ240520	24mm	400mm	520mm
KXZ250320	25mm	200mm	320mm
KXZ250520	25mm	400mm	520mm
KXZ280370	28mm	250mm	370mm
KXZ280570	28mm	450mm	570mm
KXZ300370	30mm	250mm	370mm
KXZ300570	30mm	450mm	570mm
KXZ320370	32mm	250mm	370mm
KXZ320570	32mm	450mm	570mm

## Dustless Masonry Drill Bits



CODE:	DIAMETER:	DRILLING DEPTH:	O.A.L:
KDSXZ16600	16mm	400mm	600mm
KDSXZ18600	18mm	400mm	600mm
KDSXZ20600	20mm	400mm	600mm
KDSXZ22600	22mm	400mm	600mm
KDSXZ24600	24mm	400mm	600mm
KDSXZ25600	25mm	400mm	600mm
KDSXZ28600	28mm	400mm	600mm
KDSXZ30600	30mm	400mm	600mm
KDSXZ32600	32mm	400mm	600mm

## SDS MAX Accessories



CODE:	LENGTH:	WIDTH:	TYPE:
SXFX25280	280mm	25mm	Chisel
SXFC25400	400mm	25mm	Chisel
SXFC50400	400mm	50mm	Chisel
SXFC80300	300mm	80mm	Chisel
SXPC280	280mm	N/A	Point
SXPC400	400mm	N/A	Point
5818	400mm	N/A	Bushing Tool

## Cordless 20mm Capacity Rotary Hammer - SDS PLUS

- Shank type: SDS plus
- Battery: 18V
- Net weight: 3.5kg
- Tool Only
- Voltage: 18V
- Carbon brush: 441

code: DHR2022



## 32mm Capacity Rotary Hammer - SDS PLUS

- Shank type: SDS plus
- Voltage: 240V
- Net weight: 5.2kg
- Tool Only
- Wattage: 850W
- Power cord: 5.0m

code: HR3210C



## 40mm Capacity Rotary Hammer - SDS MAX

- Shank type: SDS max
- Voltage: 240V
- Net weight: 6.8kg
- Tool Only
- Wattage: 1,100W
- Power cord: 5.0m

code: HR4013C



## 52mm Capacity Rotary Hammer - SDS MAX

- Shank type: SDS max
- Voltage: 240V
- Net weight: 11.9kg
- Tool Only
- Wattage: 1,510W
- Power cord: 5.0m

code: HR5212C



## Variable Speed Recipro Saw

- Net weight: 3.2kg
- Wattage: 1,200W
- Tool-less blade change

code: JR3051TTK



## 125mm Angle Grinder

- Disc size: 125mm
- Net weight: 2.4kg
- Wattage: 1,100W
- Power cord: 2.5m
- Paddle switch

code: 9565P



## Demolition Breaker

- Shank size: 30mm Hex
- Blows per minute: 730-1450ipm
- 33.8 Joules
- Net weight: 17kg
- Wattage: 1,510W
- Power cord: 5.0m
- AVT (Anti-Vibration Technology)

code: HM1317C




CODE:	PRODUCT:	CODE:	PRODUCT:
E89-2	Moil	E89-8	Scaling Chisel
E89-5	Flat Chisel	E89-10	Spade

## 230mm Angle Grinder Two Stage Trigger

- Disc size: 230mm
- Net weight: 5.5kg
- Wattage: 2,400W
- Power cord: 2.0m
- Torque limiter, anti-vibration grip with soft start

code: GA9040S01





**Contact our sales team  
for more information**

## Rubble Truck

- 400L Capacity
- 750kg weight loading capacity
- 760w x 1460h mm
- 4 x certified crane lifting points
- Solid rubber, puncture proof wheels
- Rubber side protection buffers



### Optional Lid








## Mobile Dust Suppression Unit



- Power supply: 32A 400V
- Weight: 240kg
- Remote control operation
- Water consumption: 6 Bar - 20L/Min  
9 Bar - 24L/Min  
12 Bar - 28L/Min  
15 Bar - 31L/Min


CODE:

DK50



## 20W Magnetic Battery Worklight

- IP44
- Dimensions: 189 x 140 x 48mm
- Runtime: 3-4 hours (100%)  
4-5 hours (50%)



CODE:	WATTAGE:
K1113	20W

## 25m Chain Light (10 lamps)

- Steel cage
- IP65 Rated
- 10 x Lamps spaced 3m apart
- Can link up to 14 light sets
- 16amp caravan style plugs for daisy chaining



CODE:	WATTAGE:
6180-CL25LED	60W

## Heavy Duty Extension Leads



CODE:	CURRENT:	SIZE:
EL153	1.5A	30m

## Free Standing Lead Stand

- Height 1.3-2.5m
- Capacity 10 leads/6 hoses up to 30mm diameter
- Solid construction with foldable base



CODE:
6181-LEADSTAND

## 600mm Portable LED Light Fittings with Battery Backup

- Comes with an emergency backup battery for power failure
- 240V
- IP65 Waterproof
- 16 AMP Plugs for daisy Chaining
- One hour of battery backup fitting available as part of the system
- LED automatically stays on after disconnection or loss of power for one hour before turning off
- 5m Cable



Includes brackets for mounting/hanging



CODE:	SIZE:	WATTAGE:	BRIGHTNESS:	WEIGHT:
K6060B	676MM	25W	2200LM	3.5KG

## Double 30W Super LED Work Light with Tripod

- IP65 Waterproof
- Very minimal fire risk due to low heat output



CODE:	WATTAGE:
K1189TW	370W

## LED Site Lights


- Ideal for exterior site lighting
- Fix to hoarding and cranes



CODE:	WATTAGE:
K1506H	100W
K1509H	200W

## 40W LED Up Light

- IP44
- Very minimal fire risk due to low heat output



CODE:	WATTAGE:
K1375L	40W

## 50W SMD LED Rechargeable Uplight

- IP44
- Battery: 11.1V, 8800mAh Li-ion
- Light output: 4000 lumens
- Work time: 3 hours
- Charge time: 4-5 hours
- Includes charger



CODE:	WATTAGE:
K1375L	40W

## 1200mm Portable LED Light

- 220V-240V
- IP65 Waterproof
- 16 AMP Plugs for daisy Chaining
- 5m Cable



Includes brackets for mounting/hanging



CODE:	SIZE:	WATTAGE:	BRIGHTNESS:	WEIGHT:
K6061	1200MM	45W	4500LM	4.5KG

## Extended Reach Concrete Grinder

- Electronic soft start
- Easy exchangeable flexible drive shaft
- Robust joint for optimum adaptation to inclination angle
- Brush rim - high suction power for dust-free working by connecting an industrial vacuum cleaner (accessory) to the 35mm nozzle
- Additional handle – ergonomic handling, variably adjustable at the machine



CODE:	PRODUCT:
6190-37128000	Swirl Jet Diamond Wheel
6190-37126000	Turbo Cup Diamond Wheel



CODE:	WATTS:	VOLTAGE:	SPEED:	SPINDLE:	WEIGHT:	DIAMETER:
6190-6231000	1200	230	8000rpm	22.2mm	5.3kg	125mm

## H Class HEPA Vacuum

### Specifications:

- H Class
- Wet and Dry
- Capacity: 35L
- Wattage: 1,600W
- Filter Vibration
- 240V Power Outlet



CODE:	PRODUCT:
ASIP35H	HEPA Vacuum

CODE:	PRODUCT:
AS419190	HEPA Filter Replacement
AS413235	5m Hose Replacement
AS256207	Floor Tool
AS424589	Extension Pipes
AS411231	Fleece Dust Bag 5pk

## 23L Numatic Vacuum H-Class - 2 Motor

- This machine is H14 rated and is New Zealand compliant for use in the removal of asbestos



CODE:	CAPACITY:	POWER:
6130-HZDQ570-2	23L	2400W

## Vacuum Accessories



CODE:	PRODUCT:	QTY:
6130-601141	Double Taper Hose/Tool Adaptor	1
6130-601142	Crevice Tool 240 x 32mm	1
6130-601144	Soft Dusting Brush 65 x 32mm	1
6130-604015	NVM-1CH Hepaflo Dust Bag	10
6130-604017	NVM-3BH Hepaflo Dust Bag	10



## Concrete Core Drill



- Made in Germany
- 202mm Ø capacity
- High quality, professional machine

\*Core drill and stand sold separately  
Stand code: 6190-9646000



## Drill Stand

- Quick-mounting adapter for fast drill mounting
- Up to 45° swivel
- Hole centre indicator
- Spirit level
- 2 sided feed handle
- 14kg



CODE:	WATTS:	VOLTAGE:	GEAR BOX:	SPEED:	SPINDLE:	WEIGHT:	DRILLING CAPACITY Ø:
6190-PLD182.1NT	2300	240	3 Speed	0-520, 1200, 2500rpm	G½" F + 1¼" M	7.5kg	12-202mm

## Core Drill & Stand 450mm Capacity



- Made in Germany
- 450mm Ø capacity
- Powerful 3300 W motor
- Soft start, over current cut-off, overload indication
- Mechanical safety overloading clutch
- Stand drilling angles 45 - 90 deg
- Fine Adjustment stand feed 1:3
- 2 sided feed lever change without any tools
- Wheeled stand for easy transport



CODE:	WATTS:	VOLTAGE:	GEAR BOX:	SPEED:	SPINDLE:	WEIGHT:	DRILLING CAPACITY Ø:
6190-0373B000	3300	240	3 Speed	180, 450, 780rpm	1¼" M	36 kg	71-450mm

## DBK Wet Core Bits

- Suitable for use on Reinforced Concrete, Granite
- High end wet core bit with roof top turbo segments
- Universal & high lifetime
- Suitable for hand drilling and stand drilling
- Bore: 1 1/4" UNC




CODE:	SIZE:	DIAMETER:	SEGMENT QTY:	SEGMENT HEIGHT:	SEGMENT THICKNESS:
6110-340007	DBK 32x450	32mm	4	10mm	3.0mm
6110-340008	DBK 42x450	42mm	5	10mm	3.0mm
6110-340009	DBK 52x450	52mm	5	10mm	3.5mm
6110-340005	DBK 62x450	62mm	5	10mm	3.5mm
6110-340411	DBK 67x450	67mm	6	10mm	3.5mm
6110-340001	DBK 72x450	72mm	6	10mm	3.5mm
6110-340006	DBK 82x450	82mm	7	10mm	3.5mm
6110-340010	DBK 92x450	92mm	7	10mm	3.5mm
6110-340002	DBK 102x450	102mm	8	10mm	3.5mm
6110-340121	DBK 107x450	107mm	8	10mm	3.5mm
6110-340004	DBK 112x450	112mm	9	10mm	3.5mm
6110-340022	DBK 117x450	117mm	9	10mm	3.5mm
6110-340011	DBK 122x450	122mm	10	10mm	3.5mm
6110-340323	DBK 127x450	127mm	10	10mm	3.5mm
6110-340003	DBK 132x450	132mm	10	10mm	3.5mm
6110-340053	DBK 138x450	138mm	10	10mm	3.5mm
6110-340012	DBK 142x450	142mm	11	10mm	3.5mm
6110-340013	DBK 152x450	152mm	12	10mm	4.0mm
6110-340014	DBK 162x450	162mm	12	10mm	4.0mm
6110-340015	DBK 172x450	172mm	13	10mm	4.0mm
6110-340016	DBK 182x450	182mm	14	10mm	4.0mm
6110-340057	DBK 186x450	186mm	14	10mm	4.0mm
6110-340017	DBK 192x450	192mm	14	10mm	4.0mm
6110-340018	DBK 202x450	202mm	14	10mm	4.6mm
6110-340019	DBK 225x450	225mm	15	10mm	4.6mm
6110-340020	DBK 250x450	250mm	16	10mm	4.6mm
6110-340122	DBK 270x450	270mm	17	10mm	4.6mm
6110-340316	DBK 276x450	276mm	19	10mm	4.6mm
6110-340021	DBK 300x450	300mm	19	10mm	4.6mm
6110-340023	DBK 325x450	325mm	20	10mm	4.6mm
6110-340317	DBK 341x450	341mm	22	10mm	4.6mm
6110-340152	DBK 350x450	350mm	22	10mm	4.6mm
6110-340213	DBK 400x450	400mm	23	10mm	5.0mm

## Pressurised Dust Suppression Tank



CODE:	SIZE:	HOSE LENGTH:
6190-35811000	5 L	4m

## Slurry Suppression Water Suction Ring



CODE:	SUITS DIA SIZE:
6190-35874000	32 - 152mm





### PKD Grinding Cup

- High stock removal wheel
- Segment height : 4 mm
- Coarse polycrystalline diamonds



CODE:	DIAMETER:	BORE:	SEGMENT QTY:
6110-350108	125mm	22.2mm	6

### Fine Grade Diamond Grinding Cup

- Fine grade
- Premium diamond grinding cup wheel with M14 thread
- Segment height: 6 mm
- Diamond grit #40/50 (grade 1)



CODE:	DIAMETER:	BORE:
6110-350096	125mm	M14

### MX13 Universal Concrete Blade


- Professional series asphalt blade with SHOXX forged segments
- Segment height: 13mm
- Suitable for high speed saws and walk behind saws up to 33 HP
- Laser welded segments



CODE:	DIAMETER:	BORE:	SEGMENT QTY:	SEGMENT THICKNESS:
6110-310346	125mm	22.2mm	9	2.6mm
6110-310348	180mm	22.2mm	13	2.4mm
6110-310349	230mm	22.2mm	16	2.6mm
6110-310353	350mm	25.4mm	24	3.0mm
6110-310355	400mm	25.4mm	28	3.2mm

### Medium Grade Diamond Grinding Cup

- Medium stock removal wheel
- Segment height : 5.5 mm
- Optimal use:  
Concrete, Concrete products, Tile adhesive, Granite, Sand-lime bricks



CODE:	DIAMETER:	BORE:	SEGMENT QTY:
6110-350075	125mm	22.2mm	6
6110-350077	180mm	22.2mm	10

### AX13 Asphalt Cutting Blade


- Professional series asphalt blade with SHOXX forged segments
- Segment height: 13mm
- Low vibration
- Suitable for high speed saws and walk behind saws up to 33 HP
- Laser welded segments



CODE:	DIAMETER:	BORE:	SEGMENT QTY:	SEGMENT THICKNESS:
6110-350339	350mm	25.4mm	21	3.0mm
6110-350341	400mm	25.4mm	24	3.2mm

### UX17 Concrete Cutting Blade

- Massive 17mm segment height
- High-end diamond blade
- SHOXX forged segments giving exceptional longevity & wear resistance
- Laser welded segments
- Fast cutting blade
- Suitable for cutting most abrasive materials



CODE:	DIAMETER:	BORE:	SEGMENT QTY:	SEGMENT THICKNESS:
6110-310317	230mm	22.2mm	15	2.8mm
6110-310141	350mm	25.4mm	22	3.0mm
6110-310201	400mm	25.4mm	25	3.2mm

