


I CONICAL SKIPS - LOW HEIGHT SERIES

CONCRETE BUCKET WITH CENTRAL AND SIDE DISCHARGE

- Concrete bucket with central and side unloading (detachable side chute)
- Big lever for opening and two springs close automatically the discharge valve
- Reduced height to assist filling
- Detachable Side Chute
- Accessories available: Forklift Pockets and Hose





DIMENSIONS (mm):

MODEL:	CAPACITY (L):	CAPACITY (kg):	WEIGHT (kg):	A	В	С	D
CL-99N	1000	2600	245	1259	1590	964	1978
CL-150N	1500	3900	280	1525	1590	964	2041
CL-200N	2000	5200	390	1525	1850	964	2347






• Laydown concrete bucket to assist filling

• When lifted, the bucket returns to its vertical position ready for pouring concrete

Opening with lever






DIMENSIONS (mm):

MODEL:	CAPACITY (L):	CAPACITY (kg):	WEIGHT (kg):	Α	В	С	D	E
BF-99CL	1000	2600	310	2272	1349	1137	1674	420

I CONICAL SKIPS

CONCRETE BUCKET WITH CENTRAL DISCHARGE HOSE

- With rubber hose and spring lever operated gate
- Standard rubber hose Ø 200 mm





DIMENSIONS (mm):

MODEL:	CAPACITY (L):	CAPACITY (kg):	WEIGHT (kg):	Α	В	С	D	
CT-50	500	1300	120	1250	1050	880	1200	
CT-80	800	2080	175	1490	1250	930	1450	
CT-99	1000	2600	215	1670	1250	930	1450	

I COLUMN SKIPS

LAYDOWN CONCRETE SKIP WITH RUBBER HOSE DISCHARGE

- High performance concrete skip with 2.0m x 200mm
 Rubber Hose
- Designed to lay down when standing on the ground to assist filling
- When lifted, it returns to its vertical position

ALSO AVAILABLE IN A SERIES WITH LIFTING RINGS INSTEAD OF THE BALE ARM






MODEL:	CAPACITY (L):	CAPACITY (kg):	WEIGHT (kg):	HEIGHT (mm):
BC-99	1000	2600	365	900
BC-125	1250	3250	430	1100
BC-150	1500	3900	450	1100

I CLAM SHELL BUCKETS

A GENERAL PURPOSE WASTE HANDLING SKIP DESIGNED FOR USE WITH CRANE

• Discharges directly from the base by lever







		(mm):


A-300S	3000	7800	700	1324	2210	1550	
MODEL:	CAPACITY (L):	CAPACITY (kg):	WEIGHT (kg):	Α	В	С	

I SELF TIPPING WASTE SKIPS

YOUR NEW RIGHT HAND MAN

We offer our customers this range of boat skips with self dumping system, used for general muck and waste removal. These high quality skips guarantee an easy and safe work as they empty automatically without the help of any assistant. This special and modern system of release eliminates the risk for the operator to enter the danger zone where the bucket is working. The low loading height and drop down bale arm









DI	MFI	NSI	NS	(mm	١.


MODEL:	CAPACITY (L):	CAPACITY (kg):	WEIGHT (kg):	A	В	С	D	E	F	G
A-150D	1500	3000	300	1370	1700	1430	860	860	640	1340
A-200D	2000	4000	550	1518	1970	1612	946	840	530	1412
A-300D	3000	6000	670	1625	2146	1962	1006	900	580	1762
A-400D	4000	8000	1150	2036	2551	2268	1130	1011	710	2062
A-600D	6000	12000	1600	2416	2830	2272	1436	1330	880	2066
A-800D	8000	16000	2700	2743	3425	2269	1736	1610	1072	2066

CAGES & GOODS



I CRANABLE PERSONNEL CAGES

We offer a wide range of man baskets with different capacities and purposes. Our man baskets are equipped with tool tray, four lifting chains, entrance door on side and handrail. The castor rollers prevent damage to the buildings. The removable roof allows the basket to be used in a wide variety of projects!










MODEL:	CAPACITY (kg):	WEIGHT (kg):	DIMENSIONS (mm):
CPP-AS2	500	219	1200 X 1000 X 1205h
CPP-1RC	500	165	1000 Ø x 2340h
CPP-G2C	1000	300	1400 x 1000 x 2320h
CPP-G3C	2000	495	2000 x 1000 x 2320h

I CRANABLE GOODS CAGE

- 2000kg capacity goods cage
- For use with 2000kg Crane Forks










DIMENSIONS (mm):

MODEL:	CAPACITY (kg):	WEIGHT (kg):	Α	В	С	D	Е	F	G	Н	L
CST	2000	100	1260	1200	1200	1140	120	515	745	1340	1400

I CRANE CAGE

- Heavy duty goods carrying cage
- Fitted with fork pockets and lifting eyes
- Loading ramp





DIMENSIONS (mm):


MODEL:	CAPACITY (kg):	WEIGHT (kg):	A	В	С	D	E
CST-D	2000	200	1260	1200	1200	1140	120

I LIFTING FORKS

AUTO BALANCE CRANE FORK

- Easy adjustment for opening to desired pallet width
- Closing lock operated and controlled by means of a handwheel
- Automatically adjustment to compensate for the different weight carried
- Designed and constructed in high quality steel to ensure complete safety in compliance with ECC and UNI-EN certifications





		mm):

MODEL:	CAPACITY (kg):	WEIGHT (kg):	Α	В	С	D	Е	F	G	L	M
MBA-20	2000	100	1600	340	1300	1200	2360	1080	1000	35	100
MBA-30	3000	185	1600	340	1300	1200	2360	1090	1000	35	120

I CONCRETE ROAD BARRIERS CLAMP

DESIGNED FOR THE TRANSPORTATION AND PLACEMENT OF CONCRETE BARRIERS



MODEL:	CAPACITY (kg):	WEIGHT (kg):	ADJUSTMENT (kg):
PZM-NJ	5000	235	50-800


I CONCRETE KERB CLAMP GRAB

THE SOLUTION FOR HANDLING PRECAST KERB SEGMENTS AND KASSEL KERBS




MODEL:	CAPACITY (kg):	WEIGHT (kg):	ADJUSTMENT (kg):
P2C-TA	600	35	50-600

I STACKING STILLAGE WITH SOLID WALLS




I STACKING STILLAGE



PPF-12	1000	30	1200	800	750
MODEL:	CAPACITY (kg):	WEIGHT (kg):	Α	В	С
			DIME	1010110	(11111).

I GAS BOTTLE CAGE



MODEL:		CAPACITY	(kg):	WEIGHT (kg):		
PB-4		400		90		
		DIMENS	SIONS (mm):			
Α	В	С	D	Е	F	
633	840	1860	2000	150	60	

I DRUM HANDLING




GRIPPERS FOR LIFTING DRUMS

• For a variety of applications including lifting and pouring



TRUCKLOADER

- Remote control Operation
- Bottom discharge Gate
- 100% failsafe mechanical operation
- NO Double handling Direct-to-truck discharge
- NO need for stock piling
- NO Gantry required to unload
- Due to the design, Gecko skips can also be used to back-fill/fill shafts.







POWERPAC