SITE SIGNAGE



SITE SIGNAC

SIGNAGE IN THE WORKPLACE

Signage Requirements

Your signage is an essential control used to minimise hazards in the workplace. The AS/NZS 1319:1994 standard sets out requirements for the design and use of safety signs in the occupational environment to regulate and control safety procedures, to warn of hazards, and to provide emergency information including fire protection information.

Safety signs are classified based on their function and use.

I REGULATORY SAFETY SIGNS

MANDATORY

Specify that an action or instruction must be carried out.



WARNING

Warn of a hazard or hazardous condition that is not likely to be life threatening.



PROHIBITION

Specify that an action or activity is not permitted.



EMERGENCY

Indicates the location of, or the directions to, emergency related facilities such as exits, safety equipment or first aid facilities.



DANGER

Indicate a hazard or hazardous condition that is likely to be life threatening.



FIRE

Advises the location of fire alarms and fire-fighting equipment.



TRAFFIC AND PARKING SIGNS

Used to communicate designation of parking and direct traffic.



MULTI-MESSAGE SIGNS

Designed to specify requirements and messages for all personnel entering a site.



INFORMATION SIGNS

Used to communicate site specific information to all personnel.



NOTICE

Communicate instructions, identify restricted access or remind employees of health and safety policies within your facility or site.



QUALITY ASSURANCE SIGNS

Used to communicate specific steps or areas to maintain quality in a production zone.



SECURITY NOTICE SIGNS

Used to discourage unwanted guests and warn of the security measures that are in place on a site.



SPEED SIGNS

Shows the speed limit within an area or facility.



LIMITATION OR RESTRICTION


Place a numerical or other defined limit on an activity or use of a facility.



DISTANCE VIEWING GUIDE

Selecting the size of a sign involves more than just matching it to the available space. Signs must be large enough to convey safety messages quickly and accurately.

To comply with AS/NZS 1319:1994, factors such as the site environment, viewing distance, and light quality must be considered when determining the size of the sign and its print.



SIGNAGE

SIGNAGE IN THE WORKPLACE

OUR STOCK RANGE:

POLYPROPYLENE (POLY)

Plastic signs (polypropylene) are highly recommended for outdoor use. In addition to safety signs, polypropylene signs come in many sizes. Outdoors, polypropylene resists fading and cracking. Carbon and hydrogen are the only elements found in polypropylene. A heat-tolerant and stable plastic, polypropylene is a suitable alternative in all climates. Polypropylene is 100% recyclable.

ALUMINIUM COMPOSITE MATERIAL (ACM)

Rigid and lightweight - Ideal for large external signs without the need for backing support. It is made in a sandwich construction of thin aluminium sheets on a polyethylene core.

CORFLUTE

Corflute is corrugated polypropylene – a type of plastic – usually 3mm or 5mm in width. You'll most likely have seen corflute signage used as part of political advertising, by real estate companies advertising local homes, or on temporary construction sites.


SELF-ADHESIVE VINYL (SAV)

Self-adhesive vinyl for labels or stick-on signs. There are many different grades and types which have varying lifespans, some up to 8 years.

RIGID PVC (PVC)

Rigid PVC has good impact strength, making it an ideal substrate for general purpose signage. 1.5mm is the standard thickness.

All signs can be printed on reflective vinyl and laminated for extra durability.



NO NAKED

LIGHTS

ALSO AVAILABLE:

MAGNETIC SHEET

Magnetic signage is flexible, easily removable, and perfect for signs on multi-use vehicles.

FOAMED PVC (Palite)


Foamed PVC (sometimes referred to as palite) is a compressed foam product that is very cost-efficient and has a spectacular finish. Foamed PVC is designed for indoor use and is mostly used for instore display signage.


REFLECTIVE

The ORALITE® series retro-reflective materials are flexible, highly reflective, weatherproof, self-adhesive films with excellent corrosion and solvent resistance. Its construction consists of sealed cells of air-backed microprisms, using total internal reflection. The reflective data and colours in daylight meets/exceeds the requirements of AS/NZS1906.1 Class 1W (WZ) for all photometric performance aspects. Durability depends on which grade is used, ranging from 5 to 10 years.

FLOOR VINYL

Floor vinyl can be used to provide directions, direct pedestrian traffic, or to serve as a form of graphic art. On surfaces such as sealed concrete, laminate floors, tile (without covering grout lines), and hardwood floors, floor decals can be customized to specific shapes.





SITE SIGNAGE


HAZARD & RISK MANAGEMENT BOARDS

1200mm x 800mm ACM



| SITE HAZARD / RISK BOARD All visitors must report & sign in to the site office YOUR LOGO HER | | | | | | | | | |
|---|----------|-------------------|---|---------------------------------------|---------------------------|--|--|--|--|
| Site Address: | | | PPE | Required | Use as | | | | |
| Site Manager: | | | Head Protection | | recess | | | | |
| Contact Number: | | | (a) High Visibility Clothing | | | | | | |
| First Aiders: | | | Steel Cap Boots | | | | | | |
| On Site Safety Rep: | | | Nearing Protection | | | | | | |
| Assembly Point: | | | Eye Protection | | | | | | |
| Next Toolbox Meeting: | | | Gioves | | | | | | |
| Date: / / Last Revie | wed: / / | | Full Body Clothing | | | | | | |
| Moving machinery Trenches | M | Hi Va passio | is he worn, make eye contact with obtain- glomesting. Only belond operations. | e if | ps, heap | | | | |
| General Hazards / Risks Slips, Trips & Falls | E/M M | | Control Action to Elimin | e la la | nise | | | | |
| | м | Do not weblish | approach unless working in the area, Do no easy from edge. Do not enter unless a | nod wiend en mily eliteriwed | | | | | |
| Serious Harm / Injury | м | Do not Manag | more vision unless life threatening. Free amost immediately. Do not leave until siz- | ur Da scena, Rej lemeni laken il y | port to no are a unite | | | | |
| | | | | | | | | | |
| | | H | | | | | | | |
| PLEASE CHECK AND UPDATE THE B | | FERT D | | | _ | | | | |
| Daily Hazards / Risks | E/M | | Centrel Action to Elimin | ate / Minis | niso | | | | |
| | | \vdash | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | _ | | | | | | | |
| | | H | | | _ | | | | |
| | | | | | | | | | |
| | | | | | | | | | |












HZ010 - 1200mm x 1000mm



DG001 - 1200mm x 900mm





1200mm x 900mm




1200mm x 800mm

SIGNAGE





WALL CHART - 800mm x 600mm




HIGH RISK ACTIVITY SCHEDULE 1200mm x 800mm



HZ020 - 900mm x 600mm

I SUBCONTRACTOR ACTIVITY BOARD



ACTIVITIY BOARD











I SITE SAFETY MANAGEMENT BOARDS





600mm x 600mm

CONSTRAINTS BOARDS



2400mm x 1200mm



2400mm x 1200mm

PLANNER BOARDS

I DAY, WEEK, MONTH PLANNER BOARD





YOUR LOGO HERE

***ONEX** TREESA** TREE

WEEKLY PLANNER BOARD


OP005 - MONTHLY PLANNER BOARD





3 WEEK PLANNER (TIDES) - 2440mm x 1220mm

4 WEEK PLANNER BOARD - 2800mm x 1500mm



| Mon | Tue | Wed | Thu | Fri | Sat | Sun |
|-----|-----|-----|-----|-----|-----|-----|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | _ |
| | | | | | | |
| | | | | | | |
| | | | | | | - |
| | | | | | | _ |
| | _ | | | | | _ |
| | | | | | | - |
| | | | | | | _ |
| | | | | | | _ |
| | | | | | | _ |
| | | | | | | - |
| | | | | | | _ |
| | | | | | | |
| | | | | | | |
| | | | | | | - |
| | | | | | | _ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | I | I | 1 | | | |

| Mon | Tue | Wed | Thu | Fri | Sat | Sun |
|-----|----------|--|----------|-----|-----|-----|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | - | | | |
| | | — | | | | |
| | | - | | | | |
| | - | - | _ | _ | | _ |
| | | - | - | _ | | _ |
| | | 1 | | | | |
| | _ | | | _ | | |
| | | - | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | 1 | 1 | | |

| Mon | Tue | Wed | Thu | Fri | Sat | Sur |
|-----|-----|-----|-----|-----|-----|-----|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | 1 | I — | I — | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

PLANNER BOARD - 2400mm x 1200mm each 1x Activity Board & 4x Weekly Planner Board

HAND

CRANE & TRUCK BOARDS


YOUR LOGO HERE **Crane Booking Board** Monday Tuesday Wednesday Thursday Friday Saturday 11:30am 12:30pm 4:30pm

OP011 - 2000mm x 1200mm


1200mm x 800mm ACM

| Monday Tuesday Wednesd | ay Thursday | Friday | Saturday |
|------------------------|-------------|--------|----------|
| AM | | | |
| | | | |
| | | | |

TRUCKING SCHEDULE



HIAB SCHEDULE



SITE SIGNAGE

DELIVERY BOARDS

YOUR LOGO HERE Deliveries Board Please III in the board with the name of the contractor, date, time, and duration that the name of the contractor that the name of the

| DATE | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
|----------|--------|---------|-----------|----------|--------|----------|
| | | | | | | |
| 6:00am | | | | | | |
| | | | | | | |
| 7:00am | | | | | | |
| 7.004111 | | | | | | |
| | | | | | | |
| 8:00am | | | | | | |
| | | | | | | |
| 9:00am | | | | | | |
| | | | | | | |
| 10:00am | | | | | | |
| | | | | | | |
| | | | | | | |
| 11:00am | | | | | | |
| | | | | | | |
| 12:00pm | | | | | | |
| | | | | | | |
| 1:00pm | | | | | | |
| | | | | | | |
| 2:00pm | | | | | | |
| | | | | | | |
| | | | | | | |
| 3:00pm | | | | | | |
| | | | | | | |
| 4:00pm | | | | | | |
| | | | | | | |
| 5:00pm | | | | | | |
| | | | | | | |
| 6:00pm | | | | | | |
| o.oopiii | 1 | l | 1 | | | |

OP006 - 2000mm x 1200mm

| Board Monday | Tuesday | Wednesday | Thursday | Please fill in the to the contractor, date | operd with the name, time, and duration Saturday |
|------------------------|---------|-----------|----------|--|---|
| Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

OP002

Schedule Board Please fill in the board with the name of the contractor,date, time, and duration Monday Tuesday Wednesday Thursday Friday Saturday AM PM

1200mm x 800mm






OP008 - 2440mm x 1220mm

CREW BRIEFING BOARDS

I CREW BRIEFING PLAN BOARD



YOUR LOGO HERE

1920mm x 1200mm

1200mm x 900mm

I CREW PRE-START BOARD







2400mm x 1200mm


2400mm x 1200mm

SITE SIGNAGE

I CREW BRIEFING BOARD WITH MATRIX

2400mm x 1200mm


| | | | | | | Site Contacts | | THE LIKELIHOOD OF A HAZARDOUS EVE | |
|--------------------------------|--------|----------------------|-------------------------|----|----------------|-------------------------|--|--|---|
| Project Site: | | | Plan covers dates from: | to | Site Engineer: | | CONGRECIONACIÓN PAINE UN DE L'ACTUAL DE L' | SELY PORRILE to 20%. 20% to 60% obsessed 60%. | LIKELY SLAVOST CEN Over 501 o 801; shares shares |
| construction Packs: | | | Drawing(s): | | Supervisor: | | Service Address Control Contro | | |
| ermits/Consents Required: | | | | | | | Europia. Emple balay Encor recorde after to see or more parent. Entities medium and commental impart | | |
| tical Riaks and Controls: | | Silve Skate(N) Planc | | | | Key Construction Tasks: | C 40 uniter the effectiveness of this controls. 45 enters the task before if practicable. | | |
| | | | | | | Emegancy Plan: | de alection in makes de broise y depositiones of an electronic of the makes of the second of th | | Date |
| ritical Environmental Controls | | | | | | Key Quality Yasks: | | | |
| | Site E | ngineer | | | Site S | upervisor | | | |
| | | | | | | | | | |



TOOLS

SITE MAP BOARDS


Site Map Boards are essential for displaying vital information. Each board is designed to ensure it precisely meets your specifications. This customised approach guarantees that the design and size perfectly suit your environment, enhancing both functionality and visibility.




YOUR LOGO HERE LEGEND


SITE DELIVERIES PROCEDURE

SITE INFORMATION





SITE BOARD WITH CONTACTS





VEHICLE MOVEMENT PLAN





I VEHICLE WARNING SIGNS

rai rse parking will be permitted while on site























SITE SIGN

GENERAL SITE & INFORMATION SIGNS

General site and information signs play a crucial role in guiding individuals and providing essential details in various settings. These signs are designed to offer directions, convey important information, and highlight key facilities or services available within a site or workplace.

I STAKEHOLDER INFORMATION SIGNS







I GENERAL SITE & INFORMATION SIGNS

GATE 1

GATE 2

POTABLE WATER

UNPOTABLE WATER

Staff Parking

6am - 6pm Mon - Fri

YOUR LOGO HERE YOUR LOGO HERE

EV CHARGING VEHICLE PARKING YOUR LOGO HERE

PEDESTRIAN BRIDGE MAX LOAD AT ANY TIME 225KG

SMALL TOOLS AND PERSONNEL ONLY





WIRI TO QUAY PARK
RESTRICTED ACCESS
AUTHORISED PERSONNEL ONLY





SITE


PPE REQUIREMENT SIGNS

Personal Protective Equipment (PPE) requirement signs are visual reminders which can be placed in workplaces or areas where certain hazards exist. These signs typically feature symbols and text indicating the specific PPE items that must be worn in that area to ensure safety.















GROUT MIX & PUMPING

TOOLS

DANGER SIGNS Set out requirements for the design and use of safety signs for the occupational environments. Used to regulate and control safety procedures, to warn of hazards and to provide emergency information.

CUSTOMISE YOUR SIGN



I CONSTRUCTION SIGNS

















1006



1007













1016



1017



1021



1022









1029
















PERSONNEL 8 SITE SAFETY

SIGNAGE

I ELECTRICAL SIGNS







1082



1083



1084





1080

DANGER

HIGH VOLTAGE

1081 DANGER

HIGH VOLTAGE

DANGER LIVE **WIRES**

DANGER LOCKOUT ELECTRICAL SWITCHES BEFORE ON MACHINERY

DANGER **OVERHEAD POWER LINES**

DANGER **POWERLINES OVERHEAD** HEIGHT __m



1087

OVERHEAD KEEP OUT 1088

1089

1090

1091

1092



DANGER UNDERGROUND CABLES













1094

1095

1096

1097

1098

1099

1100

I HAZARDOUS MATERIALS SIGNS





1122



1123



1124







1121

DANGER













1134



1128 DANGER



1129



1130



1132



1133





CYANIDE 1136

ALL HAZARD

AFTER LOADING

DANGER

SPILLED

1137

1138

1139

HAZARDOUS WASTE 1141



1142



DANGER

DANGER

LIQUID

PETROLEUM GAS

1146

DANGER **NITROGEN**

1147



1148



1149





1144

DANGER **SULPHURIC ACID**

DANGER **TOXIC MATERIALS** DANGER

DANGER PACKAGE CONTAINS **ASBESTOS** HANDLE WITH CARE



1150



CHEMICALS 1152

1153

1154

1155

1156

1157

DID YOU KNOW?

You can have any sign upgraded to a Cone Mounted sign

Add "CM" after the sign SKU DL1001CM



I FLAMMABLE & NO SMOKING SIGNS











































I MACHINERY SIGNS





























I PORTRAIT DANGER SIGNS











50 1294

MANDATORY SIGNS

Specify that an instruction must be carried out. Signs consist of symbols (or pictographs) depicted in white on a blue circular background. Sign wording, if necessary is in black lettering.



CUSTOMISE YOUR SIGN

I PERSONAL PROTECTION SIGNS

































2009



2013



2015

2016

2017

















2025



2019

2020

2021

2022

GUARDS MUST BE IN PLACE

2023

2024

2028



RUBBISH BINS MUST BE USED













2030

2045



2031





2081

2083





SITE

MULTI-MESSAGE SIGNS

Designed to specify requirements and messages for all personnel entering a site, they can be used in conjunction with a hazard board to communicate the dangers and requirements of your site

NOTICE TEXT LINE 1 TEXT LINE 2 TEXT LINE 3 TEXT LINE 4 TEXT LINE 5 TEXT LINE 6

CUSTOMISE YOUR SIGN

I MULTI-MESSAGE SIGNS



















HEAD

PROTECTION

HIGH VIS

CLOTHING

SAFETY

FOOTWEAR

2604









Get your customised A-Frame or Footpath Sign



A-FRAMES & **FOOTPATH SIGNS**

PROHIBITING SIGNS

Specify that an action or activity is not permitted. These signs have a black pictogram surrounded by a red circle and a diagonal line crossing through the action symbol. They feature a white background with black wording.

CUSTOMISE YOUR SIGN

YOUR **TEXT HERE**

I PROHIBITING SIGNS

















































































































TOOLS

WARNING SIGNS

Warn of a hazard or hazardous condition that is not likely to be life threatening. The hazard symbol is black on a yellow background and inside a black triangle. Sign wording, if required, appears as black lettering on the yellow background.

CUSTOMISE YOUR SIGN

YOUR TEXT **HERE**


I WARNING SIGNS

































































































PERSONNEL & SITE SAFETY

HAND



















KEEP CLEAR

PINCH POINT

































WATCH OUT







WATCH OUT FORKLIFT OPERATING AREA

FOR PEDESTRIANS





GROUNDING

DEVICES





























I LANDSCAPE WARNING SIGNS





























EMERGENCY SIGNS

Indicate the location of, or directions to, emergency related facilities and tools. The signs consist of symbols (or pictograms) displayed in white on a green background. All signs comply with AS/NZS 1319:1994.

CUSTOMISE YOUR SIGN

YOUR TEXT HERE

I EMERGENCY SIGNS

















































LANDSCAPE EMERGENCY SIGNS



4600



4601







































FIRE SIGNS

Signs feature a white symbol and/or white text on a red background. Standards state that all fire signage must be brightly coloured red and white for visibility, and show the type and application of the fire extinguisher.

CUSTOMISE YOUR SIGN

YOUR TEXT HERE

I FIRE SIGNAGE LOCATION

Signage is required to be placed so that fire extinguishers can be easily located in the event of an emergency. Signage should be mounted between 1500mm and 1800mm above the ground and be visible from up to 15m away in all normal directions of approach.

Fire Signs 400mm x 200mm

















I FIRE SIGNAGE

































4861

RESTRICTED AREA & SECURITY NOTICE SIGNS

Used to delineate areas restricted to specific personnel or off-limits to unauthorised individuals, these signs serve as visual deterrents and warnings of security measures. Both signs feature bright colors and easy-to-distinguish text, effectively communicating the chosen message.

> RESTRICTED **YOUR TEXT HERE**

CUSTOMISE YOUR SIGN

I RESTRICTED AREA SIGNS

Used to show areas that are restricted to certain personnel or are off limits. The sign is depicted as black text on a white background with a red header and white 'restricted area' text.



RESTRICTED AREA SIGNS

Used to discourage unwanted guests and warn of the security measures that are in place on a site or workplace. The sign is depicted as black text on a white background with a yellow header and white 'security notice' text.

SECURITY NOTICE **CAMERAS IN**

OPERATION 24/7 5400

SECURITY NOTICE TRESPASSERS

5401

NO UNAUTHORISED PERSONS BEYOND THIS POINT **PROSECUTED**

5402

SECURITY NOTICE

SECURITY NOTICE VIDEO SURVEILLANCE IN USE ON THESE PREMISES 5403

SECURITY NOTICE THIS PROPERTY IS MONITORED 24 / 7 BY A SECURITY GUARD

5404

SECURITY NOTICE ALL TRESSPASSERS WILL BE PROSECUTED

5406

SECURITY NOTICE ALL VISITORS MUST AND SIGN IN

5407

NOTICE SIGNS

Used to display specific notices that must be read and taken notice of. Generally displayed at the front of the site/building so that all personnel entering the site can see the message. The sign is depicted as black text on a white background with a blue header and white 'notice' text.



Add your logo & site or job name

Combine different signs to get your message across



I LANDSCAPE NOTICE SIGNS

NOTICE

ALL CONTRACTORS MUST BE SITE INDUCTED PRIOR TO COMMENCING WORK 5000

NOTICE

ALL CONTRACTORS MUST REPORT TO OFFICE BEFORE COMMENCING WORK 5001

NOTICE

ALL VISITORS MUST REGISTER AT OFFICE

5002

NOTICE

ALL VISITORS PLEASE REPORT TO SITE OFFICE

5003

NOTICE

AUTHORISED PERSONNEL ONLY

5004

NOTICE CHAIN ALL

CYLINDERS SECURELY

5005

NOTICE DO NOT DUMP

CHEMICALS DOWN THE DRAIN

5006

NOTICE

DOOR ALARMED OPEN ONLY FOR **EMERGENCY EXIT** NOTICE

EQUIPMENT IN YOUR THOROUGHLY CLEANED AFTER EACH DAYS WORK

5009

NOTICE

NO ENTRY

NOTICE

KEEP THIS DOOR CLOSED

5010

NOTICE

5012

NOTICE

NO **ADMITTANCE** 5013

NOTICE

NO ADMITTANCE APPLY AT OFFICE NOTICE NO CASH OR VALUABLES KEPT ON THESE PREMISES

5014 5015

NOTICE

5007

NO EATING OR DRINKING IN THIS AREA

5017

NOTICE

ONLY AUTHORISED PERSONS TO ENTER THIS SITE

5018

NOTICE PARKING ON THIS

SITE IS AT YOUR OWN RISK

5019

PARKING

PERMITTED HERE ONLY 5020

NOTICE

NOTICE

PLEASE KEEP THIS AREA **CLEAR**

5021

PLEASE KEEP THIS WALKWAY

CLEAR

NOTICE

5022

NOTICE

5016

PRIVATE VEHICLES ARE NOT PERMITTED TO PARK ON SITE

5023

NOTICE **PUT TOOLS**

5024

NOTICE **BACK IN THEIR** PROPER PLACE

SHED SHOULD BE ALL RUBBISH TO BE PLACE IN BINS PROVIDED

5025

NOTICE

5026

NOTICE ALL ELECTRICAL LEADS AND POWER TOOLS MUST BE CHECKED AND TAGGED BEFORE BEING USED ON THIS SITE

5027

NOTICE 15KPH 15 SPEED LIMIT

NOTICE PPE MUST BE WORN PAST THIS POINT

5029 5030

I PORTRAIT NOTICE SIGNS



NOTICE

NOTICE

ALL VISITORS MUST REPORT TO SITE OFFICE

5101

NOTICE

ALL ELECTRIC LEADS AND POWER TOOLS MUST BE CHECKED AND TAGGED BEFORE USING ON SITE

5102

NOTICE

ALL PERSONNEL MUST
BE SITE
INDUCTED
BEFORE STARTING WORK ON THIS SITE

5103

NOTICE

VISITORS & WORKERS MUST SIGN IN & OUT ON REGISTER

5104

NOTICE DRUG &

ALCOHOL TESTING DONE ON THIS SITE

PARKING ON SITE IS **AT YOUR OWN RISK**

NOTICE

5105 5106





5100



5109





5111



CUTTING, DRILLING & GRINDING

SITE

SITE

CROSSING

















INFORMATION SIGNS

Information signs are used to provide important messages and instructions in various areas or settings. These signs feature clear text or symbols to ensure easy understanding. They can be used to give directions, indicate facilities, or display safety information.

I LANDSCAPE INFORMATION SIGNS









VISITOR PARKING 5205

NO **PARKING**

5206

LUNCH ROOM

INWARD GOODS

OUTWARD GOODS

5211 5212 5213



5214

ONLY 5207



5215

5208



5216

SITE

ACCESS

5209



5217

5210



5218



5219







5222



5223



SITE **PARKING**

5226





ALL VISITORS MUST SIGN IN TO SITE OFFICE

ENTRY

5260

5221



5262



5241

5263

OFFICE

5224

RECEPTION ENTRY

OUT OF ORDER

5255



5259

5232 5240



5264

5245

VISITOR CARPARK 5265

5247





I PORTRAIT INFORMATION SIGNS













RECYCLING SIGNS

Prevent the disposal of non-recyclable trash and instruct users on the proper distribution of recyclable materials. The signs are available in aluminum, plastic and label form, making it easy to affix them to any dumpster surface.

I RECYCLING SIGNAGE

































I RECYCLING STICKERS













REL 006














CUSTOM SIGNS Can't find the sign of Give us a call or see

Can't find the sign you are looking for? Give us a call or send us an email and we can custom design your sign.

















SITE SIGNAGE

SIGN MOUNTING OPTIONS

I HOLES

SKU:

ADD AS FIXING OPTION WHEN ORDERING ON WEBSITE

- Available for no charge on any PVC or ACM sign
- Suitable for screws, nails or cable ties



For uneven or dirty surfaces, we recommend using holes with

I CONE MOUNT

SKU:

ADD CM AFTER THE SIGN SKU

- Easily mount a sign onto any size road cone
- Heavy-duty nylon strapping secured to the sign with aluminium rivets
- Suitable for ACM signs only, in sizes up to 600mm x 800mm



I SWING STAND

I DOUBLE SIDED TAPE

mechanical fixing

ADD AS FIXING OPTION WHEN ORDERING ON WEBSITE

Suitable for PVC and ACM signs

High-tack permanent foam double-sided tape

Use when fixing to a smooth, clean surface

SKU:

SKU:

0819-96

- Swing stand sign frame for 600mm x 900mm signs, enables quick and easy swapping of signs
- Easily display the message you need by changing the sign
- Swing stand signs are deployed during road works for traffic management. Used by traffic controllers, civil and construction contractors to control traffic and increase safety



CUTTING, DRILLING & GRINDING

TOOLS

SITE SIGN/

I TEARDROP FLAG

SKU:
CALL US TO DISCUSS

MADE TO REQUIREMENTS

- Lightweight
- Portable
- Quick & easy to assemble
- Suitable for outdoor use



I STANDOFF SIGN

SKU:

CALL US TO DISCUSS OR FOR A FREE SITE VISIT

- Raised acrylic letters can be the difference between a mediocre and a professional-looking office
- We can illuminate your signs and make your office stand out from the competition







I PULL UP BANNER

SKU:

SIZE:

CALL US TO DISCUSS

MADE TO REQUIREMENTS

- Lightweight
- Portable
- Quick & easy to assemble



I LIGHT BOX

SKU:

CALL US TO DISCUSS OR FOR A FREE SITE VISIT

- Internally illuminated light boxes with printed translucent graphics
- Suitable for interior and exterior use





I FOOTPATH SIGN

SKU: SIZE:

AFOOT-800X600 **800mm x 600mm**AFOOT-900X600 **900mm x 600mm**

• Durable rubber base with ACM panel



I INDUCTION STICKER

SKU: SIZE:

CALL US TO DISCUSS MADE TO REQUIREMENTS

 Durable vinyl adhesive to confirm workers have completed mandatory safety and orientation training specific to the worksite



I A-FRAME SIGN

SKU: SIZE:

AMET-600X1000 **600mm x 1000mm**AMET-800X1200 **800mm x 1200mm**

- Durable powder-coating steel frame
- A-frame signage with a unique lock stay
- Includes 2x Printed ACM Panels


























YOUR SIGNAGE SOLUTION PARTNER

Get in touch with us about your project's signage Call 0800 23 57 89 or visit powerpac.co.nz






















Can't find the sign you are looking for?

Give us a call or send us an email and we can custom design your sign. With help from our design and manufacturing teams we can make any sign you want a reality, including custom whiteboards, stencils and sign mountings.