



SITE ESTABLISHMENT CATALOGUE



SITE ESTABLISHMENT SOLUTIONS



Powerpac's site establishment range provides the essential foundation for any construction or infrastructure project.

Meet the demands of construction, environmental, and civil projects, and ensure your site is ready to perform while supporting every phase of the build.

From everyday site safety solutions, equipment and temporary fencing to branded scrim and signage, our products set the stage for smooth operations from day one.



Call us 0800 23 57 89
Order Online [POWERPAC.CO.NZ](https://www.powerpac.co.nz)

CONTENTS

| SITE SAFETY & SECURITY

SITE SECURITY FENCING

Perimeter Fencing, Site Fence Accessories.....	7
Pedestrian Control, Access Gates.....	8

SITE PEDESTRIAN & VEHICLE CONTROL

Pedestrian & Traffic Barriers	9
Ricochet Barriers, Water Filled Barrier	10

| SITE SIGNAGE

Hazard & Risk Management Boards.....	14-16
Whiteboards	17-19
Crew Briefing Plan Boards, Crew Pre-Start Boards	20-21
Site Map Boards, Vehicle Movement Plan	22-23
General Site & Information Signs	24-25
Danger Signs	26-28
Mandatory & Multi-Message Signs.....	29-30
Prohibiting Signs.....	31
Warning Signs	32-33
Emergency Signs	34
Fire Signs.....	35
Restricted Area & Notice Signs.....	36-37
Information Signs.....	38
Recycling Signs.....	39
Custom Signs, Sign Mounting Options	40-43
Site Branding	44

| TRAFFIC MANAGEMENT SIGNAGE

Traffic & Parking Signs	46
Supplementary Signs	47
Temporary Warning Signs.....	49-51
Sign Stands & Accessories	51
Cone Mounted Signs	52

| ENVIRONMENTAL & CIVIL SUPPLIES

SEDIMENT CONTROL & CIVIL SUPPLIES

Waratahs, Silt Fence, Fencing Accessories.....	54
Erosion Control, Sand Bags	55
Coconut Matting, Ground Protection Mat	56
Drainage Coils, Grass, Concrete.....	58

SURVEY SUPPLIES

Survey Supplies, Marker Paint, Bunting Flags.....	57
---	----

| TRAFFIC MANAGEMENT

Safety Tapes, Traffic Management Solutions.....	60
---	----

| SITE & PERSONAL SAFETY

Coated Gloves, Disposable Gloves, PVC Gloves	62
Lung Protection, Eye Protection, Ear Protection.....	63
Hard Hats, Visors, Sun Shields.....	64
Fire Extinguishers, PPE Accessories, Vests	65

SPILL CONTROL

Spill Kits.....	66
-----------------	----

FIRST AID

Spill Control, First Aid Kit, Safety Stations.....	67
--	----

| POWERPAC SITE VENDING MACHINE

Site Vending Machine Information	69
--	----

| HAND TOOLS

Measuring Tools, Stationary, Brooms.....	70
Ladders, Shovels & Spades, Rakes.....	71
Goods Handling, Dangerous Goods Storage	72
Tool Storage.....	73
Air Movement & Moisture Control, Dust Extractors.....	74
Wheelie Bins	76

| SITE LIGHTING

Flood Lights.....	78
Task Lights, Batten Lights	79
Cable Management, Chain Lights, Task Lights	80
Temporary Power Equipment, Solar Panel Lights	81
Sitemate Temporary Power Distribution.....	82

| SITE ACCESS CONTROL

Low-Height Biometric Turnstiles.....	86
Full-Height Biometric Turnstiles	86
Parking Barrier Gate	89

SITE CHECKLIST

CATEGORY	TASK/ITEMS	COMPLETE
Site Security	Site Fencing Installed & Secured	
	Vehicle Access Gates Marked & Installed	
Pedestrian Access & Controls	Pedestrian Access Lanes Delineated & Sign Posted	
	Pedestrian Access Control Plan Created & Printed	
Vehicle Access & Control	Vehicle Boom Gates Installed as Required	
	LV Parking Area Assigned & Identified	
	Inwards Goods Area Assigned & Identified	
	VMP Plan Created & Printed	
Mobile Plant Controls	Mobile Plant Areas Identified & Isolated	
	POZ & PIF Zone Controls Are Ready	
Sediment Controls	Sediment Fences Are Designed & Installed	
	Stormwater Sediment Controls Are Installed	
Spill Control	Mobile Spill Kits Are Located & Identified	
	Small Plant Spill Kits Are In Vehicles	
First Aid, Fire & Evacuation	Emergency Control & Information Board Is Installed	
	First Aid Kit & Fire Extinguishers Installed at Main Muster Points & Vehicles	
	Mobile Plant Vehicles Have First Aid Kits & Extinguishers Installed	
	Fire Blankets & Extinguishers Are Installed at Cooking Zones	
	Muster/Assembly Points Are Marked	
Site Signage	Site Directions & Amenities	
	Operational & Planning	
	Dangers	
	Hazards	
	General Information	
	Mobile Plant	
	TTMC	
	Emergency & Assy Points	
	Overhead & Buried Services	
Site Amenities & Janitorial	Kitchen Cleaning Supplies	
	Washroom Cleaning Supplies	
	Canteen Supplies	
	Washroom Consumables	
	Fridge, Freezer, Electric Jug, Toaster, Sandwich Press	
	Water Supplies - Water Coolers, Bottles Water, Emergency Water	
PPE Supplies	Eye Protection Supplies	
	Ear Protection Supplies	
	Hand Protection Supplies	
	Visitor PPE Kits	
	Sun Protection Supplies	

POWERPAC ONLINE


Our site provides you with a secure way to pay and our checkout process is incredibly easy and straightforward.

Adding your Purchase Order Number is easy, and you will receive notifications when your order is being processed, shipped and delivered.

Unlock the advantages of a partnership account with us today!

Your company may already be a partner, so visit our website to request access, or simply set up your partner account.

Streamline your ordering



FAST & RELIABLE ORDERING SOLUTIONS



**SCAN HERE
FOR EASY SETUP**

www.powerpac.co.nz/create-account

SITE SAFETY & SECURITY


Our Site Safety & Security products are designed to enhance site safety, improve organisation, and streamline pedestrian management on construction sites. Not only do our products manage site conditions but also enhance visual appeal and branding opportunities.

- | Site Security Perimeter Fencing
- | Site Pedestrian Control and Site Access Gates
- | Safety Tapes, Shade Cloth and Dust Control
- | Edge Protection



TEMPORARY FENCE PANELS

5 REASONS WHY



1. HOT DIPPED GALVANISED FRAME

Ensuring a long-lasting, corrosion-resistant fence

2. 3 POINT WELDED GUSSETS

Enhances the structural integrity of the fence

3. HEAVY WALL GALVANISED TUBE

The most robust and durable fencing framework

4. ANTI-CLIMB MESH

Your extra layer of site security


5. MULTIPLE FEET OPTIONS

Adaptable and easy to install in various locations

BOLT DOWN FENCE FOOT




FENCE SUPPORT BRACE



Fence feet and brace suit 32mm tube fencing.

A Versatile and Cost Effective Fencing Solution

SCAN TO
SEE ONLINE



I FENCE FOOT

SKU:

TF-FOOT32

Plastic concrete
filled 25kg each
Stackable



I STEEL FENCE FOOT

SKU:

TF-STFOOT32

Bolt down



I FENCE SUPPORT BRACE

SKU:

TF-BRACE32

Require 2x couplers
and 1x foot to clip
to fence panel
Galvanised



I FENCE CLAMP

SKU:

TF-CLAMP32

Galvanised
100mm span



I HINGE COUPLER

SKU:

TF-32HINGE

Galvanised



I FENCE STORAGE STILLAGE

SKU:

6101-STLG

Designed for
2.4m x 2m
fence panel




I TEMPORARY FENCE PANEL

SKU:

TF-242132

- Size: 2.4m W x 2.1m H
- Finish: Galvanised steel
- Total Weight: 17kg
- Lightweight 32mm OD tube frame
- Corner braces for superior strength & longevity
- Anti-climb mesh




I GATES

FENCE PANEL WITH GATE

SKU:

6101-PAG

- INSITU Gate Size: 1.2m x 2.1m
- Built-in style
- No need for wheels, good for rough terrain



PEDESTRIAN GATE

SKU:

6101-PG

- Gate Width: 1.2m
- Supplied with a wheel



VEHICLE ACCESS GATE

SKU:

6101-VAG

- Vehicle Access Width: 4.8m
- Supplied with wheels
- Keep site secure with chain or padlock



I GATE WHEEL POST

SKU:

TF-GAW


Galvanised



| SITE ACCESS POINT

SKU:


- 6101-SAP1
- Size: 2.5m H x 2.3m L
- Egress Width: 1.2m
- Finish: Galvanised
- Tube: 32mm Ø



| CROWD CONTROL BARRIER

SKU:


- 6101-CCBO2212
- Size: 1.2m H x 2.2m L
- Diamond Mesh: 25mm
- Supplied with 2x steel feet
- Replacement feet: 6101-CCBFOOT



| SITE ACCESS POINT WITH GATE

SKU:

- 6101-SAP2
- Size: 1.2m H x 3.2m L
- Finish: Galvanised
- Tube: 25mm Ø
- Interlocks with construction barriers



| PEDESTRIAN TRAFFIC BARRIER

SKU:

- 6174-SPB
- Size: 1.2m H x 2.28m L
- Interconnect
- Reflective stripes
- Heavy-duty non-marking swivel feet



PEDESTRIAN CONTROL BARRIER - GALV

SKU:


- 6101-PCBG2212 • Size: 1.1m H x 2.2m L
- Finish: Galvanised
- Removable flat feet: 500mm L x 60mm W
- Replacement feet: 6101-CCBFOOT



PEDESTRIAN CONTROL BARRIER - ORANGE

SKU:


- 6101-PCBO2212 • Size: 1.1m H x 2.2m L
- Finish: Hi-vis orange painted
- Removable flat feet: 500mm L x 60mm W
- Replacement feet: 6101-CCBFOOT



PEDESTRIAN TRAFFIC BARRIER - GALV

SKU:


- 6101-TCBG2212 • Size: 1.1m H x 2.2m L
- Finish: Galvanised
- Removable flat feet: 500mm L x 60mm W
- Replacement feet: 6101-TCBFOOT



PEDESTRIAN TRAFFIC BARRIERS - ORANGE

SKU:

- 6101-TCBGO2212 • Size: 1.1m H x 2.2m L
- Finish: Hi-vis orange painted
- Removable flat feet: 500mm L x 60mm W
- Replacement feet: 6101-TCBFOOT



CROWD & TRAFFIC BARRIER FEET - GALV

SKU:

HEIGHT:

SUITS FENCE:

- | | | |
|--------------|-------|----------------------------------|
| 6101-TCBFOOT | 100mm | 6101-TCBG2212 |
| 6101-CCBFOOT | 300mm | 6101-PCBG2212 &
6101-CCBO2212 |



RETAINER CLIP

SKU:

- 6101-CCBCLIP



RICOCHET TEMPORARY CRASH BARRIER - TL-2

SKU:

- 6101-RBTL2B
- Size: 1m H x 2m L x 580mm W
 - Weight Capacity: Empty - 62kg, Full - 662kg
 - Roto-moulded polyethylene
 - Water-fillable



WATER FILLED BARRIER

SKU:

- 6101-CB15
- Size: 1m H x 2m L
 - Weight Capacity: 220kg
 - Heavy-duty plastic
 - Water-fillable



RICOCHET BARRIER END TREATMENT - TL-2

SKU:


- 6101-RBTL2ET
- Size: 1m H x 2m L x 580mm W
 - Weight Capacity: Empty - 62kg, Full - 662kg
 - Roto-moulded polyethylene
 - Water-fillable



TRAFFIC & INFORMATION SIGNAGE

Page 48

Clearly communicate your site with our Traffic and Information Signs, featuring easy-to-read symbols and available in various shapes



SITE SIGNAGE

Our Site Signage includes durable, weather-resistant signs for safety, direction, and branding. From danger and warning signs to custom signs, we keep your site compliant, organised, and visible while ensuring communication for workers and visitors.

- | Hazard & Risk Boards
- | White Boards
- | Danger Signs
- | Warning Signs
- | Emergency Signs
- | Sign Mounting Options
- | Printed Fence Wrap



SIGNAGE IN THE WORKPLACE

Your signage is an essential control used to minimise hazards in the workplace. The AS/NZS 1319:1994 standard sets out requirements for the design and use of safety signs in the occupational environment to regulate and control safety procedures, to warn of hazards, and to provide emergency information including fire protection information.

Safety signs are classified based on their function and use.

REGULATORY SAFETY SIGNS

MANDATORY

Specify that an action or instruction must be carried out.



WARNING

Warn of a hazard or hazardous condition that is not likely to be life threatening.



PROHIBITION

Specify that an action or activity is not permitted.



EMERGENCY

Indicates the location of, or the directions to, emergency related facilities such as exits, safety equipment or first aid facilities.



DANGER

Indicate a hazard or hazardous condition that is likely to be life threatening.



FIRE

Advises the location of fire alarms and fire-fighting equipment.



TRAFFIC AND PARKING SIGNS

Used to communicate designation of parking and direct traffic.



MULTI-MESSAGE SIGNS

Designed to specify requirements and messages for all personnel entering a site.



INFORMATION SIGNS

Used to communicate site specific information to all personnel.



NOTICE

Communicate instructions, identify restricted access or remind employees of health and safety policies within your facility or site.




QUALITY ASSURANCE SIGNS

Used to communicate specific steps or areas to maintain quality in a production zone.



SECURITY NOTICE SIGNS

Used to discourage unwanted guests and warn of the security measures that are in place on a site.



SPEED SIGNS

Shows the speed limit within an area or facility.



LIMITATION OR RESTRICTION


Place a numerical or other defined limit on an activity or use of a facility.



DISTANCE VIEWING GUIDE

Selecting the size of a sign involves more than just matching it to the available space. Signs must be large enough to convey safety messages quickly and accurately.

To comply with AS/NZS 1319:1994, factors such as the site environment, viewing distance, and light quality must be considered when determining the size of the sign and its print.



SIGNAGE IN THE WORKPLACE

OUR STOCK RANGE:

POLYPROPYLENE (POLY)

Plastic signs (polypropylene) are highly recommended for outdoor use. In addition to safety signs, polypropylene signs come in many sizes. Outdoors, polypropylene resists fading and cracking. Carbon and hydrogen are the only elements found in polypropylene. A heat-tolerant and stable plastic, polypropylene is a suitable alternative in all climates. Polypropylene is 100% recyclable.

ALUMINIUM COMPOSITE MATERIAL (ACM)

Rigid and lightweight - Ideal for large external signs without the need for backing support. It is made in a sandwich construction of thin aluminium sheets on a polyethylene core.

CORFLUTE

Corflute is corrugated polypropylene – a type of plastic – usually 3mm or 5mm in width. You'll most likely have seen corflute signage used as part of political advertising, by real estate companies advertising local homes, or on temporary construction sites.

SELF-ADHESIVE VINYL (SAV)

Self-adhesive vinyl for labels or stick-on signs. There are many different grades and types which have varying lifespans, some up to 8 years.

RIGID PVC (PVC)

Rigid PVC has good impact strength, making it an ideal substrate for general purpose signage. 1.5mm is the standard thickness.

ALSO AVAILABLE:

MAGNETIC SHEET

Magnetic signage is flexible, easily removable, and perfect for signs on multi-use vehicles.

FOAMED PVC (Palite)

Foamed PVC (sometimes referred to as palite) is a compressed foam product that is very cost-efficient and has a spectacular finish. Foamed PVC is designed for indoor use and is mostly used for in-store display signage.

REFLECTIVE

The ORALITE® series retro-reflective materials are flexible, highly reflective, weatherproof, self-adhesive films with excellent corrosion and solvent resistance. Its construction consists of sealed cells of air-backed microprisms, using total internal reflection. The reflective data and colours in daylight meets/exceeds the requirements of AS/NZS1906.1 Class 1W (WZ) for all photometric performance aspects. Durability depends on which grade is used, ranging from 5 to 10 years.

FLOOR VINYL


Floor vinyl can be used to provide directions, direct pedestrian traffic, or to serve as a form of graphic art. On surfaces such as sealed concrete, laminate floors, tile (without covering grout lines), and hardwood floors, floor decals can be customized to specific shapes.



All signs can be printed on reflective vinyl and laminated for extra durability.



Adding an over laminate extends the lifespan of a print by protecting it from harmful UV rays. Laminate is also resistant to scratches and direct contact with inks.



Coding System

SIGN MATERIAL

Best Value	PVC	B
	ACM	C
	SAV	D
	POLY	E
	CORFLUTE	F
	PVC FOAM	G

SIGN SIZE

225 x 300mm	1
300 x 400mm	2
450 x 600mm	3
600 x 800mm	4
900 x 1200mm	5

SIGN CODE EXAMPLE

$$+ \boxed{1002} = \boxed{B} \boxed{2} \boxed{1002}$$

PVC - 300 x 400mm



HZ001**HZ002****HZ003**

DAILY CRITICAL RISKS		Activity Description	YOUR LOGO HERE
Project Title			
Date			
DATE/TIME: 00:00	TIME: 00:00		
<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>			
<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>			
<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>			

HZ004 - 1200mm x 800mm

HZ010 - 1200mm x 1000mm

DG001 - 1200mm x 900mm

1200mm x 900mm

1200mm x 800mm

YOUR LOGO HERE	Risk Management Board					
<p>Everyone entering this site must comply with all safety requirements under the Health & Safety at Work Act 2010 and its amendments.</p> <p>SITSAFE</p> <p>EVERYONE ENTERING THIS SITE MUST HAVE A SITSAFE PASSPORT</p>	Risk Information	Risk Level: 1 = Low Risk 5=Medium Risk 10 = High Risk			Last Updated / /	
	Risk Description	Level	E / M	Action Required To Control	Notes	
<div style="display: flex; justify-content: space-between;"> <div style="width: 15%;"> PPE Required <input type="checkbox"/> HEAD PROTECTION <input type="checkbox"/> HIGH VIBRILITY CLOTHING <input type="checkbox"/> EYE PROTECTION <input type="checkbox"/> HEARING PROTECTION <input type="checkbox"/> UV PROTECTION <input type="checkbox"/> OTHER PROTECTION <input type="checkbox"/> FULL BODY CLOTHING <input type="checkbox"/> SHOES </div> <div style="width: 40%; text-align: center;">Site Specific information</div> <div style="width: 20%; text-align: center;">Emergency Plan</div> <div style="width: 25%; text-align: center;">Notices / Announcements</div> </div>						
<p>ALL VISITORS MUST SIGN IN PRIOR TO ENTERING</p>						

RISK MANAGEMENT BOARD - 2440mm x 1220mm ACM

[illegible]

WALL CHART - 800mm x 600mm

[illegible]

HIGH RISK ACTIVITY SCHEDULE 1200mm x 800mm

[illegible]

HZ020 - 900mm x 600mm

SUBCONTRACTOR ACTIVITY BOARD

[illegible]

ACTIVITY BOARD

[illegible]

OP014



600mm x 600mm

CONSTRAINTS BOARDS

2400mm x 1200mm

2400mm x 1200mm

Call us **0800 23 57 89** or Email sales@powerpac.co.nz

CRANE & TRUCK BOARDS

YOUR
LOGO HERE

Crane Booking Board

Please fill in the board with the name of the contractor, date, time, and duration

DATE	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
7:30am						
8:30am						
9:30am						
10:30am						
11:30am						
12:30pm						
1:30pm						
2:30pm						
3:30pm						
4:30pm						
5:30pm						

OP011 - 2000mm x 1200mm

1200mm x 800mm ACM

YOUR
LOGO HERE

Trucking Schedule

Please fill in the board with the name of the contractor, date, time, and duration

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
AM						
PM						

TRUCKING SCHEDULE


YOUR
LOGO HERE

HIAB Schedule

Please fill in the board with the name of the contractor, date, time, and duration

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
AM						
PM						

HIAB SCHEDULE



DELIVERY BOARDS

**YOUR
LOGO HERE**

Deliveries Board Please fill in the board with the name of the contractor, date, time, and duration

DATE	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
6:00am						
7:00am						
8:00am						
9:00am						
10:00am						
11:00am						
12:00pm						
1:00pm						
2:00pm						
3:00pm						
4:00pm						
5:00pm						
6:00pm						

OP006 - 2000mm x 1200mm

**YOUR
LOGO HERE**

Deliveries Board Please fill in the board with the name of the contractor, date, time, and duration

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
AM						
PM						

OP002

**YOUR
LOGO HERE**

Schedule Board Please fill in the board with the name of the contractor, date, time, and duration

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
AM						
PM						

1200mm x 800mm

**YOUR
LOGO HERE**

OP008 - 2440mm x 1220mm



**SEND US
A SKETCH
AND WE'LL
REDESIGN IT**

CREW BRIEFING BOARDS

CREW BRIEFING PLAN BOARD

[illegible]

1920mm x 1200mm

YOUR LOGO HERE

Date _____	Shift: Morning / Afternoon / Night _____	Supervisor _____
Location _____	RFO (Phone / Email) _____	Engineer (Phone/Email) _____

What went well yesterday?	Feedback / What can we improve?
What went well yesterday? Start changeover _____ End changeover _____ Foundation width _____ Foundation depth: Top Hat A/B _____ Top Hat C _____ Top Hat D _____	Disposal facilities? Asbestos: _____ Class A: _____ Normal ground _____ Hazardous: _____
Other tasks this shift:	
Critical risks / interface with other work groups or contractors:	

Production's Tracking (Key activities)	Target (M / DAY)	Average (M / DAY)	Weekly total	Status / Comment
Excessive fill material				
Excessive material ground material				
Phase AP6.5				
Phase landfill				

HOW ARE WE TRACKING?

Get your work crew to draw a line on the bar to indicate how well they performed yesterday.

SAFETY <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	ENVIRONMENT <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>
QUALITY <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>	PRODUCTIVITY <div style="border: 1px solid black; height: 20px; width: 100%; margin-top: 5px;"></div>

1200mm x 900mm

CREW PRE-START BOARD

[illegible]

OUR CREW PRESTART			
Location:	Date:	Radio channel:	Forecast/wx:
Assembly Point:			
What went well yesterday?	What are we going to do well today? What / Where can we improve today?	What can we do to be safer today?	
Feedback on issues raised on previous shifts:	Who is on training? Training Needs (VOC's)	Today's Safety / Environmental Focus:	
Tasks for this shift:			
Today's critical risks / Interface with other work groups:			

1		1. <small>Check weather forecast</small>
2		2. <small>Check equipment status</small>
3		3. <small>Check communication system</small>
4		4. <small>Check safety equipment</small>
5		5. <small>Check environmental conditions</small>
6		6. <small>Check crew roster</small>

7		7. <small>Check site access</small>
8		8. <small>Check emergency procedures</small>
9		9. <small>Check first aid kit</small>
10		10. <small>Check fire extinguishers</small>
11		11. <small>Check spill kits</small>
12		12. <small>Check waste disposal</small>

SAFETY

QUALITY


ENVIRONMENT

PRODUCTIVITY

2400mm x 1200mm

OUR CREW SEAPERT		
Location:	Date:	Railcar ID/Location:
Assembly Point:		Formwork ID:
What went well yesterday?	What are we going to do well today?	What can we do to be safer today?
	What / Where can we improve today?	
Feedback on issues raised on previous shift:	Who is on training?	Today's Safety / Environmental Focus:
	Tracking Mileage (YOC/L)	
Tasks for this shift:		
Today's critical risks / Interface with other work groups:		

- What can we learn from an offshore accident?
- What can we learn from a drilling rig accident?
- What can we learn from a well control incident?



HOW ARE WE TRACKING?

Get your work crew on board on time for the day to ensure that we will stay within performance parameters.

SAFETY	ENVIRONMENT
ABILITY	PRODUCTIVITY

2400mm x 1200mm

Call us **0800 23 57 89** or Email sales@powerpac.co.nz

CREW BRIEFING BOARD WITH MATRIX

2400mm x 1200mm

YOUR
LOGO HERE

Date:

Crew Briefing Plan

Project Site:

Plan covers dates from: to

Site Contacts

Construction Packs:

Drawing(s):

Site Engineer:

Permits/Consents Required:

Supervisor:

Critical Risks and Controls:

Site Sketch/Plan:

Key Construction Tasks:

Critical Environmental Controls:

Emergency Plan:

Key Quality Tasks:

Site Engineer

Site Supervisor

Print:

Sign:

Date:

Print:

Sign:

Date:

CONSEQUENCES

CONSIDER THE LIKELIHOOD OF A HAZARDOUS EVENT OCCURRING

RESIDUAL RISK RATING

ACTION REQUIRED

Signatures

YOUR
LOGO HERE

Date:

Crew Briefing Plan

Project Site: SHS Safety Improvements

Plan covers dates from: to

Site Contacts

Construction Packs:

Drawing(s):

Site Engineer:

Permits/Consents Required:

Supervisor:

Crew's Risk Control Plan:

Site TMP requirements:

Key Construction Tasks:

1. What can harm me?

Potential Consequences

Likelihood of Event

Risk Rating

RISK CONTROLS

Residual Risk Rating

PERSON or TEAM RESPONSIBLE

COMPLETED BY

2. What can harm others?

3. What can harm the environment?

Emergency Plan:

Key Quality Tasks:

Site Engineer

Site Supervisor

CONSEQUENCES

CONSIDER THE LIKELIHOOD OF A HAZARDOUS EVENT OCCURRING

RESIDUAL RISK RATING

ACTION REQUIRED

Signatures

SITE MAP BOARDS


Site Map Boards are essential for displaying vital information. Each board is designed to ensure it precisely meets your specifications. This customised approach guarantees that the design and size perfectly suit your environment, enhancing both functionality and visibility.




SITE DELIVERIES PROCEDURE



SITE INFORMATION



SITE BOARD WITH CONTACTS



YOUR LOGO HERE




Guidance for Truck Entry / Exit



Light Vehicles - Visitor / Site Entrance

VEHICLE MOVEMENT PLAN

VEHICLE MOVEMENT PLAN



YOUR LOGO HERE

SITE REQUIREMENTS

- Stop at the request of the spotters
- Hazard lights to be turned on or orange flashing lights
- Keep to the speed limit of 20km/h
- Always keep to the left side
- Everyone is to sign in at the SIGN-IN HUT upon arrival (next to site office)
- All visitors are to contact the site representative upon arrival
- Only reverse parking will be permitted while on site


IN CASE OF EMERGENCY

- Everyone to meet in the car park in case of an emergency
- Local authorities will be contacted in the case of an emergency
- No one will be allowed to leave the site unless instructed to do so

RAIL CROSSING HUT

- Sign out of life jackets
- Sign out of radios

EMERGENCY CONTACT DETAILS



VEHICLE MOVEMENT PLAN



YOUR LOGO HERE

SITE REQUIREMENTS

- Stop at the request of the spotters
- Hazard lights to be turned on or orange flashing lights
- Keep to the speed limit of 20km/h
- Always keep to the left side
- Everyone is to sign in at the SIGN-IN HUT upon arrival (next to site office)
- All visitors are to contact the site representative upon arrival
- Only reverse parking will be permitted while on site

IN CASE OF EMERGENCY

- Everyone to meet in the car park in case of an emergency
- Local authorities will be contacted in the case of an emergency
- No one will be allowed to leave the site unless instructed to do so

RAIL CROSSING HUT

- Sign out of life jackets
- Sign out of radios

EMERGENCY CONTACT DETAILS

VEHICLE WARNING SIGNS

STOP

CONSTRUCTION MACHINERY OPERATING IN THIS AREA

Unauthorised persons entering this area must contact works supervisor before entering the site

Name.....

Mobile.....

2-way channel.....

YOUR LOGO HERE

STOP

READ HAZARD BOARD SIGN IN



Blind Spot
Dump Truck
Take Care



Blind Spot
Excavator
Take Care

YOUR LOGO HERE

STOP

AUTHORISED ACCESS ONLY BEFORE PROCEEDING PLEASE CONTACT YOUR DOWNER SUPERVISOR

Barthwick and Ullrich: 021 524 6012
Stevens and Underpass: 021 5542 8623

YOUR LOGO HERE

Plant Interface Zone

YOUR LOGO HERE

Plant Operating Zone

YOUR LOGO HERE

Haul Road Speed

PEOPLE INTERFACE ZONE

NO ENTRY

OPERATOR:
CONTACT:
CB CHANNEL:

DANGER

HEAVY MACHINERY OPERATING

PLANT ONLY ZONE

NO ENTRY

OPERATOR:
CONTACT:
CB CHANNEL:

DANGER

HEAVY MACHINERY OPERATING



ORDER ONLINE POWERPAC.CO.NZ

GENERAL SITE & INFORMATION SIGNS

General site and information signs play a crucial role in guiding individuals and providing essential details in various settings. These signs are designed to offer directions, convey important information, and highlight key facilities or services available within a site or workplace.

STAKEHOLDER INFORMATION SIGNS

Buses replacing trains

🚌 To Wellington ←

🚌 To Upper Hutt ↘

Local bus stops

Stop # 9525
Trentham Station (bus stop)

116 to Upper Hutt

116 to Pinehaven

Stop # 9526
Trentham Station - Ararino Street

116 to Upper Hutt

**From 6 December
Station closed.**

Trentham Station

Platform is closed to trains for platform works as part of the Hutt Valley Line double tracking project. Trains will continue to run on the Hutt Valley Line, but will not stop at Trentham Station.

Alternative travel options

Buses replacing trains

Buses replacing trains will be running from Trentham Station to Upper Hutt and Wellington. Please note that these buses are not scheduled to stop at Trentham Station. Please use the bus stop at Upper Hutt or Wellington. For more information, please contact the bus company.

Train from Hereferanga or Wallaceville Station

Hutt Valley Line train services will not be affected, but will not stop at Trentham Station. There may be delays due to the works. Catch the train from Hereferanga Station (one stop) or from Wallaceville Station (two stops).

Local buses to Petone, Upper Hutt and Pinehaven

Bus stop #9525 Trentham Station Bus stop #9526 Trentham Station - Ararino Street

Bus stop #9525 Trentham Station Bus stop #9526 Trentham Station - Ararino Street

Bus stop #9525 Trentham Station Bus stop #9526 Trentham Station - Ararino Street

**Footpath
Renewal &
Construction
Project**

Location []

Dates & Hours []

➤ Please take care walking in the area.
➤ Maintain physical distancing
➤ Street Parking restrictions in place

For any enquiries please contact []

YOUR LOGO HERE

GENERAL SITE & INFORMATION SIGNS

GATE 1

GATE 2

**POTABLE
WATER**

**UNPOTABLE
WATER**

Staff Parking

6am - 6pm Mon - Fri

**YOUR
LOGO HERE**

YOUR LOGO HERE

**EV CHARGING
VEHICLE
PARKING**

YOUR LOGO HERE

PEDESTRIAN BRIDGE

MAX LOAD AT ANY TIME

225KG

**SMALL TOOLS AND
PERSONNEL ONLY**

YOUR LOGO HERE

**WORKS WILL BE
CONDUCTED BETWEEN**

&

**NO PARKING ALONG ACCESSWAY
DURING THIS TIME**

ANY PARKED CARS WILL BE TOWED

WE APOLOGISE FOR ANY INCONVENIENCE CAUSED

YOUR LOGO HERE

WIRI TO QUAY PARK

RESTRICTED ACCESS

AUTHORISED PERSONNEL ONLY

YOUR LOGO HERE

STOP

**CHECK
TRUCK**

YOUR LOGO HERE


Penguin

Nesting Area

DO NOT ENTER

PPE REQUIREMENT SIGNS

Personal Protective Equipment (PPE) requirement signs are visual reminders which can be placed in workplaces or areas where certain hazards exist. These signs typically feature symbols and text indicating the specific PPE items that must be worn in that area to ensure safety.



DANGER SIGNS

Set out requirements for the design and use of safety signs for the occupational environments. Used to regulate and control safety procedures, to warn of hazards and to provide emergency information.

CUSTOMISE YOUR SIGN























CONSTRUCTION SIGNS

1000	1001	1002	1003	1004	1005
1006	1007	1008	1012	1013	1014
1015	1016	1017	1021	1022	1025
1027	1028	1029	1030	1031	1032
1033	1037	1038			



ELECTRICAL SIGNS

 1080	 1081	 1082	 1083	 1084	 1085	 1086
 1087	 1088	 1089	 1090	 1091	 1092	 1093
 1094	 1095	 1096	 1097	 1098	 1099	 1100

HAZARDOUS MATERIALS SIGNS

 1121	 1122	 1123	 1124	 1125	 1126	 1127
 1128	 1129	 1130	 1132	 1133	 1134	 1135
 1136	 1137	 1138	 1139	 1141	 1142	 1143
 1144	 1146	 1147	 1148	 1149	 1150	 1151
 1152	 1153	 1154	 1155	 1156	 1157	 1162

DID YOU KNOW?

You can have any sign upgraded to a Cone Mounted sign

Add "CM" after the sign SKU **DL1001CM**



ORDER ONLINE POWERPAC.CO.NZ

FLAMMABLE & NO SMOKING SIGNS



MACHINERY SIGNS



PORTRAIT DANGER SIGNS




MANDATORY SIGNS

Specify that an instruction must be carried out. Signs consist of symbols (or pictographs) depicted in white on a blue circular background. Sign wording, if necessary is in black lettering.

CUSTOMISE YOUR SIGN



PERSONAL PROTECTION SIGNS




ORDER ONLINE POWERPAC.CO.NZ

MULTI-MESSAGE SIGNS

Designed to specify requirements and messages for all personnel entering a site, they can be used in conjunction with a hazard board to communicate the dangers and requirements of your site

CUSTOMISE YOUR SIGN




I MULTI-MESSAGE SIGNS



2500



2501



2502



2507




2600



2601



2602



2603




2604



2605



2606



2607

A-FRAMES & FOOTPATH SIGNS

Get your customised A-Frame or Footpath Sign



Call us 0800 23 57 89 or Email sales@powerpac.co.nz

PROHIBITING SIGNS

Specify that an action or activity is not permitted. These signs have a black pictogram surrounded by a red circle and a diagonal line crossing through the action symbol. They feature a white background with black wording.



CUSTOMISE YOUR SIGN

PROHIBITING SIGNS



ORDER ONLINE POWERPAC.CO.NZ

WARNING SIGNS

Warn of a hazard or hazardous condition that is not likely to be life threatening. The hazard symbol is black on a yellow background and inside a black triangle. Sign wording, if required, appears as black lettering on the yellow background.



CUSTOMISE YOUR SIGN

WARNING SIGNS

<div><div>YOUR LOGO HERE</div><div><div>4000</div></div></div>	<div><div>YOUR LOGO HERE</div><div><div>4002</div></div></div>	<div><div><div>4003</div></div></div>	<div><div><div>4004</div></div></div>	<div><div><div>4005</div></div></div>	<div><div><div>4006</div></div></div>
<div><div><div>4007</div></div></div>	<div><div><div>4008</div></div></div>	<div><div><div>4009</div></div></div>	<div><div><div>4010</div></div></div>	<div><div><div>4011</div></div></div>	<div><div><div>4012</div></div></div>
<div><div><div>4013</div></div></div>	<div><div><div>4014</div></div></div>	<div><div><div>4015</div></div></div>	<div><div><div>4020</div></div></div>	<div><div><div>4021</div></div></div>	<div><div><div>4022</div></div></div>
<div><div><div>4023</div></div></div>	<div><div><div>4025</div></div></div>	<div><div><div>4026</div></div></div>	<div><div><div>4027</div></div></div>	<div><div><div>4028</div></div></div>	<div><div><div>4029</div></div></div>
<div><div><div>4030</div></div></div>	<div><div><div>4031</div></div></div>	<div><div><div>4032</div></div></div>	<div><div><div>4033</div></div></div>	<div><div><div>4034</div></div></div>	<div><div><div>4035</div></div></div>
<div><div><div>4036</div></div></div>	<div><div><div>4037</div></div></div>	<div><div><div>4038</div></div></div>	<div><div><div>4039</div></div></div>	<div><div><div>4040</div></div></div>	<div><div><div>4041</div></div></div>
<div><div><div>4042</div></div></div>	<div><div><div>4043</div></div></div>	<div><div><div>4044</div></div></div>	<div><div><div>4045</div></div></div>	<div><div><div>4046</div></div></div>	<div><div><div>4047</div></div></div>
<div><div><div>4048</div></div></div>	<div><div><div>4049</div></div></div>	<div><div><div>4050</div></div></div>	<div><div><div>4051</div></div></div>		



LANDSCAPE WARNING SIGNS



EMERGENCY SIGNS

Indicate the location of, or directions to, emergency related facilities and tools. The signs consist of symbols (or pictograms) displayed in white on a green background. All signs comply with AS/NZS 1319:1994.

CUSTOMISE YOUR SIGN



EMERGENCY SIGNS

 4500	 4501	 4502	 4503	 4504	 4505	 4506	 4507
 4508	 4509	 4510	 4511	 4512	 4514	 4515	 4516
 4517	 4518	 4522	 4528	 4546	 4547	 4550	 4551

LANDSCAPE EMERGENCY SIGNS

 4600	 4601	 4604	 4605	 4608	 4609	 4610
 4611	 4613	 4614	 4616	 4617	 4618	 4619
 4622	 4623	 4624	 4625	 4627	 4629	 4632

FIRE SIGNS

Signs feature a white symbol and/or white text on a red background. Standards state that all fire signage must be brightly coloured red and white for visibility, and show the type and application of the fire extinguisher.

CUSTOMISE YOUR SIGN

YOUR
TEXT HERE

FIRE SIGNAGE LOCATION

Signage is required to be placed so that fire extinguishers can be easily located in the event of an emergency. Signage should be mounted between 1500mm and 1800mm above the ground and be visible from up to 15m away in all normal directions of approach.

Fire Signs 400mm x 200mm



FIRE SIGNAGE



ORDER ONLINE POWERPAC.CO.NZ

RESTRICTED AREA & SECURITY NOTICE SIGNS

Used to delineate areas restricted to specific personnel or off-limits to unauthorised individuals, these signs serve as visual deterrents and warnings of security measures. Both signs feature bright colors and easy-to-distinguish text, effectively communicating the chosen message.

CUSTOMISE YOUR SIGN



RESTRICTED AREA SIGNS

Used to show areas that are restricted to certain personnel or are off limits. The sign is depicted as black text on a white background with a red header and white 'restricted area' text.

<div>RESTRICTED AREA</div> <div>ALL VISITORS MUST REPORT TO RECEPTION</div> <div>4900</div>	<div>RESTRICTED AREA</div> <div>CONSTRUCTION WORK IN PROGRESS</div> <div>4901</div>	<div>RESTRICTED AREA</div> <div>ALL VISITORS MUST GET A PASS AT OFFICE</div> <div>4902</div>	<div>RESTRICTED AREA</div> <div>DO NOT ENTER</div> <div>4903</div>	<div>RESTRICTED AREA</div> <div>DO NOT ENTER AUTHORISED PERSONNEL ONLY</div> <div>4904</div>	<div>RESTRICTED AREA</div> <div>AUTHORISED EMPLOYEES ONLY</div> <div>4905</div>	<div>RESTRICTED AREA</div> <div>NO ENTRY</div> <div>4906</div>
<div>RESTRICTED AREA</div> <div>AUTHORISED PERSONNEL ONLY</div> <div>4907</div>	<div>RESTRICTED AREA</div> <div>ENTRANCE FOR EMPLOYEES ONLY</div> <div>4908</div>	<div>RESTRICTED AREA</div> <div>KEEP OUT</div> <div>4909</div>	<div>RESTRICTED AREA</div> <div>ALL VISITORS REPORT TO RECEPTION</div> <div>4910</div>	<div>RESTRICTED AREA</div> <div>HIGH VOLTAGE KEEP OUT</div> <div>4911</div>	<div>RESTRICTED AREA</div> <div>KEEP DOOR CLOSED AT ALL TIMES</div> <div>4912</div>	<div>RESTRICTED AREA</div> <div>KEEP OUT</div> <div>4913</div>
<div>RESTRICTED AREA</div> <div>NO ADMITTANCE EMPLOYEES ONLY</div> <div>4914</div>	<div>RESTRICTED AREA</div> <div>NO ADMITTANCE WITHOUT AUTHORISATION</div> <div>4915</div>	<div>RESTRICTED AREA</div> <div>SMILE YOU ARE ON CAMERA</div> <div>4916</div>	<div>RESTRICTED AREA</div> <div>NO ENTRY WITHOUT PERMISSION FROM AREA SUPERVISOR</div> <div>4917</div>	<div>RESTRICTED AREA</div> <div>THESE PREMISES ARE PATROLLED</div> <div>4918</div>	<div>RESTRICTED AREA</div> <div>NO PARKING</div> <div>4919</div>	<div>RESTRICTED AREA</div> <div>NO THOROUGHFARE</div> <div>4920</div>
<div>RESTRICTED AREA</div> <div>NO TRESPASSING</div> <div>4921</div>	<div>RESTRICTED AREA</div> <div>NO TRESPASSING UNDER PENALTY OF THE LAW</div> <div>4922</div>	<div>RESTRICTED AREA</div> <div>NO UNAUTHORISED PERSONNEL BEYOND THIS POINT</div> <div>4923</div>	<div>RESTRICTED AREA</div> <div>GUARD DOGS ON DUTY</div> <div>4924</div>	<div>RESTRICTED AREA</div> <div>THIS DOOR IS ALARMED</div> <div>4925</div>	<div>RESTRICTED AREA</div> <div>THIS PROPERTY IS PROTECTED BY SECURITY PATROL</div> <div>4926</div>	<div>RESTRICTED AREA</div> <div>VIDEO SURVEILLANCE IN USE ON THESE PREMISES</div> <div>4927</div>
<div>RESTRICTED AREA</div> <div>PRIVATE PROPERTY KEEP OUT</div> <div>4928</div>	<div>RESTRICTED AREA</div> <div>PRIVATE PROPERTY TRESPASSERS WILL BE PROSECUTED</div> <div>4929</div>	<div>RESTRICTED AREA</div> <div>SECURITY BADGES MUST BE WORN AT ALL TIMES</div> <div>4930</div>	<div>RESTRICTED AREA</div> <div>THESE PREMISES ARE ALARMED</div> <div>4931</div>	<div>RESTRICTED AREA</div> <div>EMERGENCY ACCESS ONLY NO GENERAL ENTRY TO FACTORY.</div> <div>4932</div>	<div>RESTRICTED AREA</div> <div>PRIVATE PROPERTY ABSOLUTELY NO THROUGHFARE</div> <div>4933</div>	

RESTRICTED AREA SIGNS

Used to discourage unwanted guests and warn of the security measures that are in place on a site or workplace. The sign is depicted as black text on a white background with a yellow header and white 'security notice' text.

<div>SECURITY NOTICE</div> <div>CAMERAS IN OPERATION 24 / 7</div> <div>5400</div>	<div>SECURITY NOTICE</div> <div>TRESPASSERS WILL BE PROSECUTED</div> <div>5401</div>	<div>SECURITY NOTICE</div> <div>NO UNAUTHORISED PERSONS BEYOND THIS POINT</div> <div>5402</div>	<div>SECURITY NOTICE</div> <div>VIDEO SURVEILLANCE IN USE ON THESE PREMISES</div> <div>5403</div>	<div>SECURITY NOTICE</div> <div>THIS PROPERTY IS MONITORED 24 / 7 BY A SECURITY GUARD</div> <div>5404</div>	<div>SECURITY NOTICE</div> <div>THIS PROPERTY IS PROTECTED BY A SECURITY ALARM SYSTEM ALL TRESPASSERS WILL BE PROSECUTED</div> <div>5406</div>	<div>SECURITY NOTICE</div> <div>ALL VISITORS MUST REPORT TO THE SECURITY OFFICE AND SIGN IN</div> <div>5407</div>
---	--	---	---	---	--	---


NOTICE SIGNS

Used to display specific notices that must be read and taken notice of. Generally displayed at the front of the site/building so that all personnel entering the site can see the message. The sign is depicted as black text on a white background with a blue header and white 'notice' text.


CUSTOMISE YOUR SIGN

Add your logo & site or job name

Combine different signs to get your message across



LANDSCAPE NOTICE SIGNS



PORTRAIT NOTICE SIGNS



INFORMATION SIGNS

Information signs are used to provide important messages and instructions in various areas or settings. These signs feature clear text or symbols to ensure easy understanding. They can be used to give directions, indicate facilities, or display safety information.

LANDSCAPE INFORMATION SIGNS

						
5200	5201	5202	5203	5204	5205	5206
						
5207	5208	5209	5210	5211	5212	5213
						
5214	5215	5216	5217	5218	5219	5220
						
5221	5222	5223	5224	5226	5228	5229
						
5232	5240	5241	5245	5247	5255	5259
						
5260	5262	5263	5264	5265	5270	5271


PORTRAIT INFORMATION SIGNS

 <p>PEDESTRIAN CROSSING HERE</p>	 <p>THIS IS A SMOKING / VAPING AREA SMOKING/VAPING IN DESIGNATED AREAS ONLY</p>	 <p>LIGHT VEHICLES</p>	 <p>HEAVY VEHICLES</p>	 <p>CALL UHF</p>			 <p>SLOW DOWN</p>	 <p>PARKING</p>
5600	5601	5602	5603	5604	5605	5609	5612	


RECYCLING SIGNS

Prevent the disposal of non-recyclable trash and instruct users on the proper distribution of recyclable materials. The signs are available in aluminum, plastic and label form, making it easy to affix them to any dumpster surface.

RECYCLING SIGNAGE



RECYCLING STICKERS



CUSTOM SIGNS

Can't find the sign you are looking for?
Give us a call or send us an email and we can custom design your sign.

Manor Park Pipeline Project

October 2022 – February 2023

Project outcome: Wellington Water on behalf of Greater Wellington Regional Council is improving the resilience of the regions bulk water supply infrastructure by installing a new water pipeline under Manor Park Golf Course.

www.wellingtonwater.co.nz/spb

Contractor:
Brian Perry Civil
Phone number: 027 345 1993

Improving Porirua's wastewater infrastructure 2023-2026

To help protect Te Awarua-o-Porirua Harbour we're building new wastewater infrastructure that will reduce overflows:

- Wastewater temporary storage tank
- Pump stations
- Retaining walls
- Access ways
- Other related structures and pipes

Contractor:
Downer
Contact: 021 1948 631

Want to find out more?
www.wellingtonwater.co.nz/projects/porirua-central-wastewater-storage-tank
After hours: Porirua City Council 04 237 5089

Building new wastewater infrastructure 2023-2026

To help protect Te Awarua-o-Porirua Harbour we're building new wastewater infrastructure that will reduce overflows. Between mid 2023 and mid 2026 we will build:

- Wastewater temporary storage tank
- Pump stations
- Retaining walls
- Accessways
- Other related structures and pipes

There'll be minimal disruption to the environment and to the way you live. Thank you for your patience.

Want to find out more?
www.wellingtonwater.co.nz/projects/porirua-central-wastewater-storage-tank

Manor Park Pipeline Project

We are installing bulk water pipes to improve the resilience of our regions water supply infrastructure.

Thanks for your patience

Silverstream Pipe Bridge Programme

Realigning the Te Manu - Karori Bulk Water Main at Silverstream

What are we doing?
We are installing a new bulk water pipe to replace the existing pipe that is over 100 years old. The new pipe will be installed in a trench that is 1.5m deep and 1.5m wide. The new pipe will be made of high-density polyethylene (HDPE) and will have a diameter of 1.5m. The new pipe will be installed in a trench that is 1.5m deep and 1.5m wide. The new pipe will be made of high-density polyethylene (HDPE) and will have a diameter of 1.5m.

Programme overview
The Silverstream Pipe Bridge Programme is a multi-stage project that will involve the installation of a new bulk water pipe to replace the existing pipe that is over 100 years old. The new pipe will be installed in a trench that is 1.5m deep and 1.5m wide. The new pipe will be made of high-density polyethylene (HDPE) and will have a diameter of 1.5m.

What does this mean for you?
The Silverstream Pipe Bridge Programme will involve the installation of a new bulk water pipe to replace the existing pipe that is over 100 years old. The new pipe will be installed in a trench that is 1.5m deep and 1.5m wide. The new pipe will be made of high-density polyethylene (HDPE) and will have a diameter of 1.5m.

Want to find out more?
www.wellingtonwater.co.nz/projects/silverstream-pipe-bridge-programme
After hours: Wellington Water 04 237 5089

LIFE SAVING RULES

TAKE YOU HOME Know them. Follow them. Save lives.

We never work unprotected at height.

We never walk or work in a live traffic lane.

We never enter or work beside an unprotected excavation.

We never drive or operate while using a handheld mobile phone or without wearing a seatbelt, where fitted.

We always keep ourselves and others clear of suspended loads.

We always obey exclusion zones.

We always work free from the influence of drugs and alcohol.

We always isolate, lockout and test before working on plant and equipment.

We always locate and expose utilities before using mechanical digging.

YOUR LOGO HERE

SAFE PRACTICES WHEN USING FACE MASKS ON SITE

Wash hands first
Always make sure you wash your hands thoroughly before and after handling a mask.

Masks
There are many different kinds of masks, depending on the task.

The right side
There is a metal clip on the top of the mask.

Fit/alignment
Place the metal clip across the top of your nose.

Attach the mask
Attach the mask by pulling the elastic bands over your ears.

Stretch down
Stretch the mask down, so that it covers your chin.

Adjust
Bend the metal clip around your nose so that it sits securely.

Taking off the mask
Pull the elastic bands away from your ears.

Dispose
Always place the used mask in a closed rubbish bin for secure disposal.

With help from our design and manufacturing teams we can make any sign you want a reality, including custom whiteboards, stencils and sign mountings.

SIGN MOUNTING OPTIONS

I HOLES

SKU:

ADD AS FIXING OPTION WHEN ORDERING ON WEBSITE

- Available for no charge on any PVC or ACM sign
- Suitable for screws, nails or cable ties



I CONE MOUNT

SKU:

ADD CM AFTER THE SIGN SKU

- Easily mount a sign onto any size road cone
- Heavy-duty nylon strapping secured to the sign with aluminium rivets
- Suitable for ACM signs only, in sizes up to 600mm x 800mm



I DOUBLE SIDED TAPE

SKU:

ADD AS FIXING OPTION WHEN ORDERING ON WEBSITE

- High-tack permanent foam double-sided tape
- Suitable for PVC and ACM signs
- Use when fixing to a smooth, clean surface
- For uneven or dirty surfaces, we recommend using holes with mechanical fixing



I SWING STAND

SKU:

0819-96

- Swing stand sign frame for 600mm x 900mm signs, enables quick and easy swapping of signs
- Easily display the message you need by changing the sign
- Swing stand signs are deployed during road works for traffic management. Used by traffic controllers, civil and construction contractors to control traffic and increase safety



ORDER ONLINE POWERPAC.CO.NZ

SKU:

CALL US TO DISCUSS

SIZE:

MADE TO REQUIREMENTS

- Lightweight
- Portable
- Quick & easy to assemble
- Suitable for outdoor use



SKU:

CALL US TO DISCUSS OR FOR A FREE SITE VISIT

- Raised acrylic letters can be the difference between a mediocre and a professional-looking office
- We can illuminate your signs and make your office stand out from the competition



SKU:

CALL US TO DISCUSS

SIZE:

MADE TO REQUIREMENTS

- Lightweight
- Portable
- Quick & easy to assemble



SKU:

CALL US TO DISCUSS OR FOR A FREE SITE VISIT

- Internally illuminated light boxes with printed translucent graphics
- Suitable for interior and exterior use



FOOTPATH SIGN

SKU:

SIZE:

AFOOT-800X600

800mm x 600mm

AFOOT-900X600

900mm x 600mm

- Durable rubber base with ACM panel



INDUCTION STICKER

SKU:

SIZE:

CALL US TO DISCUSS

MADE TO REQUIREMENTS

- Durable vinyl adhesive to confirm workers have completed mandatory safety and orientation training specific to the worksite



A-FRAME SIGN

SKU:

SIZE:

AMET-600X1000

600mm x 1000mm

AMET-800X1200

800mm x 1200mm

- Durable powder-coating steel frame
- A-frame signage with a unique lock stay
- Includes 2x Printed ACM Panels



SITE BRANDING

The use of printed mesh offers a cost-effective way to promote your brand and increase exposure.

- Perfect for on-site fencing or scaffolding installation
- Available in flame-retardant material
- Made from durable 260gsm ripstop fabric
- Optional wind slots available on request
- In-house design and production

I PVC MESH BANNER PANELS - 1.8m x 2.4m

SKU:

- MESHBANNER200 - 2.4I.
- Size: 1.8m H x 2.4m L
 - Hemmed and eyeleted
 - Heavy-duty 260gsm rip-stop fabric
 - 5–10 day turnaround




I PRINTED FENCE WRAP

SKU:

- PRINTEDSCRIM200 - 500
- Size: 1.6m H x 50m L
 - Hemmed and eyeleted
 - 10–14 day turnaround
- PRINTEDSCRIM200 - 500 - FR
- Flame retardant 🔥
- PRINTEDSCRIM200 - 50I
- Size: 1.8m H x 50m L
 - Hemmed and eyeleted
 - 10–14 day turnaround
- PRINTEDSCRIM200 - 50I - FR
- Flame retardant 🔥
- PRINTEDSCRIM200-2.4
- Size: 2.4m H x 50m L
 - Hemmed and eyeleted
 - 10–14 day turnaround



Hemmed and eyeleted for durability and easy installation:



Eco-friendly plastic eyelets

Reinforced welded edge to edge

BRANDED PVC BANNER

High-profile branding product for site hoardings or fixed installations

- Size: 2.4m H x 50m L
- Hemmed and eyeleted
- Heavy-duty 440gsm PVC material
- 10-14 day turnaround



TRAFFIC MANAGEMENT SIGNS

Our Traffic Management signs are designed to temporarily control and manage traffic during construction projects, road maintenance, or events. These signs are essential for maintaining safety and ensuring smooth traffic flow.


- | Traffic & Parking Signs
- | Supplementary Signs
- | Temporary Warning Signs
- | Temporary Paddle Signs
- | Cone Mounted Signs



TRAFFIC & PARKING SIGNS

Used to display the speed limit of a particular area and restrict the speed of machinery or vehicles. Signs consist of the speed limit displayed in black text centered within a red circle. They can be purchased as either a square, rectangle, or circular sign.

TRAFFIC & PARKING SIGNS



Other sizes available for speed signs
Give us a call or check out our website!

TTMC SIGNS

TTMC signs are typically used to regulate traffic, convey important information to drivers, and ensure road safety. TTMC signs in New Zealand follow specific shapes, colors, and symbols to convey different types of information to drivers, pedestrians, and other road users.

I SUPPLEMENTARY SIGNS

NEXT 1 km TW-1.1A (1) 300 X 900 TW-1.1B (1) 450 X 1200	NEXT 2 km TW-1.1A (2) 300 X 900 TW-1.1B (2) 450 X 1200	NEXT 3 km TW-1.1A (3) 300 X 900 TW-1.1B (3) 450 X 1200	NEXT 4 km TW-1.1A (4) 300 X 900 TW-1.1B (4) 450 X 1200
NEW SEAL TW-1.2.1A 300 X 900 TW-1.2.1B 450 X 1200	WET TAR TW-1.2.2A 300 X 900 TW-1.2.2B 450 X 1200	GRADER T132A 300 X 900 T132B 450 X 1200	MOWER T136 300 X 900 T136 450 X 1200
SURVEYING TW-1.7A 300 X 900 TW-1.7B 450 X 1200	FLOODING TW-2.1A 300 X 900 TW-2.1B 450 X 1200	CYCLE RACE TW-2.13.1A 300 X 900 TW-2.13.1B 450 X 1200	RUNNERS TW-2.13.2A 300 X 900 TW-2.13.2B 450 X 1200
WALKERS TW-2.13.2A 300 X 900 TW-2.13.2B 450 X 1200	ACCIDENT TW-2.14A 300 X 900 TW-2.14B 450 X 1200	FIRE TW-2.15A 300 X 900 TW-2.15B 450 X 1200	FUNERAL TW-2.17A 300 X 900 TW-2.17B 450 X 1200
FILM CREW TW-2.18A 300 X 900 TW-2.18B 450 X 1200	WASHOUT TW-2.2A 300 X 900 TW-2.2B 450 X 1200	LINEMEN TW-2.3A 300 X 900 TW-2.3B 450 X 1200	BLASTING TW-2.4A 300 X 900 TW-2.4B 450 X 1200
ICE / GRIT TW-4.1A 300 X 900 TW-4.1B 450 X 1200	100 m TW-7(100) 450 X 1200	200 m TW-7(200) 450 X 1200	300 m TW-7(300) 450 X 1200
400 m TW-7(400) 450 X 1200	ONE LANE TL9S 300 X 900	EMERGENCY TW233 300 X 900	WORKS END TW-16 300 X 900
THANK YOU TW-17A(100) 300 X 900 TW-17B(100) 450 X 1200	TEMPORARY RG-4 300 X 900		
10 km/h AHEAD TW-1B3(10) 600 X 1200	20 km/h AHEAD TW-1B3(20) 600 X 1200	30 km/h AHEAD TW-1B3(30) 600 X 1200	40 km/h AHEAD TW-1B3(40) 600 X 1200
50 km/h AHEAD TW-1B3(50) 600 X 1200	60 km/h AHEAD TW-1B3(60) 600 X 1200	70 km/h AHEAD TW-1B3(70) 600 X 1200	80 km/h AHEAD TW-1B3(80) 600 X 1200

I SUPPLEMENTARY SIGNS

SKID TESTING TW133A 450 X 900 TW133B 600 X 1200	WEED SPRAYER TW137A 450 X 900 TW137B 600 X 1200	ROAD MARKING TW-1.4A 450 X 900 TW-1.4B 600 X 1200	ON SIDE ROAD TW-1.5A 450 X 900 TW-1.5B 600 X 1200
SHOULDER CLOSED TW-1.6A 450 X 900 TW-1.6B 600 X 1200	BRIDGE REPAIRS TW-1.8A 450 X 900 TW-1.8B 600 X 1200	TREE FELLING TW-2.5A 450 X 900 TW-2.5B 600 X 1200	LOGGING TRUCKS TW-2.6A 450 X 900 TW-2.6B 600 X 1200
TRUCKS CROSSING TW-2.7A 450 X 900 TW-2.7B 600 X 1200	NO ROAD MARKING TW-2.8A 450 X 900 TW-2.8B 600 X 1200	SIGNALS CHANGED TW-2.9A 450 X 900 TW-2.9B 600 X 1200	SEAL REPAIRS TW-5.2A 450 X 900 TW-5.2B 600 X 1200
PLEASE STOP ON REQUEST TW-15.1A 450 X 900 TW-15.1B 600 X 1200	WORKS END THANK YOU TW-16A 450 X 900 TW-16B 600 X 1200	DRY YOUR BRAKES TW-19A 450 X 900 TW-19B 600 X 1200	DETOUR ENDS TW-23A 450 X 900 TW-23B 600 X 1200
CROSSING CLOSED PLEASE USE ALTERNATIVE CROSSING TW-30A 450 X 900 TW-30B 600 X 1200	SIGNALS NOT WORKING T220A 450 X 900 T220B 600 X 1200	NEW ROAD LAYOUT T221A 450 X 900 T221B 600 X 1200	CYCLISTS AHEAD T230A 450 X 900 T230B 600 X 1200
HIDDEN QUEUE T234A 450 X 900 T234B 600 X 1200	TRAINS RUNNING T235A 450 X 900 T235B 600 X 1200	FOOTPATH CLOSED PLEASE USE OTHER SIDE TU2A 450 X 900 TU2B 600 X 1200	CYCLISTS AHEAD T230A 450 X 900 T230B 600 X 1200
RUNNERS AHEAD T231 500 X 900	WALKERS AHEAD T232 500 X 900	ROAD INSPECTION TW27 500 X 900	PASS WITH CARE TW-34 500 X 900
TRAFFIC SURVEY TW-2.12 500 X 900	 RP51 750 X 750	 RP52 750 X 750	



TEMPORARY WARNING SIGNS



TW-1A
750 X 750
2mm ALI HIP
Reflective



TW-2A
750 X 750
2mm ALI HIP
Reflective



TW-3AL
750 X 750
2mm ALI HIP
Reflective



TW-3AR
750 X 750
2mm ALI HIP
Reflective



TW-4A
750 X 750
2mm ALI HIP
Reflective



TW-5A
750 X 750
2mm ALI HIP
Reflective



TW-6A
750 X 750
2mm ALI HIP
Reflective



TW-6.1A
750 X 750
2mm ALI HIP
Reflective



TW13-AL
750 X 750
2mm ALI HIP
Reflective



TW13-AR
750 X 750
2mm ALI HIP
Reflective



TW13-1A
750 X 750
2mm ALI HIP
Reflective



TW-14A
750 X 750
2mm ALI HIP
Reflective



TW-15A
750 X 750
2mm ALI HIP
Reflective



TW-35A
750 X 750
2mm ALI HIP
Reflective



TW-36A
750 X 750
2mm ALI HIP
Reflective



TZ3
325 X 325
Single Sided



TW-1B
1200 X 1200
2.5mm ALI HIP
Reflective



TW-2B
1200 X 1200
2mm ALI HIP
Reflective



TW-3BL
1200 X 1200
2mm ALI HIP
Reflective



TW-3BR
1200 X 1200
2mm ALI HIP
Reflective



TW-4B
750 X 750
2mm ALI HIP
Reflective



TW-5B
750 X 750
2mm ALI HIP
Reflective



TW-6B
750 X 750
2mm ALI HIP
Reflective



TW-6.1B
750 X 750
2mm ALI HIP
Reflective



TW-14B
750 X 750
2mm ALI HIP
Reflective



TW-15B
750 X 750
2mm ALI HIP
Reflective



TW-35B
750 X 750
2mm ALI HIP
Reflective



TW-36B
750 X 750
2mm ALI HIP
Reflective




TW-1B2.2 1800 X 2400



TW-1B.1.1 1200 X 1800



TW-1B.1.2 1200 X 1800



TW-1B.1.1 600 X 1200

TW-1B.1.2 600 X 1200



RG19 300 X 900

TW-12 1200 X 1200

TEMPORARY WARNING SIGNS



TU31 450 X 900



TU35 450 X 900



TU43 450 X 900



TU32 450 X 900



TU36 450 X 900



TU44 450 X 900



TU33 450 X 900



TU41 450 X 900



TU45 450 X 900



TU34 450 X 900



TU42 450 X 900



TU46 450 X 900



TL2L (A) 750 X 750
TL2L (B) 1200 X 1200
2.5mm ALI HIP Reflective



TL33 (A) 750 X 750
TL33 (B) 1200 X 1200
2.5mm ALI HIP Reflective



TL71 (A) 750 X 750
TL71 (B) 1200 X 1200
2.5mm ALI HIP Reflective



TL83 (A) 750 X 750
TL83 (B) 1200 X 1200
2.5mm ALI HIP Reflective



TZ1L (A)(200) 750 X 750
TZ1L (B)(200) 1200 X 1200
2.5mm ALI HIP Reflective



TL2R (A) 750 X 750
TL2R (B) 1200 X 1200
2.5mm ALI HIP Reflective



TL3L (A) 750 X 750
TL3L (B) 1200 X 1200
2.5mm ALI HIP Reflective



TL72 (A) 750 X 750
TL72 (B) 1200 X 1200
2.5mm ALI HIP Reflective



TL84 (A) 750 X 750
TL84 (B) 1200 X 1200
2.5mm ALI HIP Reflective



TZ1R (A)(200) 750 X 750
TZ1R (B)(200) 1200 X 1200
2.5mm ALI HIP Reflective



TL31 (A) 750 X 750
TL31 (B) 1200 X 1200
2.5mm ALI HIP Reflective



TL5L (A) 750 X 750
TL5L (B) 1200 X 1200
2.5mm ALI HIP Reflective



TL81 (A) 750 X 750
TL81 (B) 1200 X 1200
2.5mm ALI HIP Reflective



TZ1L (A)(100) 750 X 750
TZ1L (B)(100) 1200 X 1200
2.5mm ALI HIP Reflective



TZ2L (A) 750 X 750
TZ2L (B) 1200 X 1200
2.5mm ALI HIP Reflective



TL32 (A) 750 X 750
TL32 (B) 1200 X 1200
2.5mm ALI HIP Reflective



TL5R (A) 750 X 750
TL5R (B) 1200 X 1200
2.5mm ALI HIP Reflective



TL82 (A) 750 X 750
TL82 (B) 1200 X 1200
2.5mm ALI HIP Reflective



TZ1R (A) 750 X 750
TZ1R (B) 1200 X 1200
2.5mm ALI HIP Reflective




TZ2R (A) 750 X 750
TZ2R (B) 1200 X 1200
2.5mm ALI HIP Reflective



TL4L 1200 X 1500
2.5 mm ALI HIP Reflective




TD1A 750 X 1000
TD1B 1200 X 1500
2.5mm ALI HIP Reflective



TL4R 1200 X 1500
2.5 mm ALI HIP Reflective



TD2A 750 X 1000
TD2B 1200 X 1500
2.5mm ALI HIP Reflective




TL6L 1200 X 1500
2.5 mm ALI HIP Reflective



TG51 800 X 1200
2mm ALI HIP Reflective
2.5mm ALI HIP Reflective



TL6R 1200 X 1500
2.5 mm ALI HIP Reflective



TG52 800 X 1200
2mm ALI HIP Reflective
2.5mm ALI HIP Reflective

TEMPORARY WARNING SIGNS



TDA1 450 X 900



TDA5 450 X 900



TDB3 450 X 900



TDC1 450 X 900



TDC4 450 X 900



TDD3 450 X 900

TD5A 450 X 900
TD5B 600 X 1200TD3D(A)
750 X 1000
TD3D(B)
1200 X 1500

TDA2 450 X 900



TDA6 450 X 900



TDB4 450 X 900



TDC2 450 X 900



TDC6 450 X 900



TDD4 450 X 900

TD3A(A)
750 X 1000
TD3A(B)
1200 X 1500

TDA3 450 X 900



TDB1 450 X 900



TDB5 450 X 900



TDC3 450 X 900



TDD1 450 X 900



TDD5 450 X 900

TD3B(A)
750 X 1000
TD3B(B)
1200 X 1500

TDA4 450 X 900



TDB2 450 X 900



TDB6 450 X 900



TDC4 450 X 900



TDD2 450 X 900



TDD6 450 X 900

TD3C(A)
750 X 1000
TD3C(B)
1200 X 1500

TEMPORARY - SIGN STANDS

STL1-BS-35 LEVEL 1 BASE
STL1-35-DS LEVEL 1 STANDSTL2-BS-35 LEVEL 2 BASE
STL2-35-DS LEVEL 2 STAND

SIGN STAND ACCESSORIES

SIGN HIDE TAPE

SKU:	SIZE:
6910-SH	300mm x 150m



SIGN STAND WEIGHT

SKU:	WEIGHT:
6910-SSBW	20kg



GROUND SPIKE SIGN HOLDER

SKU:	HEIGHT:
6910-SSGSB	485mm



TEMPORARY PADDLE SIGNS

























SKU:	SIGN SIZE:	LENGTH:
TW33	450mm	1.8m













SKU:	SIGN SIZE:	LENGTH:
TW33-MINI	345mm	300mm



TEMPORARY WARNING SIGNS

 <p>RG1 (10) (A) 450 X 450 RG1 (10) (B) 600 X 600 RG1 (10) (C) 900 X 900</p>	 <p>RG1 (20) (A) 450 X 450 RG1 (20) (B) 600 X 600 RG1 (20) (C) 900 X 900</p>	 <p>RG1 (30) (A) 450 X 450 RG1 (30) (B) 600 X 600 RG1 (30) (C) 900 X 900</p>	 <p>RG1 (40) (A) 450 X 450 RG1 (40) (B) 600 X 600 RG1 (40) (C) 900 X 900</p>
 <p>RG1 (50) (A) 450 X 450 RG1 (50) (B) 600 X 600 RG1 (50) (C) 900 X 900</p>	 <p>RG1 (60) (A) 450 X 450 RG1 (60) (B) 600 X 600 RG1 (60) (C) 900 X 900</p>	 <p>RG1 (70) (A) 450 X 450 RG1 (70) (B) 600 X 600 RG1 (70) (C) 900 X 900</p>	 <p>RG1 (80) (A) 450 X 450 RG1 (80) (B) 600 X 600 RG1 (80) (C) 900 X 900</p>
 <p>RG1 (90) (A) 450 X 450 RG1 (90) (B) 600 X 600 RG1 (90) (C) 900 X 900</p>	 <p>RG1 (100) (A) 450 X 450 RG1 (100) (B) 600 X 600 RG1 (100) (C) 900 X 900</p>	 <p>RD1L (A) 450 X 450 RD1L (B) 600 X 600 RD1L (C) 900 X 900</p>	 <p>RD1R (A) 450 X 450 RD1R (B) 600 X 600 RD1R (C) 900 X 900</p>
 <p>RD1U (A) 450 X 450 RD1U (B) 600 X 600 RD1U (C) 900 X 900</p>	 <p>RD2 (A) 450 X 450 RD2 (B) 600 X 600 RD2 (C) 900 X 900</p>	 <p>RD3 (A) 450 X 450 RD3 (B) 600 X 600 RD3 (C) 900 X 900</p>	 <p>RD5LR (A) 450 X 450 RD5LR (B) 600 X 600 RD5LR (C) 900 X 900</p>
 <p>RD5L (A) 450 X 450 RD5L (B) 600 X 600 RD5L (C) 900 X 900</p>	 <p>RD5R (A) 450 X 450 RD5R (B) 600 X 600 RD5R (C) 900 X 900</p>	 <p>RD6L (A) 450 X 450 RD6L (B) 600 X 600 RD6L (C) 900 X 900</p>	 <p>RD6R (A) 450 X 450 RD6R (B) 600 X 600 RD6R (C) 900 X 900</p>
 <p>RD5L (A) 450 X 450 RD5L (B) 600 X 600 RD5L (C) 900 X 900</p>	 <p>RP1 (A) 750 X 750 RP1 (B) 900 X 900 RP1 (C) 1200 X 1200</p>	 <p>RP2 (A) 750 X 750 RP2 (B) 900 X 900 RP2 (C) 1200 X 1200</p>	 <p>RP51 (A) 750 X 750 RP51 (B) 900 X 900 RP51 (C) 1200 X 1200</p>

TEMPORARY - CONE MOUNTED SIGNS

 <p>RP-1.1CS CONE SLEEVE</p>	 <p>RP-1.1CM 350 X 500</p>	 <p>RG-17L 300 X 300</p>  <p>RG-17R 300 X 300</p>	 <p>RG17CM 300 X 300</p>  <p>RG34CM 300 X 300</p>	 <p>RG-34.1 300 X 600</p> 	 <p>RG17.1LCM 300 X 600</p> 
--	--	---	---	---	---

ENVIRONMENTAL & CIVIL SUPPLIES


Our Environmental & Civil Supplies include erosion control, sediment management, and drainage solutions to protect sites and surroundings. From silt fences to stormwater protection, our products ensure compliance, minimise impact, and support sustainable site management.

- | Silt Fencing
- | Erosion Control
- | Survey Supplies
- | Civil Consumables



I WARATAH/Y POSTS

SKU:	LENGTH:	QTY:
26-450SP	0.45m	10pk
26-600SP	0.6m	10pk
26-900SP	0.9m	10pk
26-150SP	1.5m	10pk
26-165SP	1.65m	10pk
26-180SP	1.8m	10pk

**I WIRE**

SKU:	TYPE:	THICKNESS:
6171-LTW31525	Low Tensile	3.15mm
6171-HTW2525	High Tensile	2.5mm

- Zinc/aluminium coating for long life
- 25kg coils/400m

**I WIRE STRAINER**

SKU:	DIMENSIONS:
6171-H302	40mm x 100mm x 50mm

- Suitable for high & low tensile wires

**I JOULE SHIELD™ INSULATORS**

SKU:	QTY:
6174-JSI25	25pk

**I RING FASTENING GUN**

SKU:
26-JRFG
26-JRING (Rings)

- Ideal for installing silt mesh and barrier mesh

**I WARATAH DRIVER**

SKU:
6171-SPD

**I WARATAH LIFTER**

SKU:
6171-SPLT

**I Y POST SAFETY CAPS**

SKU:	QTY:
SCY100	100pk

**I Y POST CHAIN REMOVER**

SKU:
6171-YPCR

Comes with a 2m (78") chain length to accommodate various post removal

**I SAFETY BARRIER MESH**

SKU:	SIZE:
6171-BM0930	900mm x 30m

Extruded Plastic

**I SILT FENCE WIRE MESH**

SKU:	WIDTH:	LENGTH:
6171-SSFWIRE	1m	50m

- Zinc/alu coated 1.5mm Ø wire
- Used for silt fences, perimeter fencing

**I CHAIN LINK MESH**

SKU:	WIDTH:	LENGTH:
6171-CL30907525	900mm	30m

- 2.5mm zinc/alu coated wire
- 75mm diamond

**I SILT FENCE**

SKU:	TYPE:	WIDTH:	LENGTH:
6171-SF1250	Standard	1.2m	50m
6171-SSF1250D	Super Silt	1.2m	50m

- UV resistant – EPA compliant

**I SILT FENCE CLIPS**

SKU:	QTY:
6171-PERC	250pk

**I SILT FENCE PINS**

SKU:	SIZE:	QTY:
6171-SFPIN	75mm	500pk



GEOTEXTILE CLOTH

SKU:	WIDTH:	LENGTH:	CLASS:
6175-GTB1950	1.9m	50m	B
6175-GTB3950	3.9m	50m	B

- Separation/stabilisation
- Suitable under driveways and paths, behind retaining walls
- Subsoil drainage



FILTERPLUS FILTER CLOTH

SKU:	GSM:	SIZE:
FPF1050	100	1m x 50m

- Approved geotextile for filtration, separation, and drainage
- Keeps soil particles out of drainage systems while allowing water flow
- Prevents soil migration into drainage systems and aggregates
- Directs water to an outlet horizontally or vertically



SAND BAG FILLER

SKU:
6171-SBF

- Single person use



SITE ENVIRO - SILT SOCKS

SILT SOCKS

SKU:	FILLED:	SIZE:
6171-SS12F	Filled	1m x 250mm
6171-SS12	Unfilled	1.2m x 250mm



ENVIRO LOG - BARK FILLED

SKU:	SIZE:
BIO SOCK 4MT	4m x 300mm



SITE ENVIRO - WATER DISCHARGE FILTER SOCK

SKU:	SIZE:
6171-PFS	204mm x 1.5m

- Ideal for filtering sediment from pumped water discharge



SITE ENVIRO - STORM WATER DRAIN GUARD

SKU:	SIZE:
6171-DG	1.22m x 910mm x 460mm

- Removes up to 3.5L of oil and 18kg of sediment



Adjustable frame

DEWATERING BAGS

SKU:	SIZE:
6171-DWB1008	1000mm x 800mm
6171-DWB1508	1500mm x 800mm
6171-DWB1212	1200mm x 1200mm
6171-DWB2020	2000mm x 2000mm



SITE ENVIRO - TURBIDITY SILT CURTAIN

SKU:	SIZE:
6171-STC125	1m H x 25m L
6171-STC225	2m H x 25m L



COIR LOG

SKU:	DIAMETER:	LENGTH:
6171-CL30300	30mm	3m


Biodegradable



SAND BAGS

SKU:	FILLED:	MATERIAL:	MOQ:
6171-PSB	Unfilled	Poly	100
6171-FPSB	Filled	Poly	10
6171-HSB	Unfilled	Hessian	100

720mm x 450mm





COCONUT MATTING

Biodegradable coconut matting provides erosion protection for soil surfaces, aiding vegetation growth and safeguarding seeds and roots from temperature fluctuations.

STANDARD				WITH JUTE NETTING			
SKU:	WIDTH:	LENGTH:	GSM:	SKU:	WIDTH:	LENGTH:	GSM:
6171-CCM300	2m	50m	300	6171-CCJM300	2m	50m	300



GROUND STAPLES

SKU:	SIZE:	DIAMETER:	QTY:
6171-GS130HT	130mm	3mm	200pk
6171-GS230HT	230mm	3mm	200pk
6171-GSHD300	300mm	6mm	100pk



GROUND PROTECTION MAT

SKU:	SIZE:
6174-GPM	2.44m x 1.22m x 13mm

- Diamond-pattern tread ensures superior grip
- 6 rope handles per mat for secure transportation
- Exceptionally heavy-duty, supporting the weight of trucks, diggers, and forklifts



I SURVEY STAKES

SKU:	SIZE:	QTY:
SS900	900mm x 50mm x 25mm	20pk
SS1000H4	1m x 50mm x 25mm	20pk
SS1000U	1m x 50mm x 25mm	25pk
SS1200H4	1.2m x 50mm x 25mm	20pk
SS1200U	1.2m x 50mm x 25mm	25pk




I CABLE TIES

SKU:	SIZE:	QTY:
6171-CT200	200mm	100pk
6171-CT300	300mm	100pk
6171-CT400	400mm	100pk
6171-CTR400 (Reusable)	8mm x 400mm	100pk



I BUNTING FLAGS

SKU:	COLOUR:	LENGTH:
BUN30-RED/WHITE	Red/ White	30m
BUN30-GREEN	Green	30m
BUN30-BLUE	Blue	30m
BUN30-YELLOW	Yellow	30m
BUN30-ORANGE	Orange	30m



I PIGTAIL FENCE POST


SKU:	LENGTH:	FINISH:	QTY:
FPG00040	1.04m	Galvanised	10pk
FPG00054	935mm	Galvanised	10pk



SURVEY MARKING PAINT & WAND

SKU:	COLOUR:	QTY:
612-WHTMP500	White	12pk
612-FLRMP500	Fluoro Red	12pk
612-FLBMP500	Fluoro Blue	12pk
612-FLGMP500	Fluoro Green	12pk
612-FLYMP500	Fluoro Yellow	12pk
612-FLOMP500	Fluoro Orange	12pk
612-FLPMP500	Fluoro Pink	12pk

SKU:	SIZE:
612-PMW	800mm



I MEASURING WHEEL

SKU:	LENGTH:	WEIGHT:
MW12	1200mm	2.05kg

- Records up to 9999m
- 318mm diameter rubber grip wheel
- Supplied with carry bag

Folds down to 60cm



CONCRETE WASHOUT CONTAINMENT BAGS

820mm L x 1060mm W x 400mm H

Quick and convenient solution to contain all concrete washout waste on-site

- 200 Micron polythene lined
- 0.70 cubic metres capacity
- 2470kg safe working load



SKU: 6190-CWB2470



CLOVER BAG GRASS SEED

SKU: 6171-GS25K
WEIGHT: 25kg



GRASS SEED SPREADER

SKU: 6170-CSP



BOOTWASH STATION

SKU: BW01
SIZE: Single Person



CONDUIT DUCT SPACER

SKU: 6180-CS150
SIZE: 150mm



QUICK-SET CONCRETE

SKU: 6300-FC20
WEIGHT: 20kg



MULTICRETE

SKU: 6300-MC20
WEIGHT: 20kg



GENERAL PURPOSE CEMENT

SKU: 6300-CM20
WEIGHT: 20kg
6300-MT20 (Masonry mortar)



ASPHALT PATCH REPAIR

SKU: S51NI
WEIGHT: 20kg



DRAINAGE COIL

PUNCHED

SKU:	SIZE:	WEIGHT:
6170-DCP11030	110mm x 30m	15kg
6170-DCP16045	160mm x 45m	40.5kg
6170-DCSP16045 (With sock)	160mm x 45m	40.5kg



UNPUNCHED

SKU:	SIZE:	WEIGHT:
6170-DCUP11015	110mm x 15m	19kg
6170-DCUP11030	110mm x 30m	15kg
6170-DCUP16015	160mm x 15m	15kg
6170-DCUP16045	160mm x 45m	40.5kg
6170-DCUP110100	110mm x 100m	50kg



TRAFFIC MANAGEMENT

Our Traffic Management range includes barriers, cones, and signage to control site access and ensure safety. Designed for durability and visibility, these solutions help regulate traffic flow, protect workers, and maintain safe, compliant site operations.

- | Warning Tapes
- | Vehicle Kerb Ramp
- | Construction Cones
- | Traffic Bollards



SAFETY & WARNING TAPES

SKU: DIMENSIONS: QTY:

GAS MAINS BELOW

BW-G 75mm x 250m 30



CAUTION

BWE-C 75mm x 250m 30



DANGER ELECTRICAL CABLE BELOW

BWE-E 75mm x 250m 30



DANGER KEEP OUT

BWE-DKO100 75mm x 100m 30

BWE-DKO 75mm x 250m 30



DANGER WATER MAINS BELOW

BW-WM 75mm x 250m 30



SEWER LINE BELOW

BW-SM 75mm x 250m 30



WARNING FIBRE OPTIC CABLE BLADE

BW-FO 75mm x 250m 30



ROAD CLOSED

BW-RC 75mm x 250m 30



YELLOW/BLACK PARALLAX

BW-YBP 75mm x 250m 30



TEMPORARY PADDLE SIGNS

SKU: SIGN SIZE: LENGTH:

TW33 450mm 1.6m



Reflective colours

SKU: SIGN SIZE: LENGTH:

TW33-MINI 345mm 300mm




Double sided

SELF ADHESIVE BUTYL PAD

SKU: SIZE:

6240-49SAP1 120mm x 86mm



VEHICLE KERB RAMP

SKU: SECTION: DIMENSIONS:

6174-KR100 Centre 600mm x 320mm x 100mm

6174-KR100EC End Cap 300mm x 300mm x 100mm

6174-KR150 Centre 600mm x 320mm x 150mm

6174-KR150EC End Cap 300mm x 300mm x 150mm



PEDESTRIAN KERB RAMP

SKU: WIDTH:

49-PKRSK 760mm x 1282mm

- Reinforced underside with steel bars
- Anti-slip surface for enhanced traction




CONSTRUCTION CONES

SKU: HEIGHT: WEIGHT: COLOUR:

6174-CC900 900mm 4.5kg Orange

6174-CC900BL 900mm 4.5kg Blue



CONE BARRIER BAR

SKU: LENGTH: COLOUR: QTY:

6174-TCBYB 1320mm - 2160mm Black/Yellow 50

6174-TCBB 1320mm - 2160mm White/Blue 50

6174-TCBRW 1320mm - 2160mm Red/White 50




TRAFFIC FLEXI BOLLARD

SKU: HEIGHT:

6174-FB750RB 750mm

6174-FB1000RB 1000mm



Removable base and post

T TOP BOLLARD

SKU: HEIGHT:

6174-TTBL 900mm




Weighted base: 6kg

PLASTIC CHAIN

SKU: COLOUR:

6174-PCRW25 Red/White

6mm x 25m chain



CONE CHAIN MOUNT

SKU: COLOUR:

6174-CCM Red



SITE & PERSONNEL SAFETY

Our Site Personnel & Safety range includes PPE, first aid kits, and safety equipment to protect workers and ensure compliance. From high-visibility clothing to respiratory protection, our solutions promote a safer, more secure working environment on every site.

- | Hand, Eye, Ear, Respiratory, Head & Face Protection
- | Hi-Vis Clothing
- | Fire Extinguishers
- | First Aid Kits
- | Marine Safety
- | Spill Control Kits
- | Safety Stations



COATED WORK GLOVES

SKU:	SIZE:	MOQ:
6161-GRIPPER08	8 / M	12pk
6161-GRIPPER09	9 / L	12pk
6161-GRIPPER10	10 / XL	12pk
6161-GRIPPER11	11 / 2XL	12pk

- Breathable back to minimise hand perspiration
- Non-slip surface for superior grip
- Enhanced dexterity for improved performance
- Coating: Foam NBR Palm Coated
- Liner: 13G Seamless Nylon Coating



CUT-5 COATED WORK GLOVES

SKU:	SIZE:	MOQ:
6161-CUT508	8 / M	12pk
6161-CUT509	9 / L	12pk
6161-CUT510	10 / XL	12pk
6161-CUT511	11 / 2XL	12pk

- High-performance cut protection
- Seamless knitted liner with thick nitrile-dipped palms for enhanced grip
- Ideal for use in the glass industry, metal fabrication, recycling, and plastics manufacturing



BLACK NITRILE DISPOSABLE GLOVES

SKU:	SIZE:
MDNHD-M	8 / M
MDNHD-L	9 / L
MDNHD-XL	10 / XL
MDNHD-2XL	11 / 2XL



HIGH RISK NITRILE DISPOSABLE GLOVES

SKU:	SIZE:
MDLHR-M	8 / M
MDLHR-L	9 / L
MDLHR-XL	10 / XL
MDLHR-2XL	11 / 2XL



CONCRETERS RED PVC GLOVES

SKU:	TYPE:
PVC45	Long
PVC47	Short



GATOR GLOVE CLIP

SKU:	COLOUR:
GCG	Green
GCO	Hi-Vis Orange

- Keeps gloves and other items accessible
- Hi-vis, durable plastic
- Clips to clothing belts, tool belts, D-rings, and more
- Safety breakaway feature included



RESPIRATOR FULL MASK

SKU: 20CF01
SIZE: M



RESPIRATOR HALF MASK

SKU: 20RS01
MATERIAL: Silicone



STS PARTICULATE FILTERS

SKU:	TYPE:	QTY:
21P2R	P2	2pk
21P3R	P3	2pk



P2 DISPOSABLE DUST MASKS

SKU:	TYPE:	QTY:
DRP2VC	Carbon	12pk
PC321-E	Dust	12pk



POWERPAC SAFETY GLASSES

ECONOMY

SKU: 619-P802C
TINT: Clear
619-P802S
TINT: Smoke
MOQ: 12



POPULAR CHOICE

PRO

SKU: 619-HC200C
TINT: Clear
619-HC200S
TINT: Smoke
MOQ: 12



GMAX-E PREMIUM GOGGLES


GOGGLES

SKU: GMAX-E0
TINT: Clear
GMAX-E02
TINT: Smoke



FACE MASK

SKU: GMAX-P01
TINT: Clear
GMAX-P02
TINT: Smoke



TUFF-SHIELD BROWGUARD

SKU: TS-BGVC

- Certified to AS/NZS 1337.1 for extra high-impact protection
- Anti-scratch/anti-fog coated lens
- 99.9% UV protection for outdoor wear



CLIP-ON EAR MUFF

SKU: SP-EM-5002D

- AS/NZS 1270:2002
- SLC80 28dB Class 5
- Fits most hard hats



CLASS 5 EARPLUGS

SKU: 6161-EPU200
QTY: 200pk

- Disposable PU foam
- Hearing protection for levels up to 110dB (A)
- Individually packed pairs



FOLDING EARMUFF

SKU: E-MAX33

- Hearing protection up to 120dB
- Lightweight premium comfort



APEX MULTI HELMET

SKU:	COLOUR:
APX-05BLACK	Black
APX-05BLUE	Blue
APX-05ORANGE	Orange
APX-05YELLOW	Yellow
APX-05WHITE	White

- Mesh-covered vents to prevent debris entry
- Inner lining fully detachable and washable
- Headlamp holder clips
- Non-releasing chin strap



APEX HELMET VISOR

SKU:	TINT:
APX-V20	Clear
APX-V21	Smoke

- Two locking positions for secure placement
- Low-profile design when visor is raised
- Scratch and fog-resistant for clear vision
- Includes a visor mounting kit
- Compatible with APEX05 Multi Pro Helmet



PETZL RIGGERS HELMET

SKU:	COLOUR:
A10V-BLACK	Black
A10V-BLUE	Blue
A10V-ORANGE	Orange
A10V-RED	Red
A10V-WHITE	White



PETZL RIGGERS VISOR

SKU:	TINT:
H754 A015AA00	Clear
H754 A015BA00	Smoke



TUFF NUT HARD HAT

SKU:	COLOUR:
TN1-R-B	Blue
TN1-R-G	Green
TN1-R-O	Orange
TN1-R-P	Pink
TN1-R-R	Red
TN1-R-W	White
TN1-R-Y	Yellow



HARD HAT SUN SHIELD

SKU:	COLOUR:
HBSB	Navy/Yellow
HBSO	Orange



FIRE EXTINGUISHERS

UNIVERSAL BRACKET

SKU:	SIZE:	RATING:
8425	1.0kg	1A:20B:E



VEHICLE BRACKET

SKU:	SIZE:	RATING:
8411	1.5kg	2A:20B:E
8413	2.5kg	3A:30B:E



WALL BRACKET

SKU:	SIZE:	RATING:
6120-BRKT2 (Bracket)	2kg	
6120-FEP2	2kg	
6120-FEP4	4.5kg	
8415	6.0kg	4A:80B:E
8416	9.0kg	6A:80B:E



AIR HORN

SKU:	TYPE:
6162-AH	Gas
6162-MAH	Manual Pump



EYEWASH STATION

SKU:	SIZE:
6162-EWS34L	34L



ZERO GRAVITY KNEE PAD

SKU:
EZG



LIFE BUOY

SKU:	WEIGHT:
6161-RLB25	2.5kg
6161-7664	4.5kg



EYEWASH KIT

SKU:
6162-EWK500
• 2 x 500ml bottles



SUNSCREEN

SKU:	SIZE:
6162-SCS1	1L



BOOT BRUSH - 3 SIDED

SKU:	FRAME:	BRISTLES:
6162-BB01	Galvanised Steel	Poly

- Can be drilled into concrete
*Bolts sold separately
- Galv steel frame with three durable polypropylene bristle brushes



DAY/NIGHT ZIPPED SAFETY VEST

SKU:	COLOUR:	SIZES:
801010-S	Yellow	Small
801011-S	Orange	Small
801011-M	Orange	Medium
801011-L	Orange	Large
801011-XL	Orange	XL
801011	Orange	2XL
801011-3XL	Orange	3XL
801011-4XL	Orange	4XL
801017-L	Pink	Large
801017-XL	Pink	XL



UNIVERSAL & OIL SPILL KITS

PREVENT
LONG-TERM
DAMAGE



SCAN HERE
TO REORDER



SKU:

SIZE:

EACH BIN CONTAINS:

UNIVERSAL SPILL KIT BIN

617-SSK240UV **240L**

OIL SPILL KIT BIN

617-SSK240OIL **240L**

- 3m Socks
- 5m Socks
- 200gsm Pads
- Safety Goggles
- PVC Gloves
- Disposable Bags
- Disposable Coverall
- N95 Respirator Mask
- 30cm x 30cm Pillow
- Dash Bin



SKU:

SIZE:

BAG CONTAINS:

UNIVERSAL SPILL KIT BAG

617-SSK025UV **25L**

- 1.2m Socks
- 200gsm Pads
- Safety Goggles
- PVC Gloves
- Disposable Bags
- Disposable Coverall
- N95 Respirator Mask
- 30cm x 30cm Pillow
- Vinyl Bag



SPILLSORB

SKU: 6173-MS10
SIZE: 10kg



- Suitable for petrol, oils, transmission fluids and water-based chemicals
- Leaves a non-slip surface
- Non-corrosive to surfaces

ABSORBENT PAD

SKU: 6173-UPAD
QTY: 100pk

Each 400mm x 500mm pad absorbs up to 1.2L

**COLOURED RAGS**

SKU: 6161-RAG5
QTY: 4kg
6161-RAG10 10kg

**FIRST AID KIT****EACH BOX CONTAINS:**

- | | |
|---|---|
| 4 Wound Dressing: Sterile #14 - 12cm x 12cm | 24 Safety Pins |
| 4 Wound Dressing: Sterile #15 - 18cm x 18cm | 2 Bandage Scissors |
| 10 Non Adherent Dressing: 7.5cm x 10cm | 2 Tweezers - Metal Flat Tip |
| 4 Sterile Eye Pads | 2 Resuscitaid |
| 12 Antiseptic Wipes | 2 First Aid Plastic Bag (Waste Disposal) |
| 18 Eye & Wound Saline Wash: 15ml | 2 First Aid Tips (Not a replacement for training) |
| 200 Plasters Fabric: 7.2cm x 1.9cm | 2 First Aid Register Booklet |
| 2 Paper Tape: 1.25cm x 9.1m | 2 First Aid Pencil |
| 4 Triangle Bandage | |
| 2 Crepe Bandage: 5cm | |
| 2 Crepe Bandage: 7.5cm | |
| 10 Gauze Swabs (2s): 12ply | |
| 8 Latex Gloves Low Powder - Medium | |
| 24 Safety Pins | |
| 10 Gauze Swabs (2s): 12ply | |
| 8 Latex Gloves - Medium | |

**50 PERSON**

SKU: 6162-FAKPC50



SCAN HERE TO REORDER

MOBILE SAFETY STATION


SKU: MSS50
TYPE: WITH COVER
MSS50-NC NO COVER

DIMENSIONS:


- Size: 600mm W x 1400mm H x 400mm D
- Weight: Approx 25kg

CONTENTS:

- 1. PERSONALISED BRANDING STICKER**
- 2. 207 PIECE, 40-50 PERSON FIRST AID KIT**
- 3. 2 PIECE EYEWASH KIT**
- 4. WARNING AIR HORN**
- 5. DOCUMENT STORAGE BOX**
(Comes with A4 Document clear file inside box)
- 6. 2.5kg ABE FIRE EXTINGUISHER**
- 7. 45L UNIVERSAL SPILL KIT**



Customised header size: 250mm x 600mm



Examples:

PVC heavy-duty rain cover available as required, to shield from rain or dust

Heavy-duty steel and aluminium construction

ORDER ONLINE POWERPAC.CO.NZ



Talk to us about having this amazing asset on your site today!

Bright touch screen interface for easy evening and early morning operation.

Glove friendly.

Search function reduces chance of vending the wrong item.

Confirm purchase via unique code with billing at set intervals i.e; monthly.

INTUITIVE INTERFACE



SITEVEND

Contact **0800 23 57 89** or speak with your Rep

WHY POWERPAC SITEVEND?

- | 24/7 Product availability
- | No delivery charges
- | Pay for what you use
- | Less costs/ lower inventory needs
- | Reduce your carbon footprint
- | No waiting for deliveries
- | Project specific supplies of your choice
- | Ideal for remote projects



POWERPAC VENDING MACHINE

HAND TOOLS

Our Hand Tools range is designed to handle tough site conditions, ensuring precision, efficiency, and reliability for every task. We offer a range of products to fully equip and optimise your site.

- | General Hand Tools
- | Goods Handling
- | Tool Storage
- | Dust Extractors
- | Air Movement & Moisture Control
- | Site Amenities



I TAPE MEASURE

SKU:	SIZE:
OX-T020108	8m x 25mm Metric
OX-T020110	10m x 25mm Metric



I CARPENTERS PENCILS

SKU:	QTY:
BP218M	12pk



I STRING LINE

SKU:	SIZE:	Fluoro Pink or Yellow
CM80FL	80m	



I RETSOL CRAYONS

SKU:	COLOUR:	MOQ:
MC100BL	Blue	12
MC100R	Red	12
MC100Y	Yellow	12
MC100W	White	12



I OX SPIRIT LEVEL

SKU:	LENGTH:
OX-P024406	600mm
OX-P024408	800mm
OX-P024409	900mm
OX-P024412	1200mm
OX-P024418	1800mm
OX-P024424	2400mm




I BROOMS & BRUSHES

SKU:	SIZE:	TYPE:
10613	355mm	Yard Broom - Poly Hard
12120	455mm	Workshop Broom - Fine
12125	610mm	Platform Brooms - Fine
12131	760mm	Platform Brooms - Fine
12137	915mm	Platform Brooms - Fine



I SQUEEGEES

SKU:	SIZE:	TYPE:
20030	750mm	Wipe n' Dry
20430	750mm	Straight
20424	750mm	Curved
20436	900mm	Curved



I LEVERAGE TOOLS

SKU:	LENGTH:	TYPE:
CROW BAR		
TW9055	1.75m	Bent Chisel
TW9009	1.75m	HD HEX
TW9001	1.2m	HD HEX



HEAVY DUTY PRY BAR

OX-P092856	1.4m	Steel
------------	------	-------



HEAVY DUTY DEMOLITION BAR

409-64306	1.4m	
-----------	------	--



I SLEDGE/CLUB HAMMER

SKU:	WEIGHT:
E-MRF4LB	1.8kg
E-SHF08	3.6kg
E-SHF10	4.5kg
E-SHF12	5.5kg



I 5LB PICK

SKU:	TYPE:
AS27155	Fibreglass



I RETRACTABLE KNIFE

SKU:	PRODUCT:	QTY:
USB117-53	19mm Knife	1
USB120-01	19mm Refill	100pk



I OLFA SNAP OFF KNIFE

SKU:	PRODUCT:	QTY:
OLH1	25mm Knife	1
OLHB20	25mm Refill	20pk
OLL7	18mm Knife	1
OLLB50B	18mm Refill	10pk



ADJUSTABLE WRENCH

SKU:	SIZE:	LENGTH:
WRER-M1921W	19mm x 21mm	315mm
WRER-M2124W	21mm x 24mm	315mm
WRER-M2430W	24mm x 30mm	450mm
WRER-M2432W	24mm x 32mm	450mm
WRER-M3236W	32mm x 36mm	450mm



PLATFORM LADDERS

SKU:	STEPS:	PLATFORM HEIGHT:
OXPL03	3	0.9m
OXPL04	4	1.2m
OXPL05	5	1.5m
OXPL06	6	1.8m
OXPL08	8	2.4m

- Complies with AS/NZS 1892:1996
- Welded back leg for durability
- Folds flat for easy storage
- Anti-skid platform with raised edges for safety and comfort
- 12-month warranty



180kg capacity

GARDEN HOSE

SKU:	SIZE:
HOSE30F	12mm x 30m



SHOVELS & SPADES

ATLAS LONG HANDLE ROUND MOUTH SHOVEL #2

SKU:	TYPE:
AT01600-C	Wooden #2
AS00600	Fibreglass



ATLAS LONG HANDLE PLUMBERS SHOVEL

SKU:	TYPE:
AT02505C	Wooden



ATLAS D-HANDLE SQUARE MOUTH SHOVEL #3

SKU:	TYPE:
AS00615	Fibreglass #3
AT02615C	Wooden #3



ATLAS D-HANDLE ROUND MOUTH SHOVEL #2

SKU:	TYPE:
AT01602	Wooden #2



ATLAS D-HANDLE CONTRACTOR SPADE

SKU:	TYPE:
AT04636	Steel



ATLAS D-HANDLE TRENCHING SPADE

SKU:	TYPE:
AS00638	Fibreglass



RAKES

SKU:	TYPE:
AS00106	Fibreglass Handle
AT05106C	Wooden Handle




AS00106



AT05106C

POWERPAC ONLINE

SEE YOUR
MERCHANT RATES ONLINE



SCAN HERE
FOR EASY SETUP

www.powerpac.co.nz/create-account



ORDER ONLINE POWERPAC.CO.NZ

I POWERPAC PALLET TRUCK

SKU: FORK DIMENSIONS:

4510-PL2500 1.22m x 160mm

- Rated Capacity: 2500kg
- Large rubber covered handle with fingertip control

**I PALLET WRAP**

SKU: ROLL SIZE:

6240-PW500400 500mm x 400m

- Silent to apply

**I WHEELBARROWS**

SKU:	TYPE:	MATERIAL:
CON67	The Contractor	Steel
1370036	Loadmaster	Steel
1390043	Ezipour	Plastic (Black)

**I RATCHET TIE DOWN**

SKU: CAPACITY:

T6 1500kg

TD 1.56 (Endless) 1600kg

T9 2500kg


6170-5TTIEDOWN 5000kg

**I STEEL STRAPPING****STEEL STRAP**

SKU:	DESCRIPTION:	WEIGHT:	BREAK STRAIN:
6220	Steel Strap Dispenser		
6142	19mm x 216m (Ribbon Wound)	18kg	923kg

**STEEL STRAPPING ACCESSORIES**

SKU:	DESCRIPTION:	QTY:
6203-16	Steel Strapping Crimper Tool - 16mm	
6200-S90	Steel Strapping Tensioner - 19mm	
6204	Talon C314 Steel Strap Crimper - 19mm	
6182	Snap on Seals Galvanised - 19mm	500pk
6183	High Tensile Pusher Seals Galvanised - 19mm	500pk

**I BULK BAGS**

SKU:	SIZE:	CAPACITY:
6130-BB6090	600mm x 600mm x 900mm	500kg
6130-BB9012	900mm x 900mm x 1.35m	1000kg

- Internal laminate to prevent moisture damage

**I 20L BUCKET**SKU:
6191-PP20L**I DANGEROUS GOODS CABINETS**

SKU:	EXTERNAL DIMS:	CAPACITY:
DIL5535AS	770mm H x 935mm W x 620mm D	100L
DIL5545AS	1825mm H x 1115mm W x 500mm D	250L

- Doors: 2
- Double steel walls
- Self-closing and latching door
- 150mm Deep liquid light sump
- Recessed door handle with key lock
- 50mm Vent bungs with flash arresters
- Static earthing connection
- Adjustable shelves
- Classification labels
- Continuous piano hinge



PRIORITISING EXCELLENCE

Our exceptional service is driven by a dedicated team known for their extensive product knowledge and unwavering commitment.

We consistently deliver value for money, guaranteeing an outstanding experience that aligns with your objectives and ultimate satisfaction.

We offer a comprehensive range of products and services, making us the one stop-solution for all your construction needs.

Our commitment to you: SOLUTIONS DELIVERED FAST



**SCAN HERE
TO BECOME A PARTNER**

www.powerpac.co.nz/create-account

I CARPET BLOWER WITH HANDLE

SKU:	POWER:	WATTAGE:	AIR FLOW:	WEIGHT:
2710-CB	240V	520W	41250 - 1450 cfm	15.5kg

- Used to efficiently dry carpet, timber, jib, and paint
- Large fan impeller generates greater airflow for increased efficiency
- Improved facility ventilation
- High-density polypropylene housing for durability



I SITE VENTILATION FAN

300mm

SKU:	POWER:	WATTAGE:	DIAMETER:	WEIGHT:
2710-SF300	240V	520W	300mm	9kg

600mm

SKU:	POWER:	WATTAGE:	DIAMETER:	WEIGHT:
2710-SF600	240V	1800W	600mm	45kg

- Suitable for underground, telecommunication, repairing tunnels
- Perfect for air circulation, waste gas exhaust, shipbuilding and electric soldering
- Can easily be stacked during use, transportation and storage
- Supporter and handle flexibly used for movable operation
- Connecting a flexible soft duct, high pressure under long distance
- Capability to connect up to 125 feet (38m) of straight duct
- Large fan blades generate greater air flow for increased efficiency



I INDUSTRIAL DEHUMIDIFIER

SKU:	WATTAGE:	AIR FLOW:	WEIGHT:	PERFORMANCE:
2710-D90	960W	410 cfm	48.5kg	43L/Day

- Low sound level
- Self-monitoring system
- Automatic drain pump and manual drain
- Bulletproof shell
- Friendly R410A Refrigerant
- Duct connection choice at outlet
- Automatic humidistat control display tube TEM
- Smart touch button
- Digital humidistat
- Drain indicator
- Temperature unit conversion
- Water full protection



I VENTILATOR DUCTING

SKU:	LENGTH:	DIAMETER:
2710-VD3005	5m	300mm
2710-VD60010	10m	600mm



I POLY TUBING

SKU:	DIAMETER:	WEIGHT:
6240-YPT0510C	510mm ø	25kg

- Eco/disposable ducting roll for fans
- Cut to required length from 25kg roll
- 125mu



I AIR SCRUBBER

SKU:	SIZE:	WEIGHT:
2710-AS750W	559mm H x 361mm W x 600mm D	13kg

- Filtration system: pre-filter, replaceable pre-filter HEPA filter
- Wattage: 255W
- Voltage: 240V

FILTERS

SKU:	TYPE:
2710-AS750CARBON	Carbon
2710-AS750HEPA	HEPA



FUEL JERRYCAN - JEEP STYLE

SKU:	COLOUR:	TYPE:	SIZE:
SCRV520	Red	Petrol	20L
SCD520	Yellow	Diesel	20L



INSTANT COFFEE

SKU:	PRODUCT:
6162-CC	Nescafe Classic
6162-CFB	Nescafe Fine Blend
	• Size: 500g



TEA BAGS

SKU:	PRODUCT:
6162-TB	Choysa Tea Bags

500pk



WATER COOLER

SKU:	HEIGHT:	TYPE:
6162-WC20	950mm	Floor Standing



PAPER CUPS

SKU:	SIZE:	QTY:
6162-PC	270ml	30pk



RUBBISH BIN LINERS

SKU:	SIZE:	VOLUME:	QTY:
6162-BL60	440mm x 340mm	60L	50pk
6162-BL120	925mm x 1.2m	120L	50pk
6162-BL240	1.15m x 1.4m	240L	25pk



BRUSH & SCOOP

SKU:
80201



BOOT BRUSH - 3 SIDED

SKU:	FRAME:
6162-BB01	Galvanised Steel

- Bristles: poly
- See page 11 for more info



FLOWING SOAP

SKU:	PRODUCT:	SIZE:
6162-LGS	Grit Soap	4L
6162-FWS	Soap	5L
6162-LSD	Soap Dispenser	



PAPER TOWELS & DISPENSER

SKU:	PRODUCT:	QTY:
6162-PTS	Paper Towels - 200 Sheets	20pk
6162-PTD	Dispenser	1



TOILET ROLLS & DISPENSER

SKU:	PRODUCT:	QTY:
6162-TRS	Toilet Roll - 400 Sheets	48 rolls
6162-TRD	Dispenser	1
6162-TRJ	Jumbo Toilet Roll	8pk
6162-TRJD	Jumbo Toilet Roll Dispenser	



TOILET DUCK

SKU:	SIZE:
6162-TD	750ml



URINAL BLOCKS

SKU:	SIZE:
6162-UB	4kg



SUGAR

SKU:	SIZE:	QTY:
6162-SS	3g	2000pk



STIRRERS

SKU:	QTY:
6162-S	1000pk



POWERPAC WHEELIE BINS

SKU:	SIZE:	WEIGHT:	COLOUR:
6162-WB240	240L	12.6kg	
6162-WB240BLUE	240L	12.6kg	
6162-WB240RED	240L	12.6kg	
6162-WB240YELLOW	240L	12.6kg	
6162-WB660	660L	45kg	
6162-WB660RB (Rotator base)	660L	75kg	

6162-WB240



6162-WB660RB

MOBILE WHEELIE BINS IN A RANGE OF COLOURS

Suitable for use in factories, construction sites,
apartment buildings - anywhere indoors or outdoors




SCAN TO
SEE ONLINE



SITE LIGHTING

Our Site Lighting products prioritise safety, efficiency, and eco-friendliness. They help you stay organised, work more efficiently, and contribute to a sustainable environment. Light up your projects with assurance.

- | Chain & String Lighting
- | Task Lighting
- | Batten Lighting
- | Flood Lighting
- | Cable Management
- | Temporary Power Equipment



RAPID LIGHT DAISY CHAIN SYSTEM

SKU:

6180-SL100DC

A brilliant solution for illuminating large areas. With up to a 200-meter range and a wide 120-degree beam angle, these lights are suitable for lighting up both the interior and exterior of your construction site.



1. ALUMINIUM DIE-CAST BODY

Ensuring durability and corrosion-resistance
2. 100W LAMP & 11000 LUMENS

Ensuring effective lighting output
3. DAISY CHAINING

Power inlet & outlet for daisy chaining
4. 200m RANGE

For optimal lighting distribution
5. 16AMP PRE-FITTED CARAVAN PLUGS

Robust makeup for harsh outdoor environments
6. 4.4KG

Easy transportation and installation



I SITE LIGHT - LED FLOODLIGHT

SKU:	WATTAGE:	RATING:	LUMENS:	CABLE:
6180-K1506H	100W	IP65	8000	Standard
6180-K1509H	200W	IP65	16000	Standard

- 3m cable and plug fitted
- Ideal for exterior site lighting
- Can be fixed to hoarding and cranes
- Steel frame for self-standing



| SITE LIGHT - WORK LIGHT

UPRIGHT WORK LIGHT ON TRIPOD

SKU:	WATTAGE:	RATING:
6180-K1375L	60W	IP44

- Light Output: 3200 Lumens
- Very minimal fire risk due to low heat output
- Single power take-off to enable linking to additional lights



| SITE LIGHT - UPLIGHT

LED BATTERY TASK UPLIGHT

SKU:	WATTAGE:	RATING:
6180-K1118R	50W	IP44

- Light Output: 4000 Lumens with a 360-degree beam spread
- Weight: 4kg
- Working Time: 3 hours
- Impact-resistant polycarbonate lens
- Suitable for outdoor and indoor use
- Includes charger
- Zero heat output



| SITE LIGHT - LED 1200mm TEMPORARY BATTEN LIGHT

SKU:	WATTAGE:	RATING:	LUMENS:	WEIGHT:
6180-K6061	45W	IP65	4500	4.7kg

- Voltage: 220V - 240V
- 5m cable
- 16-amp plugs for daisy-chaining
- Includes brackets for mounting/hanging



| SITE LIGHT - LED 600mm TEMPORARY BATTEN LIGHT

SKU:	WATTAGE:	RATING:	LUMENS:	SIZE:
6180-K6060B	25W	IP65	2200	600mm

- Voltage: 240V
- 5m cable
- Comes with an emergency backup battery for power failure
- Includes brackets for mounting/hanging
- 16-amp plugs for daisy-chaining
- LED automatically stays on after disconnection or loss of power for one hour



POWERPAC LEAD HOOKS

SKU: 6181-LH20R QTY: 20pk



LEAD STAND

SKU: 618-LEADSTAND HEIGHT: 1.3m - 2.5m

- Capacity: 10 leads/6 hoses up to 30mm in diameter
- Solid construction with a foldable base



SITE LIGHT - LED CHAIN LIGHTS

SKU: 6180-CL25LED WATTAGE: 12W Lamps LUMENS: 1500 per Lamp

- 10 x 12W lamps
- Heavy-duty rubber cable
- 16-amp caravan plugs & sockets
- IP65 rated
- Low heat output
- Daisy-chainable



SITE LIGHT - TRIPOD TWIN LIGHT

SKU: 6180-K1189TW WATTAGE: 30W RATING: IP44

- Light Output: 4200 lumens
- Voltage: 220 - 240V / 50Hz
- Super LED power: 2 x 30W
- Aluminium die-cast body
- Tempered glass
- 3m cable
- Very minimal fire risk due to low heat output
- IP65 Rated



EXTENSION LEADS

SKU:	LENGTH:
EL153T	30m

- Supplied tagged
- LED light power indicator
- 10A lead
- Complies with standard: AS/NZS 3112:2000



Heavy duty

2 CHANNEL CABLE COVER

SKU:	SIZE:
6180-CC1025	1m x 250mm x 45mm



4kg

LIFEGUARD POWER SUPPLY BOX

SKU:	OUTLETS:
LG6.4P	4
LG6.6P	6

- 10-amp capacity single-phase power box
- RCD trip protected



SOLAR LED STREET LIGHT

SKU:	WATTAGE:	SIZE:	LUMENS:	RATING:	WEIGHT:
6180-SL150	150W				
6180-SL200	200W	1.15m x 350mm x 160mm	18,000 lm	IP65	10.3kg

- Solar Power: 10V, 88W (high-efficiency monocrystalline silicon)
- Charge Time: 72 hours with enough sunlight
- Working Time: More than 30 hours
- Battery Type: Lithium battery 6.4V 35Ah
- Beam Angle: 120°
- Recommended Installation Height: 6-8m
- Material: Aluminium Alloy + PET



SITEMATE TEMPORARY POWER DISTRIBUTION

SITEMATE TEMPORARY POWER UNIT

SKU:	AMP:	SIZE:
SM16	32A	634mm L x 501mm W x 500mm H
SM17	63A	741mm L x 504mm W x 605mm H

- Third-party tested
- Recessed design to minimise potential damage to outlets
- Industrial sockets can be replaced without opening the unit
- Designed for reduced maintenance costs
- Stable footprint to minimise risk of toppling
- Assembled with trade-tested components
- Designed for NZ & AU conditions



SITEMATE TEMPORARY POWER LEADS

SKU:	AMP:	SIZE:
SML3210	32A	10m
SML3220	32A	20m
SML3230	32A	30m
SML6310	63A	10m
SML6320	63A	20m
SML6330	63A	30m


- Used for temporary power reticulation
- Construction industry
- Heavy industry
- Indoor/outdoor events
- Ports



WE HAVE STOCK AVAILABLE

Powerpac Group is New Zealand's
Construction Supply Specialist.

We've Provided Quality Construction
Equipment & Consumables Since 1976.



AUCKLAND

82 McLaughlins Rd, Wiri



WELLINGTON

3 Mohuia Cres, Porirua



CHRISTCHURCH

115 Hayton Rd, Wigram




Order Online
POWERPAC.CO.NZ

BIOMETRIC TURNSTILES

Whether you require the efficiency of a Tripod Turnstile or the high-security reliability of the Dual Lane Turnstile, our systems are designed to meet your access needs. Both options are compatible with Biometric & RFID access control systems.

- | Low-Height Biometric Turnstile
- | Full-Height Biometric Turnstile
- | Integration Solutions
- | Vehicle Access Options



LOW-HEIGHT BIOMETRIC TURNSTILE

SKU: ACCESS OPTIONS:

6101-LHTT



Facial Recognition Reader**RFID Card Reader****Fingerprint Reader**

- 520mm (L) x 310mm (W) x 1010mm (H)
- Turnstile net weight: 36kg
- Suitable for: Industrial facilities, corporate security, government security, public transportation

Powerpac's Tripod Turnstile is engineered for easy access control in any environment, with options compatible with both RFID and fingerprint access control systems.

Key Benefits:

- Compact & lightweight
- Silent operation with low power consumption
- Optional fingerprint reader
- SUS304 stainless steel construction
- LED indicator for passage direction
- Bi-directional passage with arm drop function



FULL-HEIGHT BIOMETRIC TURNSTILE

SKU: ACCESS OPTIONS:

6101-FHHT

Facial Recognition Reader**RFID Card Reader****Fingerprint Reader**

- 2018mm (L) x 1397mm (W) x 2220mm (H)
- LED indicator for passage direction
- Bi-directional passage options
- Suitable for: Industrial facilities, corporate security, government security, public transportation



We provide a comprehensive software integration package or can seamlessly interface with your existing security system. For more compact spaces, a single lane option is also available.



The Site Guard Dual Lane Turnstile is designed for high-security access points, providing robust and reliable control.

Compatible with both RFID and biometric access systems, it is ideal for efficiently managing high-traffic security checkpoints.

Call us **0800 23 57 89** or Email sales@powerpac.co.nz

I FULL-HEIGHT BIOMETRIC TURNSTILE WITH PASSAGE

SKU:

6101-FHTT

ACCESS OPTIONS:
Facial Recognition Reader**RFID Card Reader****Fingerprint Reader**


- 1640mm (L) x 1395mm (W) x 2220mm (H)
- LED indicator for passage direction
- Bi-directional passage options
- Indoor & outdoor applications

Powerpac's Double Full-Height Biometric Turnstile features two robust full-height turnstiles with a central access gate.

Ideal for both indoor and outdoor applications, this turnstile provides the ultimate security solution.

Key Benefits:

- Semi-automatic mechanism
- SUS304 stainless steel cabinet
- Full-height for maximum security
- Visible indicator
- Modular design




I SINGLE-LANE FLAP BARRIER TURNSTILE

SKU:

6101-FB

ACCESS OPTIONS:
Facial Recognition Reader**RFID Card Reader****Fingerprint Reader**

- Barriers retract automatically during power outage
- LED indicator for passage direction
- Indoor applications such as gyms, airports, train stations and office buildings



Powerpac's Flip Barrier Turnstile is a single-lane security system designed for smooth and silent operation. Its sleek stainless steel and transparent barrier design offers an aesthetic turnstile option for indoor applications. Compatible with both RFID and biometric access systems, it is ideal for efficiently managing high-traffic security checkpoints.



ORDER ONLINE POWERPAC.CO.NZ

INTEGRATION SOLUTIONS

Our automated access control system effortlessly integrates with Health & Safety databases like Hammertech, SiteOnSite and more...

By integrating your security turnstile and database into a single platform, we eliminate the hassle of managing multiple systems.

Powerpac Integration Package Benefits:

- Implements data from existing database
- Automatically syncs updates, such as new inductions
- A turn-key security solution from start to finish, including turnstile setup and access cards
- Provides a precise, real-time view of who is on-site, simplifying labour tracking
- Simplifies workflow with a single point of contact for all turnstile requirements

Access Cards:

If you opt for the card reader option, we will supply your site with personalised RFID access cards.

YOUR
LOGO HERE

■ **Fast & Robust**

■ **Precise in/out & labour tracking**

■ **Hassle-free orientation process**

Access Options:

FACIAL RECOGNITION READER

- Scan in options include face, card or palm reader



RFID CARD READER

- Easily scan in with your unique RFID access card




FINGERPRINT READER

- Quick, easy and affordable fingerprint access option



How Our Integration Solution Works:



Each package consists of:

- High Quality Stainless Steel Turnstiles
- Facial Recognition Devices
- RFID/Card Readers
- Seamless integration with health & safety software (Hammertech & Sign on Site)

■ PARKING BARRIER GATE

SKU:


6101-PBG

- 300mm (L) x 350mm (W) x 1020mm (H)
- Weight: 45kg
- 120W output power
- Power supply: AC 220V, 50Hz / AC 110V, 60Hz

Powerpac's Barrier Gates are designed for quick and easy vehicle access. Barrier Gates can work with various access accessories and have multiple benefits to ensure a smooth process.

Key Benefits:

- Reversible boom arm direction
- Interactive chassis with LED indicator
- Digital control monitoring
- Adjustable position and angle of boom
- 24V backup battery if power is unexpectedly disconnected
- Automatic obstacle detection



License Plate Recognition Reader


The LPRS1000 is a license plate recognition camera that easily integrates with our Parking Barrier Gate, offering a quick and convenient access solution.

This device eliminates the need for access cards and parking tickets, providing a more efficient option.

It features a license plate recognition camera, LED display, voice broadcast, fill light, fixed base, and other integrated components, all within a simple, multifunctional design.

Features:

- Automatically recognises license plates in under 200ms
- Easy to install and connect
- Suitable for outdoor and indoor applications



- **Easy Installation**
- **Automatic License Recognition Mode**
- **Localised Display and Voice**

Call us **0800 23 57 89**
or Email sales@powerpac.co.nz

