

MERCHANT SALES GUIDE



Contents

SITE FENCING & SAFETY

SITE PERIMETER FENCING & ACCESSORIES

Temporary Fence Panels & Gates	4-7
Fence Feet & Gate Wheel Set.....	8
Clamps, Couplers, & Fence Brace.....	9

PEDESTRIAN & TRAFFIC BARRIERS

Construction/Pedestrian/Traffic Barriers.....	10-11
---	-------

PRINTED FENCE WRAP & PVC MESH BANNERS

Printed Fence Wrap	12-13
Scaffold Scrim & Shade Cloth	14

CIVIL SUPPLIES & SEDIMENT CONTROL

SURVEY MARKING & SPILL CONTROL

Survey Marking Spray & Accessories	16-17
Spill Kits & Spill Response	18-19

SILT FENCING & ACCESSORIES

Silt Fencing	20
Super Silt Fence Wire Mesh.....	21
Tensile Wire & Silt Fence Clips.....	21
Waratahs & Silt Fencing Accessories	22-23

SEDIMENT CONTROL

Coconut Matting, Silt Socks, & Drain Guards	24
Ground Staples & Discharge Socks	25
Dewatering Bags & Sandbags	26

SITE SAFETY

Safety Barrier Mesh & Bunting Flags	27
---	----

CONCRETE FORMWORK

CONCRETE FORMWORK

Formply	28-29
Formatube & Form Fillets	30
Tie Bar & Formwork Accessories	31
DPM.....	32
Drossbach & Precast Accessories.....	33
Concrete Spacers	34-35
LVL Timber.....	36
Fasteners & Adhesives	37

SITE EQUIPMENT & ACCESSORIES

MATERIALS HANDLING

Pallet Trucks	38
Wheelie Bins.....	39

SITE EQUIPMENT

Air Scrubbers, Carpet Blowers, Dehumidifiers	40
Ventilation Fans & Ducting, Boot Brushes.....	41

SURFACE PROTECTION

CORNER & JAMB PROTECTION

Cardboard Corner Protectors, Foam Tubes	42
---	----

HEAVY DUTY PROTECTION

Bruteboard	43
------------------	----

SOFT SURFACE PROTECTION

Cardboard Floor Protection, Corflute.....	44
Floor Sensi Shield, Poly Foam, & Rubber Surface Protection...	45

DUST & FILM PROTECTION

Carpet Protective Film, Polyweave Carpet, & Polythene	46
Sticky Dust Mat & Dust Barrier Kits.....	47
Pathway Surface Protection	48

TAPE

Cloth Tape, Low Tac Tape, Duct Tape	49
---	----

TRAFFIC MANAGEMENT

CONES & CONE ARMS

Construction Cones.....	50
Cone Barrier Bar, Cone Rings, Plastic Chains	51
Bollards.....	52

ACCESSORIES

Hose Ramps, Kerb Ramps, & Rubber Wheel Stops	53
--	----

SITE LIGHTING

Task Lights	54
Chain Lights & Batten Lights	55
Tripod Site Lights	56
Hooks & Stands	57
Flood Lights	58
Cable Protectors.....	59

One supplier. Across the site supplies range.

- Fewer Suppliers. Faster Supply.
- A streamlined supplier relationship for trade merchants.
- One account across multiple site supply categories.
- Fast online quoting and special-order sourcing for off-catalogue lines.
- In-house print service for branded fence scrim, mesh banners and site signage.
- Branded POS, end-cap support and trade-day attendance.
- A dedicated merchant rep for in-store range reviews.



**SCAN HERE
TO BECOME A
PARTNER**

www.siteheroes.co.nz/create-account

Site Fencing & Safety


A versatile and cost effective
fencing solution

SITE HEROES

Site Perimeter Fencing & Accessories

TEMPORARY FENCE PANEL

SKU: TF-242132



- Panel size: 2400mm wide x 2100mm high
- Frame: 32mm OD galvanised steel tube
- Mesh: 1.5mm wire, 120mm x 60mm anti-climb mesh
- Weight: 17kg per panel
- Hot-dip galvanised steel finish
- Welded corner gussets for rigidity
- Compatible with all Site Heroes 32mm Fence Feet, Clamps, Gates, and Braces

TEMPORARY FENCE KITS - SITE SETUP



Kits Include:

- Temporary Fence Panels - Rapid Series, 2400mm wide x 2100mm high
- Temporary Fence Foot
- Temporary Fence Clamp Coupler
- All components are the 32mm OD galvanised system

SKU:	SIZE:	FENCE PANELS:	FENCE FEET:	FENCE CLAMPS:
TF-242132-KIT-50	50m	21x	21x	21x
TF-242132-KIT-100	100m	42x	42x	42x
TF-242132-KIT-200	200m	84x	84x	84x
TF-242132-KIT-300	300m	125x	125x	125x
TF-242132-KIT-500	500m	209x	209x	209x

SITE SET-UP KITS



Kits Include:

- Temporary Fence Panels - 2400mm wide x 2100mm height, 2mm galvanised tube, anti-climb mesh
- Temporary Fence Foot
- Temporary Fence Clamp Coupler
- Pedestrian gate cut out: 1.2m wide x 2.1m high
- Danger Sign and Hazard Board: 600mm x 900mm flute

SKU:	SIZE:	PANEL:	FENCE FEET:	FENCE CLAMPS:	GATE:	SIGNS:
6101-MSSK10	10m	3x Rapid Panel	5x	5x	1x Pedestrian Access	1x Danger sign, 1x Hazard Board
6101-MSSK20	20m	7x Rapid Panel	7x	7x	1x Pedestrian Access	1x Danger sign, 1x Hazard Board

TEMPORARY FENCE PANELS

5 REASONS WHY


- 1 HOT DIPPED GALVANISED FRAME**
Ensuring a long-lasting, corrosion-resistant fence
- 2 3 POINT WELDED GUSSETS**
Enhances the structural integrity of the fence
- 3 HEAVY WALL GALVANISED TUBE**
The most robust and durable fencing framework
- 4 ANTI-CLIMB MESH**
Your extra layer of site security
- 5 MULTIPLE FEET OPTIONS**
Adaptable and easy to install in various locations

BOLT DOWN FENCE FOOT



FENCE SUPPORT BRACE


Fence feet and brace suit 32mm tube fencing.



Site Perimeter Fencing & Accessories

SINGLE PANEL ACCESS GATE

SKU: 6101-PG



- Opening: 1200mm wide x 2100mm high
- Interlocks with Site Heroes 32mm Temporary Fence Panels
- Fitted wheel included
- Hot-dip galvanised steel finish
- Sliding latch to lock the gate

FENCE PANEL WITH GATE


SKU: 6101-PAG



- Outer panel: 2400mm wide x 2100mm high
- Pedestrian Gate: 1200mm wide x 2100mm high
- 32mm OD galvanised steel tube
- Anti-climb mesh
- Drops into an existing fence line without re-spacing feet
- Sliding latch to lock the gate

VEHICLE ACCESS GATE

SKU: 6101-VAG




- Fence Pair: 2400mm wide x 2100mm height
- Vehicle access width: 4800mm
- 32mm OD galvanised steel tube
- Wheels fitted on both sides
- Keep site secure with chain or padlock

Site Perimeter Fencing & Accessories

SITE ACCESS POINT WITH GATE


SKU: 6101-SAP2



- 3200mm wide x 1200mm high
- Pedestrian Egress Width: 1200mm
- Tube: 25mm OD galvanised steel finish
- Interlocks with Construction Barrier range
- Not compatible with 32mm temporary fence panels

SITE ENTRY POINT

SKU: 6101-SAP1



- 2300mm wide x 2500mm high
- Pedestrian Egress Width: 1200mm
- Tube: 32mm OD galvanised steel finish
- Signage attaches direct to the frame

SITE FENCING STORAGE STILLAGE

SKU: 6101-STLG



- Designed for 2400mm x 2000mm Temporary Fence Panels
- 50+ panels can be stacked securely
- Galvanised Steel Finish
- Forklift pocketed for site movement
- Reduces panel damage compared with loose stacking

SITE HEROES

Site Perimeter Fencing & Accessories

TEMPORARY FENCE FOOT

SKU: TF-FOOT32



- Suits 32mm Fence Panels
- Blow Moulded Plastic, concrete-filled
- Weight: 25kg each
- Stackable for transport and storage

STEEL TEMPORARY FENCE FOOT

SKU: TF-STFOOT32



- Suits 32mm Fence Panels
- Weight: 8.5kg
- Base Plate: 750mm length x 150mm width x 10mm thickness
- Two 13mm bolt holes
- Posts: 25mm OD, 150mm high x 2mm wall thickness
- High quality, heavy-duty long life product
- Designed to be strong enough for repeated use
- Hot-dip galvanised, min 42 micron average

SITE ACCESS GATE WHEEL SET

SKU: 6101-SAGW



- Bolt on dual-wheel set
- Gate wheels attach to Pedestrian Gates or Panels, allowing gates to be opened and closed more easily
- Solid rubber wheels for outdoor and debris-prone surfaces
- Recommended for any gate on graded or rough ground

Site Perimeter Fencing & Accessories

TEMPORARY FENCE CLAMP COUPLER

SKU: TF-CLAMP32



- Suits 32mm Fence Panels
- 100mm post spacing
- Galvanised finish
- Typical usage: 1 clamp per panel-to-panel join

TEMPORARY FENCE HINGE CLAMP

SKU: TF-32HINGE



- Suits 32mm Fence Panels
- Steel hinge mechanism
- Use 2 Hinge Clamps per panel to convert fence panel to access gate
- Use a standard clamp coupler on the closing edge

TEMPORARY FENCE PANEL BRACE

SKU: TF-BRACE32




- Suitable for 32mm & 40mm Tube Fencing
- Weight: 4.5kg
- Requires 2x Couplers and 1x Foot
- Clips to Fence Panel and Temporary Fence Foot
- We recommend bracing every 2nd panel in high wind zones and every 5 panels in med-low wind zones
- Prevents perimeter collapse in strong wind conditions

SITE HEROES

Pedestrian & Traffic Barriers

PEDESTRIAN CONTROL BARRIER KITS




Kits Include:

- Construction Barrier Fence (Orange): 2200mm wide x 1200mm high
- Steel Base Feet

SKU:	SIZE:	BARRIERS:	FENCE FEET:
6101-CCBO2212-KIT-50	50m	23x	46x
6101-CCBO2212-KIT-100	100m	46x	92x
6101-CCBO2212-KIT-200	200m	92x	184x
6101-CCBO2212-KIT-300	300m	137x	274x

PEDESTRIAN CONTROL BARRIER KITS




Kits Include:

- Pedestrian Control Barrier, Galvanised - 2200mm (W) x 1100mm (H)
- Steel Base Feet

SKU:	SIZE:	BARRIERS:	FENCE FEET:
6101-PCBG2212-KIT-50M	50m	23x	46x
6101-PCBG2212-KIT-100M	100m	46x	92x
6101-PCBG2212-KIT-200M	200m	92x	184x
6101-PCBG2212-KIT-300M	300m	137x	274x

TRAFFIC & PEDESTRIAN CONTROL BARRIER KITS




Kits Include:

- Traffic & Pedestrian Control Barrier, Galvanised - 2200mm (W) x 1100mm (H)
- Steel Base Feet

SKU:	SIZE:	BARRIERS:	FENCE FEET:
6101-TCBO2211-50	50m	23x	46x
6101-TCBO2211-100	100m	46x	92x
6101-TCBO2211-200	200m	92x	184x
6101-TCBO2211-300	300m	137x	274x

CONSTRUCTION BARRIER FENCE


SKU: 6101-CCBO2212



- Size: 2200mm wide x 1200mm high
- 15kg Heavy Duty Panels
- Galvanised Steel Frames
- Infill: orange chain link, 30mm x 30mm diamond
- Comes with 2x Steel base foot
- Can be bolted down for long-term installation

PEDESTRIAN CONTROL BARRIER


SKU: 6101-PCBG2212



- Panel Size: 2200mm wide x 1100mm high
- Frame: 25mm O.D x 12mm wall thickness
- Infill Pickets: 16mm O.D x 1.0mm wall, 170mm spacings
- Weight: 11 kg Panel, with 2 Fence Feet
- Ground clearance: 210mm to bottom bar
- Finish: Hot dip galvanised, average 77 Microns
- Fence Feet: Flat, removable, 500mm x 60mm x 8mm

PEDESTRIAN CONTROL BARRIER

SKU: 6101-PCBO2212



- Panel Size: 2200mm wide x 1100mm high
- Frame: 25mm O.D x 12mm wall thickness
- Infill Pickets: 16mm O.D x 1.0mm wall, 170mm spacings
- Weight: 11 kg Panel, with 2 Fence Feet
- Ground clearance: 210mm to bottom bar
- Finish: High-vis orange
- Fence Feet: Flat, removable, 500mm x 60mm x 8mm

SITE HEROES

Printed Fence Wrap & PVC Mesh Banners

PRINTED FENCE WRAP - 1.6M X 50M



- 240gsm Ripstop PVC base fabric
- Coating: 150 to 155gsm, 100% PVC
- Weave: 9x9, 1000D, warp knitted (or 6x6 variant on request)
- Plastic eyelets
- Heavy-duty welded hemming
- Up to 100% print area

SKU:	TYPE:	WEAVE:
690-PS16500	Regular	9x9
690-PS16500-FR	Flame-retardant	9x9
690-PS16500-6	Regular	6x6

PRINTED FENCE WRAP - 1.8M X 50M



- 240gsm Ripstop PVC base fabric
- Weave: 9x9, 1000D, warp knitted
- Tough ripstop PVC construction
- Plastic eyelets
- Heavy-duty welded hemming
- Up to 100% print area

SKU:	TYPE:	WEAVE:
690-PS18500	Regular	9x9
690-PS18500-FR	Flame-retardant	9x9
690-PS18500-6	Regular	6x6



Printed Fence Wrap & PVC Mesh Banners

SCRIM PANEL BANNER PREMIUM - 2.4M X 1.8M

SKU: 690-MB1824




- 200gsm Ripstop PVC base mesh
- Hemmed and eyeleted top, bottom and both sides
- Plastic Eyelets
- Heavy-duty welded hemming
- Single-panel format saves on-site trimming
- Custom print, free artwork setup

BRANDED PVC BANNER



- 400gsm heavy-duty PVC material
- High weather resistance
- Welded Hem and Eyeleted upper and lower edge
- Sides can be hemmed and eyeleted on request



SKU:	AVAILABLE SIZES
690-PVC1824	1.8m x 2.4m
690-PVC1850	1.8m x 50m
690-PVC1810	1.8m x 10m
690-PVC1820	1.8m x 20m
690-PVC1825	1.8m x 25m
690-PVC35	3m x 5m
690-PVC310	3m x 10m
690-PVC315	3m x 15m

We can print up to 3.2m (W) x 50m (L) - Talk to our team about your custom sizes

Our in-house print team works around the clock to supply custom printed signage and scrim to customers New Zealand-wide.

**CUSTOM PRINTED,
DELIVERED FAST**

Scaffolding Scrim & Shade Cloth

SHADE CLOTH NETTING

SKU: 6210-SS200BLACK



- Roll Size: 2m x 50m
- 200gsm woven shade cloth
- Colour: Black
- Heavy duty woven scaffold netting
- Reinforced woven eyelets for easy application
- UV Stabilised


SCAFFOLD SCRIM NETTING



- Roll Size: 2m x 50m roll
- 100gsm woven scaffold scrim
- Heavy duty woven scaffold netting
- Reinforced woven eyelets for easy application
- UV Stabilised

SKU:	COLOUR:	GSM:
6210-SS250BLACK	Black	100
6210-SS250DBLUE	Blue	100
6210-SS250GREEN	Green	100
6210-SS250LBLUE	Light Blue	100
6210-SS250ORANGE	Orange	100
6210-SS250RED	Red	100
6210-SS250TEAL	Teal	100
6210-SS250WHITE	White	100
6210-SS250YELLOW	Yellow	100





Civil Supplies & Sediment Control

Prevent environmental damage and protect your site

SITE HEROES

Survey Marking Spray

SURVEY MARKING PAINT



- 500ml can, fast drying, no clog formula (12 per carton)
- Premium quality Marking Paint with removable safety clip
- Multi-directional 360° nozzle, sprays both up and down

SKU:	COLOUR:	CODE:
612-FLBMP500	Fluoro Blue	Water
612-FLGMP500	Fluoro Green	Telecom
612-FLOMP500	Fluoro Orange	Electricity
612-FLPMP500	Fluoro Pink	Stormwater
612-FLRMP500	Fluoro Red	Wastewater/sewer
612-FLYMP500	Fluoro Yellow	Gas
612-WHTMP500	Fluoro White	Marking Out

SURVEY PAINT MARKING WAND

SKU: 612-PMW



- Handheld Marking Wand for ease and precision
- Designed to prevent back strain and promote better posture
- Lightweight aluminium construction for durability and reduced fatigue
- Compatible with 400ml and 500ml marking paint cans

SURVEY MARKING SPRAY

YOUR ESSENTIAL TOOL
TO SURVEY MARKING



Survey Marking Paint Guide

	White - Marking Out
	Red - Wastewater/Sewer
	Blue - Water
	Green - Telecommunications
	Yellow - Gas
	Orange - Electricity
	Pink - Stormwater

12 per carton

- 500ml can
- No clogging
- Bright solid colours
- Fast drying
- Multi-directional 360° sprays both up and down
- Removable safety clip

**MOQ
12 CANS**
OF 1 COLOUR

Spill Response

UNIVERSAL SPILL KIT 25L

SKU: 617-SSK025UV



- 200gsm Absorbent Pads x2
- 1.2m Socks x2
- Safety Goggles x1
- PVC Gloves x1
- Disposable Bags x2
- Disposable Coverall x1
- N95 Respirator Mask x1
- 30cm x 30cm Pillow x1
- Supplied in a vinyl carry bag

UNIVERSAL SPILL KIT 240L

SKU: 617-SSK240UV



- 3m Socks x5
- 200gsm Absorbent Pads x100
- 1.2m Socks x4
- Safety Goggles x1
- PVC Gloves x2
- Disposable Bags x2
- Disposable Coverall x1
- N95 Respirator Mask x1
- 30cm x 30cm Pillow x5
- Mineral Sponge 10kg bag
- Wheelie Bin x1

OIL SPILL KIT 240L

SKU: 617-SSK240OIL



- 3m Oil Booms x5
- 200gsm Absorbent Pads x100
- 1.2m Oil Booms x4
- Safety Goggles x1
- PVC Gloves x2
- Disposable Bags x2
- Disposable Coverall x1
- N95 Respirator Mask x1
- Oil Pillows x5
- Mineral Sponge 10kg bag
- Wheelie Bin x1

Spill Response

SPILL KIT REFILL

SKU: 617-SKR240



- 3m Socks x5
- 200gsm Absorbent Pads x100
- 1.2m Socks x4
- 300mm x 300mm Pillow x5
- Mineral Sponge 10kg bag

SPILLSORB


SKU: 6173-MS10



- 10kg bag
- Absorbs PCB's, oil-based paints, inks and dyes, animal fats, vegetable oils and blood
- Filters industrial wastes, untreated effluents, heavy metals, and algae
- Use as a finishing absorbent on hard surfaces

SITE ENVIRO - ABSORBENT SPILL PAD

SKU: 6173-UPAD



- 400mm x 500mm
- 400gsm
- Absorbency: up to 1.2L per pad
- Polypropylene, thermally bonded with a dimpled surface
- Perforated dispenser carton
- Able to absorb oils, fuels, solvents, liquid chemicals, and bodily fluids

SITE HEROES

Silt Fencing & Accessories

SILT FENCE KITS



Kits Include:

- Silt Fence: 1200mm high x 50m length Roll (Standard or Super)
- Universal Rebar Safety Caps, 1 bag
- Cable Ties - 200mm, 100pk
- Silt Fence Mesh Clips, 250 Per Bag
- Permanent Wire Strainer

SKU:	SIZE:	TYPE:
6171-SF50 KIT	50m	Standard
6171-SSF50KIT	50m	Super

SILT FENCING ROLLS



- Roll Size: 1200mm high x 50m length
- Woven polypropylene
- UV stabilised
- Woven edges to stop fraying
- High water flow rate (silt stops, water passes)
- Suitable for long term applications

SKU:	TYPE:	SIZE:	LAYERS:
6171-SF1250	Standard	1200mm (W) x 50m (L)	Single Layer
6171-SSF1250D	Super	1200mm (W) x 50m (L)	Double Layer



Silt Fencing & Accessories

SUPER SILT FENCE WIRE MESH

SKU: 6171-SSFWIRE



- 1m high x 50m length
- 100mm x 100mm wire spacing
- 1.5mm wire diameter
- Galvanised finish
- Pairs with Silt Fence fabric

TENSILE WIRE



- Coil Weight: 25kg
- Zinc-Aluminium finish
- Approximate Length: 400m roll

SKU:	TYPE:	WIRE DIA:
6171-HTW2525	High Tensile	2.5mm
6171-LTW31525	Low Tensile	3.15mm

SILT FENCE MESH CLIPS


SKU: 6171-PERC



- 250 per pack
- Bag Weight: 1.8kg
- Clips to strainer wire
- Attaches silt mesh and barrier mesh to strainer wire

Silt Fencing & Accessories

WARATAH/Y POSTS



- Galvanised heavy-duty grade silt fence support
- Also known as steel standards Y-Post star posts
- 10 per pack, 400 per pallet

SKU:	LENGTH:	QTY:
26-450SP	0.45m	10pk
26-600SP	0.6m	10pk
26-900SP	0.9m	10pk
26-150SP	1.5m	10pk
26-165SP	1.65m	10pk
26-180SP	1.8m	10pk



**BULK STOCK
AVAILABLE**

WARATAH/Y POST DRIVER

SKU: 6171-SPD



- Heavy-duty weighted post driver
- Weight: 9kg
- ID of tube – 68mm

WARATAH/Y-POST REMOVER

SKU: 6171-SPLT



- Heavy-duty
- Weight: 6.5kg
- Pulls posts without bending the section

Silt Fencing & Accessories

SILT FENCE PINS

SKU: 6171-SFPIN



- 500 pins per bag
- Bag Weight: 1kg
- Quick, easy and effective way to secure the Silt Fence and Super Silt Fence mesh to the wire

UNIVERSAL REBAR SAFETY CAPS

SKU: SCY100



- 100 per pack
- Bag Weight: 2.58kg
- Suits 12 -32mm dia Rebar, Star Poles, and Y Posts
- Internal ribs to hold the cap securely on rebar



Sediment Control

COCONUT MATTING



- Standard roll dimensions: 2000mm width x 50m length
- 5mm thick
- Approximately 40kg per roll
- 100% Biodegradable
- Use for slope erosion control and surface protection

SKU:	MATERIAL:	GSM:
6171-CCM300	Coir Matting	300gsm
6171-CCJM300	Jute Webbing	350gsm

SILT SOCK

SKU: 6171-SS12



- 1000mm length (unfilled)
- UV stabilised robust polypropylene
- Fill on site with sand, gravel, or wood chips
- Built-in handles for carrying and stacking
- Reusable
- A quick and effective way of managing sediment runoff into culverts and waterways
- Quick and easy to use

SITE ENVIRO - STORM WATER DRAIN SENTINEL


SKU: 6171-DG



- 1220mm x 910mm x 460mm
- Capacity: 18kg sediment, 3.5L oil and grease
- Exceeds 75% TSS removal
- Built-in overflow ports to avoid flooding in heavy rain
- Robust polypropylene geotextile
- Sewn-in lift-out straps make removal easy
- Keep sediment hydrocarbons and other pollutants out of stormwater systems
- One size fits most drains

Sediment Control

GROUND STAPLE



- Length: 130mm
- Weight: 3.4kg
- 200 per carton
- 3.0mm diameter Hi Tensile Wire

SKU:	LENGTH:	WEIGHT:	USE:
6171-GS130HT	130mm	3.4kg	Suitable for harder ground
6171-GS230HT	230mm	5.44kg	Ideal for harder subsoils

HEAVY DUTY GROUND STAPLE

SKU: 6171-GSHD300



- Heavy Duty Ground Staple
- 300mm x 50mm Staple
- 6mm wire diameter
- Weight: 14.6kg
- 100 per carton
- Suits harder subsoils

SITE ENVIRO - WATER DISCHARGE FILTER SOCK

SKU: 6171-PFS



- 204mm wide x 1500mm length
- Weight: 1kg
- Ideal for filtering sediment from pumped water discharge

SITE HEROES

Sediment Control

SITE ENVIRO - SILT DEWATERING BAG



- Material: Geotextile
- Ideal for pumping silty water into for filtering and removing silty sediments

SKU:	DIMENSIONS:	WEIGHT:
6171-DWB1008	1m x 0.8m	3kg
6171-DWB1212	1.2m x 1.2m	3.1kg
6171-DWB1508	1.5m x 0.8m	3.3kg
6171-DWB2020	2m x 2m	3.4kg

FILLED SANDBAGS - POLY

SKU: 6171-FPSB



- 720mm x 450mm
- Polypropylene material
- Weight: 24kg (pre-filled with sand and gravel)

SANDBAGS - HESSIAN

SKU: 6171-HSB



- 720mm x 450mm
- Weight: 0.3kg (unfilled)
- 100% Hessian

Site Safety

ORANGE HI-VISIBILITY SAFETY BARRIER MESH

SKU: 6171-BM0930



- 900mm high x 30m length
- Rigid extruded plastic
- Hi-Vis orange
- Heavy-duty for repeated use and long-term jobs
- Fewer support posts required than woven mesh

BUNTING FLAGS



- 30m or 100m Coil
- Weight: 0.8kg
- Hi Vis flagging
- 6mm HD Rope
- 40 per carton

SKU:	COLOUR:	SIZE:
BUN30-BLUE	Blue	30m
BUN30-GREEN	Green	30m
BUN30-ORANGE	Orange	30m
BUN30-RED/WHITE	Red/White	30m
BUN30-YELLOW	Yellow	30m
6171-BUNORA100	Orange	100m



Concrete Formwork

The essential framework for
any construction project

SITE HEROES

Formply

BLACKPLY - FORMWORK PLYWOOD

SKU: 6190-BP241217



- Sheet Size: 2440mm x 1220mm
- Thickness: 17mm
- 11 Layers
- Coating: 120 g m/2 black film
- 100% New Poplar Core
- Re-use rate: up to 5 uses

HARDWOOD FLEXI FORMPLY

SKU: 6190-FP241209



- Sheet Size: 2400mm x 1200mm
- Thickness: 9mm
- Hardwood Formply, FSC certified
- Coating: 120g/m², 2 sided, dark brown phenol film
- Exterior glue bond
- 100 sheets per pallet
- Re-use rate: up to 15 uses

HARDWOOD FORMPLY



- Thickness: 18mm or 25mm
- Coating: 120g/m², 2 sided, dark brown phenol film
- Exterior glue bond
- Re-use rate: 30+

SKU:	SIZE:
6190-FP241218	2.44m x 1.22m x 18mm
6190-FP241225	2.44m x 1.22m x 25mm

FORMPLY – F17 GRADE



- Thickness: 17mm
- F17 Structural Grade, FSC certified
- 54 sheets per pack
- Re-use rate: 100+

SKU:	SIZE:
6190-FPF171812	1.8m x 1.2m x 17mm
6190-FPF172412	2.4m x 1.2m x 17mm

CONCRETE FORMWORK DONE RIGHT

FORMPLY

≤5 re-uses

Black Ply
Economical, non-structural formply where a low re-use rate is required.

≤15 re-uses

Hardwood Formply
Achieves concrete forming with a quality finish at competitive prices.

30+ re-uses

F17 (Structural) Grade Formply
Highly durable and rated for structural use. Designed to achieve concrete forming with exceptional concrete surface finishes.

100+ re-uses

Composite Formply
Extremely durable polypropylene formwork sheet with a very high re-use rate.

Circular Formwork

FORMATUBE



- 3m length
- Wall thickness: 6mm
- F3-Grade finish
- Lightweight Cardboard, designed to provide a fast, versatile method of pouring concrete columns and structural members
- A one-time use form — there's no cleaning, no oiling, and no form inventory required
- Pairs with the GFRP Form Tie Range and Form Fillets

SKU:	DIMENSIONS:
619-FT300X3	3m x 296mm DIA
619-FT400X3	3m x 406mm DIA
619-FT450X3	3m x 457mm DIA
619-FT500X3	3m x 508mm DIA
619-FT610X3	3m x 610mm DIA
619-FT914X3	3m x 914mm DIA



Form Fillets

FORM FILLETS



- 2.9m lengths
- PVC Plastic Chamfer Mould



FFA-121217



FFA-171723



FFWF-2912



FFJA-401216

SKU:	COLOUR:	DIMENSIONS:	UNITS:
FFB-121217	PVC Yellow	12mm x 12mm x 17mm	65 per bundle
FFA-171723	PVC White	17mm x 17mm x 23mm	35 per bundle
FFWF-2912	PVC Blue	29mm x 12mm x 17mm	36 per bundle
FFJA-401216	PVC White	40mm x 15mm x 16mm	15 per bundle

Tie Bar & Formwork Accessories

FORMWORK CONDUIT CONES

SKU: 6193-CC20



- Sleeve: 20mm OD, - 17mm ID
- Suits 20mm Conduit - **SKU: 6193-C20**
- Pack: 100 per bag
- F3-Grade Finish

CONDUIT

SKU: 6193-C20



- 2000mm length
- Reliable spacer tube providing clearance in formwork and facilitating a smoother construction process
- Recycled HDPE Material

GFRP FORM TIE



- Made from glass fibre-reinforced polymer composites
- Maintain structural integrity whilst minimising environmental impact
- Corrosion-resistant, suits all concrete grades
- Cuts to length on site
- High durability
- Concrete grey colour blends in with the final finish

SKU:	PRODUCT:
6193-GFRPTN	Form Tie Nut
6193-GFRPR	GFRP Form Tie - 3m

SITE HEROES

DPM

BLACK POLYTHENE



- Damp proof membrane
- Recycled Material
- Folded into 1m Rolls
- Weight: 40kg per roll
- For instances such as concrete underlay, where service trenches run beneath slab footings, approved thickness black plastic must be utilized.

SKU:	SIZE:
44-BLACKPAS	4m x 25m - 250 Micron
44-BLACKPLAS-50	4m x 50m - 250 Micron

VAPORGARD ORANGE DPM POLYTHENE

SKU: 6190-OP425



- 4m x 25m roll, 100m²
- 300 micron
- Damp proof membrane
- 30-day exposure UV tested
- High-vis orange
- Heavy duty 300mu
- Folded roll for easy handling
- Made from composite resins, it offers maximum resistance against water vapour flow



Drossbach & Precast Accessories

DROSSBACH



- Semi-rigid, highly compressible joint filler designed for movement joints
- User-friendly design
- Effectively seals joints against sand, debris, plant growth, and dirt
- Resilient under compression, preventing extrusion
- Durable with no risk of rotting or deterioration over time
- Pairs with the GroutSnout Top-Exit Grout Cap

SKU:	SIZE:
DB4045	40mm
DB4550	45mm
DB5055	50mm
DB5560	55mm
DB6065	60mm
DB6570	65mm

SKU:	SIZE:
DB7075	70mm
DB7580	75mm
DB8085	80mm
DB8590	85mm
DB9095	90mm
DB120125	120mm
DB130135	130mm

BITUMEN BOARD

SKU: 6193-BB122012



- 2200mm x 1220mm x 12mm (thickness)
- Bitumen-saturated fibre board
- Semi-rigid, highly compressible joint filler designed for movement joints
- Blocks debris, plant growth, and gravel
- Resilient under compression, preventing extrusion
- Durable with no risk of rotting or deterioration over time

PETROSEAL PETROLATUM TAPE



- Roll length: 10m
- Suits above and below ground installations
- For corrosion safety, sealing and waterproofing of metal
- Used as protection of pipelines, joints, fittings, cables, and tensioning members

SKU:	SIZE:
6133-PETRO5010	50mm x 10m
6133-PETRO10010	100mm x 10m
6133-PETRO15010	150mm x 10m
6133-PETRO20010	200mm x 10m

SITE HEROES

Concrete Reo Spacer Blocks

CONCRETE MULTI SPACER



- Multiple Cover Spacers/Cover Blocks are widely used for infrastructure and precasting works
- Multi Size spacers offer a flexible solution for achieving the desired gap between rebar and formwork in various concrete applications. With their multiple size options, these spacers cater to different requirements, ensuring that your concrete structure maintains the right spacing for optimal strength and durability
- Weight: 18.6kg
- 200pc pack

SKU:	DIMENSIONS:
6192-AS2025	20 25mm Cover
6192-AS3550	30 35 40 45 50mm Cover

CONCRETE SPACER – HIGH LOAD



- Heavy Duty Spacers/Cover Blocks are used in members with very high reinforcement load e.g. Heavy Rafts or Footings
- Ideal for high reinforcement loads due to their high breaking load rating.

SKU:	DIMENSIONS:	UNITS:
6192-CSAH50	50mm Cover	50pk
6192-CSAH60	60mm Cover	50pk
6192-CSAH75	75mm Cover	25pk

CONCRETE SPACER – FAST CLIP



- Spacers/Cover Blocks with clips are designed to save labour of tying a spacer
- Snap-on clip design ensures quick and effortless fixing of spacers
- These cover blocks are also used for precasting members with complex/challenging mould designs

SKU:	DIMENSIONS:	UNITS:
6192-CSAK30	30mm Cover	250pk
6192-CSAK40	40mm Cover	200pk
6192-CSAK50	50mm Cover	150pk

Concrete Reo Spacers

SINGLE COVER CONCRETE SPACER



- Single Cover Spacers/Cover Blocks are the most basic form of spacers in use
- Easy to install and identify
- Most economical option amongst all

SKU:	DIMENSIONS:	UNITS:
6192-CSAS100	100mm Cover	50pk
6192-CSAS75	75mm Cover	100pk
6192-CSAS60	60mm Cover	100pk
6192-CSAS50	50mm Cover	100pk

CONCRETE SPACER BAR COVER

SKU: 6192-CSB755090



- 75mm & 50mm Cover Spacer
- 900mm Length
- 130 pieces per pallet
- Weight: 8.8kg

PILE CAGE SPACERS

SKU: 6192-PCF36100



SKU:	PRODUCT:
6192-HDS5020	Circular Pile Cage Spacer HD 50mm Cover - 30pk
6192-HDS6520	Circular Pile Cage Spacer HD 65mm Cover - 30pk
6192-HDS7520	Circular Pile Cage Spacer HD 75mm Cover - 30pk
6192-HDS10020	Circular Pile Cage Spacer HD 100mm Cover- 10pk

SKU:	PRODUCT:
6192-PCF40100	Pile Cage Foot Spacer Extension - 100mm cover - 20-40mm Reo - 60pk

LVL Timber

LVL TIMBER



- LVL Formwork Beams are a structural LVL timber manufactured in a controlled process to meet the requirements of AS/NZS 3457
- Intended for use as concrete formwork, joists, bearers, walers, soldiers and supports
- Arc Angle Edging
- Stronger and straighter than standard timber

SKU:	DIMENSIONS:	PACK SIZE:
6196-LVL1507760	150mm x 77mm x 5.8m	35 Lengths
6196-LVL954760	95mm x 47mm x 6m	77 Lengths
6196-LVL956560	95mm x 65mm x 6m	55 Lengths

LVL BOXXA TIMBER



- Longer life than ordinary timber boxing
- Arc-angle edging for clean concrete release
- Easier to handle, strong, straight, and consistent
- Moisture-resistant wax surface
- Designed for stability, longevity and strength

SKU:	DIMENSIONS:	PACK SIZE:
6196-LVL1003660	100mm x 36mm x 6m	90 Lengths
6196-LVL1503660	150mm x 36mm x 6m	63 Lengths
6196-LVL2003660	200mm x 36mm x 6m	63 Lengths
6196-LVL3003660	300mm x 36mm x 5.8m	30 Lengths

BOXING TIMBER

SKU: 6193-9045UT



- 90mm x 45mm, sold per linear meter
- Weight: 1.9kg
- Untreated pine

Fasteners & Adhesives

SEALFORCE EXPANDING PU FOAM

SKU: 6190-PUF750



- 750ml can
- B2 Fire-Rated
- Excellent adhesion to most building materials
- Paint-able after curing
- 12 per carton
- 12 month shelf life

SEALFORCE CLEAR SILICONE

SKU: 6190-NCS300T



- 300ml cartridge
- UV resistance
- Excellent adhesion to most surfaces
- Suitable for use in weather sealing and glazing applications
- 24 per carton

DUPLEX MULTI-USE SCREWS



- Bright orange for visibility
- Hardened steel construction
- Reusable, self-tapping formwork fastener
- 100 per box

SKU:	SIZE:	QTY:
6220-DMS50	50mm	100pk
6220-DMS75	75mm	100pk
6220-DMS90	90mm	100pk

SITE HEROES

Site Equipment

Simplify tasks, enhance safety,
and ensure productivity

SITE HEROES

Materials Handling

PALLET TRUCK

SKU: 4510-PL2500



- Rated Capacity: 2500kg
- Fork Length: 1220mm
- Fork Width: 160mm
- Overall Width: 685mm
- Large rubber covered handle with fingertip control
- Special lowering valve allows control of descent rate
- The flow-regulating valve enables controlled speed with or without load
- Polyurethane-over-aluminum steer wheels with double sealed bearings for quiet operation and long life
- Stainless steel version also available on request



Wheelie Bins

SITEHEROES WHEELIE BIN - 240L



- 740mm depth x 585mm width x 1060mm high
- Capacity: 240L
- Weight 15kg
- Accredited international standard (under EN-840) with hygienic surface design
- Weather resistant: high resistance to UV, suitable for indoor and outdoor use
- Edge design: prevents rainwater from entering the bin
- Solid rubber tires, with wheel rotation of 360 degrees
- Deeper combs to ensure optimum accommodation by lifting devices

SKU:	DIMENSIONS:
6162-WB240BLUE	Blue
6162-WB240GREEN	Green
6162-WB240RED	Red
6162-WB240YELLOW	Yellow

SITEHEROES WHEELIE BIN - 660L

SKU: 6162-WB660



- 784mm depth x 1370mm width x 1215mm high
- Capacity: 660L
- Weight 45kg
- Colour: Dark Green
- Accredited international standard (under EN-840)
- Hygienic interior and exterior surface design
- Weather resistant: high resistance to UV, suitable for indoor and outdoor use
- Edge design: prevents rainwater from entering the bin
- Solid rubber tires, with wheel rotation of 360 degrees
- Deeper combs to ensure optimum accommodation by lifting devices

SITEHEROES WHEELIE BIN WITH ROTATOR BASE

SKU: 6162-WB660RB



- 784mm depth x 1370mm width x 1215mm high
- Capacity: 660L
- Weight 45kg + Steel Base 35 kg
- Colour: Dark Green
- Accredited international standard (under EN-840)
- Hygienic interior and exterior surface design
- Weather resistant: high resistance to UV, suitable for indoor and outdoor use
- Edge design: prevents rainwater from entering the bin
- Solid rubber tires, with wheel rotation of 360 degrees
- Deeper combs to ensure optimum accommodation by lifting devices

Site Equipment

AIR SCRUBBER



- Air Flow: 750 CFM
- Filter 1: Carbon Filter
- Filter 2: Hepa H13 Filter
- Weight: 15kg
- 2 stage Filter
- Suits dust containment, mould work, and paint cure spaces

SKU:	ITEM:
2710-AS750	Air Scrubber with filters
2710-AS750CARBON	Carbon filter replacement
2710-AS750HEPA	HEPA filter replacement

SITE CARPET BLOWER SKU: 2710-CB



- 3 Speed
- Air Flow: 1250-1450 CFM
- Weight: 15.5kg
- Suits carpet drying, fresh paint, and upholstery work
- Large fan impeller generates greater air flow for increased efficiency
- Improved facility ventilation
- High density polypropylene housing for durability

SITE DEHUMIDIFIER SKU: 2710-D90



- Performance: 90L per day
- Air Flow: 410cfm
- Power: 960w
- Weight: 48.5kg
- Low sound level
- Self-monitoring system
- Automatic drain pump and manual drain option
- Friendly R410A Refrigerant
- Duct connection choice at outlet

Site Equipment

SITE VENTILATION FAN



- Can easily be stacked during use, transportation and storage
- Connects to a flexible soft duct
- Capability to connect up to 125 feet (38m) of straight duct
- Large fan blades generate greater air flow for increased efficiency

SKU:	SIZE:	WEIGHT:	POWER:	VOLUME:
2710-SF300	300mm	9kg	520W	65m ³
2710-SF600	600mm	45kg	1800W	290m ³

VENTILATOR DUCTING



- Weight: 3.2kg
- UV stable, self-extinguishing PVC material
- Heavy wearstrip for tough ground-dragging applications
- Strong wire high tensile spring steel will not easily bend, deform or crush
- Heat sealed seams create a smoother surface for better air flow
- Works in temperatures ranging from -20 to 185 F

SKU:	SIZE:
2710-VD3005	300mm x 5m
2710-VD60010	600mm x 10m

BOOT BRUSH – 3 SIDED

SKU: 6162-BB01



- Weight: 4.76kg
- Three-sided brush design for an effective clean
- Suited for site entry locations to keep a variety of environments tidy and hygienic
- Built to last with high durability and strong bristles
- Can be drilled into concrete, bolts sold separately

SITE HEROES

Surface Protection

Shield your interior floors and surfaces during projects

SITE HEROES

Corner & Jamb Protectors

CARDBOARD CORNER PROTECTOR

SKU: 6131-AM100



- Size: 60mm x 60mm x 2000mm
- Gauge: 4mm
- Reusable
- Provides maximum protection
- Quick and easy to install
- Instant protection from heavy impact

FOAM TUBE PROTECTION



- Reusable
- Flexible for protection of irregular shapes
- High impact protection
- Very fast installation

SKU:	COLOUR:	SIZE:	USE:
6131-FT80	Yellow	1920mm x 80mm DIA	Handrails/profiles up to 110mm
6131-FT120	Red	1920mm x 120mm DIA	Handrails/profiles up to 250mm

Heavy-Duty Protection

BRUTE BOARD - 3MM

SKU: 6131-BB221203



- Sheet Size: 2200 x 1200mm
- 3mm thickness
- Anti-slip, water-resistant surface
- Bonded felt underlay for sensitive surfaces
- Bright orange
- Reusable
- 12-month UV protection
- Easily cut on-site

BRUTE BOARD - 5MM

SKU: 6131-BB221205



- Sheet Size: 2200mm x 1200mm
- 5mm thickness
- Weight: 3.9kg
- Anti-slip, water-resistant surface
- Withstands high point loading forces from EWP and forklifts
- Tested to withstand 3500 KG forklift wheel weight
- High crush resistance
- Bonded felt underlay for sensitive surfaces
- Bright hi-vis yellow
- Reusable
- 12-month UV protection
- Easily cut on-site



Soft Surface Protection

CARDBOARD FLOOR PROTECTION BOARD

SKU: 6131-BB30



- 30m²
- 965mm x 30.48m roll
- Moisture resistant
- Reusable and Economical
- Effective protection from impact and abrasion
- Quick and easy to install
- No sawing may be cut with a heavy duty knife
- Recycled Material

CORFLUTE PROTECTION SHEET



- Highly durable
- Lightweight and reusable
- Effective protection from impact and abrasion
- Quick and easy to install
- Easily cut with a heavy-duty knife
- Economical

SKU:	THICKNESS:	SHEET SIZE:
6131-CF221203	3mm	2.2m x 1.2m
6131-CF221205	5mm	2.4m x 1.2m

CORFLUTE ROLL



- Thickness: 2.5mm, 450gsm
- Weight: 10.8kg
- Highly durable and reusable
- Effective protection from impact and abrasion
- Quick and easy to install
- Easily cut with a heavy duty knife
- Economical

SKU:	ROLL SIZE:
6131-CFR1220-2.5	1.2m x 20m
6131-CFR1250-2.5	1.2m x 50m

Soft Surface Protection

FLOOR SENSI SHIELD

SKU: 6131-FS3012



- 1 m width x 30m length
- 3mm thickness
- Impregnated plastic membrane to create a water barrier
- Enhanced traction control
- Moisture barrier technology
- High-impact absorption
- User-friendly application

POLY FOAM


SKU: 6131-SSPF212100



- 120 sqm²
- 1200mm x 100m roll
- 3mm thickness
- Scratch and cushioning protection
- Underlay-style buffer

RUBBER SURFACE PROTECTION

SKU: 6131-AM1015-1.5



- 1 m x 15m roll
- 1.5mm thickness (2kg per m²)
- Roll Weight: 31 kg
- Exceptionally durable, slip-resistant recycled rubber sheet
- Slip-resistant
- Reusable across multiple jobs
- The ideal solution to preserve and shield sensitive floor areas without compromising on quality or sustainability

SITE HEROES

Dust & Film Protection

CARPET PROTECTIVE FILM

SKU: 6131-CPF1000



- 1m x 100m roll
- 80 micron film
- Reverse rolled for quick installation
- Lightweight clear, suitable for carpet and soft surfaces
- Sticky-back for direct adhesion to carpet

POLYWEAVE CARPET PROTECTION

SKU: 6131-PW250



- 2m x 50m roll
- 100gsm
- Carpet and floor protection
- Weather resistant storage covers
- Double laminated interwoven reinforcement to prevent ripping
- White and blue coloured surfaces
- Fast to install

CLEAR POLYTHENE




- 4m x 50m roll
- LDPE plastic sheeting
- Ideal for temporary dust screens or shielding off public work zone areas
- Ideal for creating floor ceiling dust barrier curtain, covering interior furniture/surfaces
- Lightweight and easy to install across large areas

SKU:	MICRON:
6131-CPS450	50 micron
6131-WPS450	50 micron
6131-CPS450250	250 micron

Dust & Film Protection

STICKY DUST MAT

SKU: 6131-SM6090B




- 600mm x 900mm roll
- Pads of 30 sheets
- Low profile allows for under-door use
- Tacky mats can reduce the risk of floor damage by collecting dust from foot traffic at a point of entry
- 10 mats per pack
- Re-usable back-board also available

DUST BARRIER POLE KIT

SKU: 6132-SSDBKIT6



- 6x extendable poles, sized 1.2m - 3.8m height
- 2x zip doors
- 1x heavy-duty carry bag
- Spring-loaded for fast install and removal
- Non-marking head and foot plates



Pathway Surface Protection

GROUND PROTECTION MAT

SKU: 6174-GPM



- 2440mm length x 1220mm width x 13mm thickness
- Weight: 30kg each
- HDPE material
- Supplied with carry handles and interlocking brackets
- Durable surface protection for indoor and outdoor worksites
- Raised groove pattern for better grip and slip resistance
- Lightweight and easy to carry: pre-cut handle holes for lifting and stacking
- Acts as a temporary walkway or floor protector


MDF Boards

MDF BOARD



- Strong surface protection that guards floors and surfaces like timber, marble, tiles, vinyl, and concrete from damage caused by tools, foot traffic, or forklifts
- MDF: Medium-Density Fiberboard
- Moisture-resistant
- Reusable and cost-effective
- Quick to install, cuts to size easily
- Suits finished floors and delicate surfaces

SKU:	ROLL SIZE:
6131-MDF3	2440mm x 1220mm - 3mm thickness
6131-MDF6	2440mm x 1220mm - 6mm thickness



Tape

BRUTE TAPE - CLOTH TAPE



- 48mm x 30m roll
- 30 rolls per carton
- Hand tear-able cloth tape
- Used for: Heavy duty protection, bundling, reinforcing, repairing, sealing
- Extra thick rubber adhesive layer for high-tack permanent bond
- High strength 80 mesh fabric scrim backing
- Water and moisture resistance

SKU:	COLOUR:
6133-CT4830BL	Blue
6133-CT4830W	White
6133-CT4830YL	Yellow

BRUTE TAPE - LOW-TAC TAP

SKU: 6133-LT4833OR



- 48mm x 30m roll
- Colour: Orange
- Medium level adhesion
- UV and moisture resistance
- Clean removal
- Unique flexible, conformable tough PVC for exterior masking
- Highly visible bright orange for exterior surface identification
- For building, painting, and plastering applications

BRUTE TAPE - DUCT TAPE

SKU: 6133-PT4830BK



- 48mm x 30m roll
- Colour: Black
- Carton of 24
- Hi-tack rubber adhesive PVC duct tape
- Heavy duty material suits bundling, reinforcing, and sealing
- Water Resistant

SITE HEROES

Traffic Management

Regulate traffic flow,
protect workers, and
maintain site safety

SITE HEROES

Cones & Cone Arms

ORANGE CONSTRUCTION CONE

SKU: 6174-CC900



- Height: 900mm
- Weight: 4.5kg
- NZTA Compliant
- Ideal for plant operating zone delineation
- Offers superior visibility and durability
- Orange (general site)

BLUE CONSTRUCTION CONE


SKU: 6174-CC900BL



- Height: 900mm
- Weight: 4.5kg
- NZTA Compliant
- Ideal for plant operating zone delineation
- Offers superior visibility and durability
- Blue (plant zones)

Cone Accessories

CONE BARRIER BAR



- 1320mm to 2160mm length
- Will fit any cone size
- Reflective finish for heightened visibility
- Ideal for creating smaller barricades and marking specific areas
- Versatile tool for construction sites, events, and traffic management

SKU:	COLOUR:
6174-TCBYB	Black/Yellow
6174-TCBB	Blue/White
6174-TCBRW	Red/White

PLASTIC CONE RING

SKU: 6174-CCM



- Fits any standard Construction Cone
- For easy on-site adjustment of barriers
- Offers heightened visibility and safety measures
- Easily remove barrier set up and keep attached for easy deployment later
- Great for: Bunting plastic chains, barrier tapes, ropes, string lighting

PLASTIC CHAIN - 6MM

SKU: 6174-PCRW25



- Red/White
- 25m roll
- 8mm link
- Durable plastic chain
- Separating links chain
- Use with Construction Cones and Site Delineators (LZT-001)

SITE HEROES

Bollards

TRAFFIC DELINEATOR FLEXI BOLLARD – 1M

SKU: 6174-FB1000RB



- 1000mm high
- 80mm diameter, 195mm base diameter
- High-vis orange PVC, reflective bands for night visibility
- Lightweight and easy to install, removable base
- Flexi-Bollards are a great solution for delineating traffic flow
- PU material, vehicle impact resistant
- Saves costly post and ground repairs
- UV resistant

FLEXIBLE BOLLARD – 750MM

SKU: 6174-FB750RB



- 750mm high
- 80mm diameter, 195mm base diameter
- High-vis orange PVC, reflective bands for night visibility
- Lightweight and easy to install, removable base
- Flexible bollards are a great solution for delineating traffic flow
- PU material, vehicle impact resistant
- Offers superior visibility and durability

PORTABLE T-TOP BOLLARD

SKU: 6174-TTBL



- 1100mm high
- 80mm diameter, 195mm base diameter
- Hi-vis orange PVC, reflective bands for night visibility
- 6kg rubber base
- Portable, no fixing required

Accessories

INTERLOCKING HOSE RAMP

SKU: 6174-HBR90



- Number of channels: 2
- Channel width: 97mm
- Channel height: 90mm
- Weight: 19kg
- Reflective safety strips for visibility

RUBBER KERB RAMP SECTIONS



- Weight capacity: 15T
- Bright reflective sheeting for visibility
- Recycled rubber

SKU:	COLOUR:	SIZE:	WEIGHT:
6174-KR100C	Black/Yellow	100mm (H), 610mm (L) x 315mm (W)	13kg
6174-KR100E	Blue/White	100mm (H), 300mm (L) x 300mm (W)	11kg

WHEEL STOP - 1.65M

SKU: 6174-WSR165



- 1650mm length x 100mm high x 160mm width
- Weight: 14.5kg
- Hi-vis yellow tape
- Drill-able for permanent installation

SITE HEROES

Site Lighting

Light up your projects
with assurance

SITE HEROES

Site Lights

SITE LIGHT – 360 DEGREE TASK LIGHT

SKU: 6180-K1563A



- Power: 240V
- 90-watt energy-efficient lighting
- Output: 7500 lumens for powerful illumination
- 360-degree circular light beam for full area coverage
- Daisy-chaining capability for extended setups
- IP54 rated, ensuring protection against dust and water splashes
- With tripod: **SKU:** 6180-K1563AY



Chain Lights & Batten Lights

SITE LIGHT – LED CHAIN LIGHT SYSTEM

SKU: 6180-CL25LED



- 30m cable
- 10 x 12 watt lamps (1500 lumens total)
- 16 AMP caravan plug & sockets
- IP65 rated
- Heavy-duty rubber cable
- Low heat output
- Daisy-chainable

SITE LIGHT – LED 600MM TEMPORARY BATTEN LIGHT

SKU: 6180-K6060B



- 600mm length
- Power: 240V
- Wattage: 65W
- 5m cable
- IP65
- 16 AMP plug & socket fitted for daisy-chaining
- Emergency backup battery for power failure

SITE LIGHT – LED 1200MM TEMPORARY BATTEN LIGHT

SKU: 6180-K6061



- 1200mm length
- Power: 220V-240V
- Wattage: 45W
- 5m cable
- IP65
- 16 AMP Plugs for daisy chaining
- Emergency backup battery for power failure

SITE HEROES

Rocket & Tripod Task Lights

SITE LIGHT - LED BATTERY TASK UPLIGHT

SKU: 6180-K1118R



- Weight: 4kg
- Power: 50 watt, rechargeable
- Output: 4000 lumens, with a 360 degree beam spread
- Impact resistant polycarbonate lens
- Outdoor and indoor use (IP44)
- 3hr work time
- Charger included
- Zero heat output

SITE LIGHT - 30W TRIPOD TWIN LIGHT

SKU: 6180-K1189TW



- Power: 2x 30 watt LED heads
- Output: 4200 lumens
- Voltage: 220-240V / 50Hz
- Aluminum die cast body
- Tempered glass
- Folding tripod
- 3m cable
- Very minimal fire risk due to low heat output
- IP65 rated

SITE LIGHT - 60W LED UPRIGHT WORK LIGHT ON TRIPOD

SKU: 6180-K1375L



- Output: 10,000 Lumens
- Voltage: 240V / 50Hz
- Bulb type: SMD LED
- Beam angle: 360°
- Colour temperature: 6500k
- Protection class: IP44
- With 1 pcs socket for 2000W
- Folding tripod design
- Cable: H07RN-F 3G1.5mm² 5m
- Very minimal fire risk due to low heat output
- Daisy-chainable

Lighting Accessories

POWER LEAD STAND

SKU: 618-LEADSTAND



- Height Range: 1300mm to 2500mm
- Capacity: 10 leads/6 hoses up to 30mm diameter
- Non-conductive polypropylene cradle
- Solid steel construction with foldable base
- Safely elevates electrical leads and hoses off the ground. Height adjustable with folding base

LEAD HOOKS 20PK

SKU: 6181-LH20R



- Multi-purpose, non-conducting strong plastic lead hook
- Ideal for electrical leads, cables, hoses, etc.
- Fits over doors, walls, scaffolding, and more
- Holds up to 8 leads and up to 50mm cables
- 20 hooks per pack

SITE LIGHT RANGE

BUILT TO **PERFORM** BUILT TO **LAST**

OFFER YOUR CUSTOMERS DURABLE, RELIABLE LIGHTING SOLUTIONS THAT GET THE JOB DONE—EVERY TIME.



Flood Lights

| SITE LIGHT – 100W LED FLOOD LIGHT

SKU: 6180-K1506H



- Light output: 11000 lumens
- 100m range
- Voltage: 220 – 240V / 50Hz
- Protection class: IP65
- Aluminium die cast body
- Tempered glass
- 3m cable
- Very minimal fire risk due to low heat output
- Weight: 4.4kg

| SITE LIGHT – 200W LED FLOOD LIGHT

SKU: 6180-K1509H



- Light output: 21000 lumens
- 200m range
- Voltage: 220 – 240V / 50Hz
- Protection class: IP65
- Aluminium die cast body
- Tempered glass
- 3m cable
- Very minimal fire risk due to low heat output
- Weight: 8.4kg

| SITE LIGHT – 100W LED FLOOD LIGHT – DAISY CHAIN

SKU: 6180-SL100DC



- Light output: 11000 lumens
- 100m range
- Voltage: 220 – 240V / 50Hz
- Power Inlet and Outlet for Daisy Chaining
- IP65 Rates 16AMP Plugs
- Protection class: IP65
- Aluminium die cast body
- Tempered glass
- 3m cable
- Very minimal fire risk due to low heat output
- Weight: 4.4kg

Cable Protectors

I CABLE PROTECTOR 2 CHANNEL – 1M – FLIP TOP


SKU: 6180-CC1025



- 2 Channels
- 1000mm length x 250mm wide x 45mm high
- Weight: 4 kg
- 25mm x 25mm Cable Channel
- 2.5 Tonne load per section
- Indoor and outdoor use
- Suitable for light vehicles and pedestrians
- Interlocks and connects to Cable Protector Range

I CABLE PROTECTOR HD 5 CHANNEL

SKU: 6180-CC9050



- 5 Cable Channels
- 950mm length x 500mm wide x 45mm high
- 30 ton rated
- Channel Size: 35mm wide x 30mm deep
- Indoor and outdoor use
- Suitable for light vehicles and pedestrians
- Interlocks and connects to Cable Protector Range

I CABLE PROTECTOR HD CORNER PROFILE 5 CHANNEL

SKU: 6180-CC9050CNR



- 50mm high x 500mm width
- 45-degree
- Interlocks and connects to Cable Protector Range

SITE HEROES



A
 **POWERPAC**
COMPANY

0800 23 57 89 | SITEHEROES.CO.NZ